

Subject
Ageing

Year Author / Title / Journal

- 2020 Alcazar J, Aagaard P, Haddock B, Kamper RS, Hansen SK, Prescott E et al. Age- and sex-specific changes in lower-limb muscle power throughout the lifespan. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*. 2020 [ahead of print]
- 2019 Suetta C, Haddock B, Alcazar J, Noerst T, Hansen OM, Ludvig H, et al. The Copenhagen Sarcopenia Study: lean mass, strength, power, and physical function in a Danish cohort aged 20-93 years. *J Cachexia Sarcopenia Muscle* 2019;10(6):1316–29
- 2018 Winckler K, Wiinberg N, Jensen AK, Thorsteinsson B, Lundby-Christensen L, Heitmann BL, et al. Carotid intima media thickness and ankle brachial index are inversely associated in subjects with and without diabetes. *Scand J Clin Lab Invest* 2018;78(6):464–9
- Bartels EM, Robertson S, Danneskiold-Sams B, Appleyard M, Stockmarr A. Effects of Lifestyle on Muscle Strength in a Healthy Danish Population. *J Lifestyle Med* 2018;8(1):16–22
- 2017 Schou AL, Mølbak M, Schnor P, Grønbæk M, Tolstrup JS. Alcohol consumption , smoking and development of visible age-related signs : a prospective cohort study. *J Epidemiol Community Heal* 2017;71(12):1177–84
- 2015 Christoffersen M. Visible aging signs as risk markers for ischemic cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2015. Thesis
- Christoffersen M, Tybjærg-Hansen A. Visible aging signs as risk markers for ischemic heart disease: Epidemiology, pathogenesis and clinical implications. *Ageing Res Rev* 2015;25(2016):24–41
- 2014 Christoffersen M, Frikke-Schmidt R, Schnohr P, Jensen GB, Nordestgaard BG, Tybjærg-Hansen A. Visible age-related signs and risk of ischemic heart disease in the general population: A prospective cohort study. *Circulation* 2014;129(9):990–8
- 2011 Heegaard KM, Holm-Pedersen P, Bardow A, Hvidtfeldt UA, Grønbæk M, Avlund K. The Copenhagen Oral Health Senior Cohort: Design, population and dental health. *Gerodontology* 2011;28(3):165–76
- 1998 Schnohr P, Nyboe J, Lange P, Jensen G. Longevity and gray hair, baldness, facial wrinkles, and arcus senilis in 13.000 men and women. *J Gerontol A Biol Sci Med Sci* 1998;53:M347–50
- 1996 Knudsen JH, Gustafsson F, Toft JC, Christensen NJ. Lymphocyte cAMP and ageing: Significance of subset composition, plasma noradrenaline, regular physical training and long-term smoking. *Clin Sci* 1996;91:621–6
- 1995 Schnohr P, Lange P, Nyboe J, Appleyard M, Jensen G. Gray hair, baldness, and wrinkles in relation to myocardial infarction: The Copenhagen City Heart Study. *Am Heart J* 1995;130(5):1003–10

1994 Lange P, Schnohr P. The relation between facial wrinkling and airflow obstruction. *Int J Dermatol* 1994;33(2):123–6

1991 Schnohr P, Lange P, Nyboe J, Appleyard M, Jensen G. Forøger rygning graden af ansigtsrynker? *Ugeskr Laeger* 1991;153:660–2

Alcohol

2019 Gellert-Kristensen H, Nordestgaard BG, Tybjaerg-Hansen A, Stender S. High Risk of Fatty Liver Disease Amplifies the Alanine Transaminase-Lowering Effect of a HSD17B13 Variant. *Hepatology* 2020;71(1):56–66

2018 Just-Østergaard E, Mortensen EL, Flensburg-Madsen T. Major life events and risk of alcohol use disorders: a prospective cohort study. *Addiction* 2018;113(1):25–33

Just-Østergaard E, Mortensen EL, Tolstrup JS, Flensburg-Madsen T. Vital exhaustion and risk of alcohol use disorders: A prospective cohort study. *J Psychosom Res* 2018;114:25–30

Christensen AI, Nordestgaard BG, Tolstrup JS. Alcohol Intake and Risk of Ischemic and Haemorrhagic Stroke: Results from a Mendelian Randomisation Study. *J Stroke* 2018;20(2):218–27

Wood AM, Kaptoge S, Butterworth AS, Willeit P, Warnakula S, Bolton T, et al. Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. *Lancet* 2018;391(10129):1513–23

2017 Schou AL, Mølbak M, Schnor P, Grønbæk M, Tolstrup JS. Alcohol consumption, smoking and development of visible age-related signs: a prospective cohort study. *J Epidemiol Community Health* 2017;71(12):1177–84

Christensen HN, Diderichsen F, Hvidtfeldt UA, Lange T, Andersen PK, Osler M, et al. Joint effect of alcohol consumption and educational level on alcohol-related medical events: A Danish register-based cohort study. *Epidemiology* 2017;28(6):872–9

Just-Østergaard E, Mortensen EL, Flensburg-Madsen T. Major life events and risk of alcohol use disorders: a prospective cohort study. *Addiction* 2017;113(1):25–33

2016 Lomholt FK, Nielsen SF, Nordestgaard BG. High alcohol consumption causes high IgE levels but not high risk of allergic disease. *J Allergy Clin Immunol* 2016;138(5):1404–1413.e13

Tolstrup JS, Wium-Andersen MK, Ørsted DD, Nordestgaard BG. Alcohol consumption and risk of atrial fibrillation: Observational and genetic estimates of association. *Eur J Prev Cardiol.* 2016;23(14):1514–23

2015 Wium-Andersen MK, Ørsted DD, Tolstrup JS, Nordestgaard BG. Increased alcohol consumption as a cause of alcoholism, without similar evidence for depression: A Mendelian randomization study. *Int J Epidemiol.* 2015;44(2):526–39

- Hach M, Holm-Pedersen P, Adegboye ARA, Avlund K. The effect of alcohol consumption on periodontitis in older Danes. *Int J Dent Hyg.* 2015;13(4):261–7
- Ejsing LK, Becker U, Tolstrup JS, Flensburg-madsen T. Physical activity and risk of alcohol use disorders: Results from a prospective cohort study. *Alcohol Alcohol.* 2015;50(2):206–12
- 2014 Holmes M V., Dale CE, Zuccolo L, Silverwood RJ, Guo Y, Ye Z, et al. Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. *Bmj* 2014; 349:g4164
- 2011 Flensburg-Madsen T, Becker U, Grønbæk M, Knop J, Sher L, Mortensen EL. Alcohol consumption and later risk of hospitalization with psychiatric disorders: Prospective cohort study. *Psychiatry Res* 2011;187(1–2):214–9
- Tolstrup JS. Alcohol intake and cardiovascular and gastrointestinal diseases. Do other factors matter? of the University of Copenhagen; 2011. Doctoral Thesis
- 2010 Hvidtfeldt UA, Rasmussen S, Grønbæk M, Becker U, Tolstrup JS. Influence of smoking and alcohol consumption on admissions and duration of hospitalization. *Eur J Public Health.* 2010;20(4):376–82
- 2009 Flensburg-Madsen T, Knop J, Mortensen EL, Becker U, Sher L, Grønbæk M. Alcohol use disorders increase the risk of completed suicide - Irrespective of other psychiatric disorders. A longitudinal cohort study. *Psychiatry Res* 2009;167(1–2):123–30
- Flensburg-Madsen T. Alcohol Use Disorders - in relation to Alcohol Consumption, Psychiatric co-morbidity, and Suicide. Eget forlag. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2009. Thesis
- Tolstrup JS, Gronbaek M, Nordestgaard BG. Alcohol Intake, Myocardial Infarction, Biochemical Risk Factors and Alcohol Dehydrogenase Genotypes. *Circ Cardiovasc Genet* [Internet]. 2009; 2(5):507-14
- Tolstrup JS, Gronbaek M, Tybjaerg-Hansen A, Nordestgaard BG. Alcohol intake, alcohol dehydrogenase genotypes, and liver damage and disease in the Danish general population. *AmJ Gastroenterol.* 2009 Sep;104(9):2182–8
- 2008 Thygesen LC. Alcohol intake and risk of cancer - prospective studies with repeated measurements of exposure. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2008. Thesis
- Nielsen NR, Grønbæk M. Interactions between intakes of alcohol and postmenopausal hormones on risk of breast cancer. *IntJCancer* 2008; 122:1109–13
- Thygesen LC, Johansen C, Keiding N, Giovannucci E, Grønbæk M. Effects of sample attrition in a longitudinal study of the association between alcohol intake and all-cause mortality. *Addiction* 2008 Jul;103:1149–59

Thygesen LC, Mørch LS, Keiding N, Johansen C, Grønbaek M. Use of baseline and updated information on alcohol intake on risk for breast cancer: importance of latency. *Int J Epidemiol* 2008;37(3):669–77

Kristiansen L, Grønbaek M, Becker U, Tolstrup JS. Risk of Pancreatitis According to Alcohol Drinking Habits: A Population-based Cohort Study. *Am J Epidemiol* 2008;168(8):932–7

Flensburg-Madsen T, Knop J, Mortensen EL, Becker U, Makhija N, Sher L, et al. Beverage preference and risk of alcohol-use disorders: A Danish prospective cohort study. *J Stud Alcohol Drugs* 2008;69:371–7

Tolstrup JS, Nordestgaard BG, Rasmussen S, Tybjaerg-Hansen A, Grønbaek M. Drikkevaner og alkoholisme er delvist bestemt af genetiske variationer i alkoholdehydrogenasen - sekundærpublikation. *Ugeskr Laeger* 2008;25(170):2672–5

Tolstrup JS, Nordestgaard BG, Rasmussen S, Tybjaerg-Hansen A, Grønbaek M. Alcoholism and alcohol drinking habits predicted from alcohol dehydrogenase genes. *Pharmacogenomics J* 2008;8(3):220–7

2007 Flensburg-Madsen T, Mortensen EL, Knop J, Becker U, Sher L, Grønbaek M. Comorbidity and temporal ordering of alcohol use disorders and other psychiatric disorders: results from a Danish register-based study. *Compr Psychiatry* 2007 Jul;50(4):307–14

Flensburg-Madsen T, Knop J, Mortensen EL, Becker U, Grønbaek M. Amount of alcohol consumption and risk of developing alcoholism in men and women. *Alcohol Alcohol* 2007 Sep 1;42(5):442–7

Thygesen LC, Keiding N, Johansen C, Grønbaek M. Changes in alcohol intake and risk of upper digestive tract cancer. *Acta Oncol.* 2007;46(8):1085–9

2005 Nielsen NR, Truelsen T, Barefoot JC, Johnsen SP, Overvad K, Boysen G, et al. Is the effect of alcohol on risk of stroke confined to highly stressed persons. *Neuroepidemiology* 2005;25:105–13

Johansen D, Grønbaek M, Overvad K, Schnohr P, Andersen P. Generalized Additive Models applied to analysis of the relation between amount and type of alcohol and all-cause mortality. *Eur J Epidemiol.* 2005;20(1):29–36

Mukamal KJ, Tolstrup JS, Friberg J, Jensen G, Grønbaek M. Alcohol Consumption and Risk of Atrial Fibrillation in Men and Women: The Copenhagen City Heart Study. *Circulation* 2005 Sep 20;112(12):1736–42

Nielsen NR, Thygesen LC, Johansen D, Jensen G, Grønbaek M. The influence of duration of follow-up on the association between alcohol and cause-specific mortality in a prospective cohort study. *Ann Epidemiol.* 2005;15(1):44–55

2004 Nielsen NR, Schnohr P, Jensen G, Grønbaek M. Is the relationship between type of alcohol and mortality influenced by socio-economic status? *J Int Med* 2004;255:280–8

Vadstrup ES, Petersen L, Sørensen TIA, Grønbaek M. Taljemål i relation til mængde og type af alkohol. *Ugeskr Laeger* 2004;166:4478–81

Grønbaek M, Johansen D, Becker U, Hein HO, Schnohr P, Jensen G, et al. Changes in Alcohol Intake and Mortality: A Longitudinal Population-based Study. *Epidemiology* 2004;15(2):222-8

Johansen D. Analysing the consequences of total alcohol intake and beverage type. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2004. Thesis

2003 Tjønneland A, Thomsen BL, Stripp C, Christensen J, Overvad K, Møller H, et al. Alcohol intake, drinking patterns and risk of postmenopausal breast cancer in Denmark: a prospective cohort study. *Cancer Causes Control* 2003;14:277–84

Pedersen A, Johansen C, Grønbaek M. Relations between amount and type of alcohol and colon and rectal cancer in a Danish population based cohort study. *Gut* 2003;52(6):861–7

Johansen D, Andersen PK, Jensen MK, Schnohr P, Grønbaek M. Nonlinear relation between alcohol intake and high-density lipoprotein cholesterol level. Results from the Copenhagen City Heart Study. *Alcohol Clin Exp Res* 2003;27:1305–9

Vadstrup ES, Petersen L, Sørensen TIA, Grønbaek M. Waist circumference in relation to history of amount and type of alcohol: results from the Copenhagen City Heart Study. *Int J Obes Relat Metab Disord* 2003;27(2):238–46

Tolstrup JS, Kjær SK, Holst C, Sharif H, Munk C, Osler M, et al. Alcohol use as predictor for infertility in a representative population of Danish women. *Acta Obstet Gynecol Scand* 2003;14:277–84

Becker U, Grønbaek M, Johansen D, Sørensen T, . Lower risk for alcohol-induced cirrhosis in wine drinkers. *Hepatology* 2003;35:868–75

Grønbaek M. Type of alcoholic beverage and cardiovascular disease - does it matter? *Eur J Cardiovasc Prev Rehabil* 2003;10(1)

Johansen D, Andersen PK, Overvad K, Jensen G, Schnohr P, Sørensen TIA, et al. Energy adjustment methods in alcohol analyses. *Alcohol* 2003;31:11–7

2002 Grønbaek M, Iversen L. Dødelighed af levercirrose: Danmark i internationalt perspektiv - hvor er vi på vej hen? *Ugeskr Laeger* 2002;164:1019–20

Jensen MK, Andersen AT, Sørensen TIA, Becker U, Thorsen T, Grønbaek M. Alcoholic Beverage Preference and Risk of Becoming a Heavy Drinker. *Epidemiology* 2002;13(2)

- Barefoot JC, Gronbaek M, Feaganes JR, McPherson RS, Williams RB, Siegler IC. Alcoholic beverage preference, diet, and health habits in the UNC Alumni Heart Study. *Am J Clin Nutr* 2002;76(2):466–72
- Truelsen T, Thudium D, Gronbaek M. Amount and type of alcohol and risk of dementia: The Copenhagen City Heart Study. *Neurology* 2002;59(9):1313–9
- Grønbaek M, Sørensen TIA. Is the effect of wine on health confounded by diet? *Epidemiology* 2002;13(2)
- Albertsen K, Grønbaek M. Does amount or type of alcohol influence the risk of prostate cancer? *Prostate* 2002;52:297–304
- 2000 Gronbaek M, Becker U, Johansen D, Gottschau A, Schnohr P, Hein HO, et al. Type of Alcohol Consumed and Mortality from All Causes, Coronary Heart Disease, and Cancer. *Ann Intern Med* 2000 Sep 19;133(6):411–9
- Andersen AT. Alkoholforbruget 1976-1992 [Internet]. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2000. Thesis
- Grønbaek M. Wine and Mortality. Evidence for causal inference? [Dan Med Bull]: The faculty of Health Science of the University of Copenhagen; 2000. Doctoral Thesis
- 1999 Hoidrup S, Grønbaek M, Gottschau A, Lauritzen JB, Schroll M. Alcohol Intake, Beverage Preference, and Risk of Hip Fracture in Men and Women. Copenhagen Centre for Prospective Population Studies. *Am J Epidemiol* 1999;149(11):993–1001
- Petri AL, Grønbaek M, Sandstrøm B, Becker U. Antioxidative status in normal healthy subjects with low and high alcohol intake. *Alcologia*. 1999;10:92–8
- Grønbaek M. Type of alcohol and mortality from cardiovascular disease. *Food Toxicol*. 1999;(37):921
- Grønbaek M, Becker U, Johansen D, Tønnesen H, Jensen G, Sørensen TIA. Alcohol og øvre gastrointestinal cancer. *Ugeskr Laeger* 1999;(161):6196–9
- Prescott E, Grønbaek M, Becker U, Sørensen TIA. Alcohol Intake and the Risk of Lung Cancer: Influence of Type of Alcoholic Beverage. *Am J Epidemiol* 1999 Mar 1;149(5):463–70
- 1998 Grønbaek M, Deis A, Becker U, Hein HO, Schnohr P, Jensen G, et al. Alcohol and mortality: is there a U-shaped relation in elderly people? *Age Ageing* 1998;27:739–44
- Gronbak M, Becker U, Johansen D, Tonnesen H, Jensen G, Sorensen TIA. Population based cohort study of the association between alcohol intake and cancer of the upper digestive tract. *BMJ* 1998 Sep 26;317(7162):844–8
- 1997 Grønbaek M. Wine and mortality. *BioFactors* 1997;6:377–83

- Grønbæk M. Vin og helbred. In: Mønster J, editor. Fra vand til vin. Copenhagen: Gyldendal; 1997. p. 147–61
- Grønbæk M, Heitmann BL. Hvor gode oplysninger får vi om indtag af øl, vin og spiritus i befolkningsundersøgelser? Ugeskr Læger 1997;159(21):3151–4
- Grønbæk M, Iversen L, Olsen J, Becker U, Hardt F, Sørensen TIA. Genstandsgrænser. Ugeskr Læger. 1997;159:5939–45
- Henriksen JH, Grønbæk M, Møller S, Bendtsen F, Becker U. Carbohydrate deficient transferrin (CDT) in alcoholic liver disease. A catheterization study. Scand J Gastroenterol 1997;26:287–92
- Grønbæk M. Positive effekter af alkohol? Nord Med. 1997;10:367–9
- Grønbæk M, Kondrup J. Alkohol. In: Astrup A, Gardby L, Stender S, editors. Menneskets ernæring. Copenhagen: Munksgaard; 1997. p. 114–22
- 1996 Grønbæk M, Heitmann BL. Validity of self-reported intakes of wine, beer, and spirits in population studies. Eur J Clin Nutr 1996;50:487–90
- Grønbæk M, Sørensen TIA. Alcohol consumption and risk of coronary heart disease. Br Med J 1996;313:365
- Grønbæk M, Deis A, Sørensen TIA, Becker U, Schnohr P. Reduced mortality from cardiovascular and cerebrovascular disease associated with moderate intake of wine. In: Natural Antioxidants & Food Quality in Atherosclerosis and Cancer Prevention. In Cambridge: The Royal Society of Chemistry; 1996. p. 262–3
- Grønbæk M. Alcohol and mortality - explanation of the U-shaped risk function. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 1996. Thesis
- Becker U, Deis A, Sørensen TIA, Grønbæk M, Borch-Johnsen K, Møller CF, et al. Prediction of risk of liver disease in relation to alcohol intake, sex and age: A prospective population study. Hepatology [Internet]. 1996;23:1025–9
- Grønbæk M, Deis A, Sørensen TIA, Becker U, Schnohr P. Forskel i dødelighed ved moderat forbrug af øl, vin og spiritus. Ugeskr Læger. 1996;158(16):2258–61
- 1995 Grønbæk M. Alcohol and life expectancy. Br J Hosp Med. 1995;54:306–7
- Becker U, Deis A, Sørensen TIA, Grønbæk M, Møller CF, Schnohr P, et al. Alcohol intake in a population study. Assessment and characterization. Alcologia. 1995;7:35–42
- Grønbæk M, Henriksen JH, Becker U. Carbohydrate deficient transferrin - a valid marker of alcoholism in population studies? Results from the Copenhagen City Heart Study. Alcohol Clin Exp Res. 1995;19(2):457–61

Grønbæk M, Deis A, Sørensen TIA, Becker U, Schnohr P, Jensen G. Mortality associated with moderate intakes of wine, beer and spirits. *Br Med J*. 1995;310:1165–9

Grønbæk M. In vino veritas. *Ugeskr Laeger*. 1995;157:6415

1994 Grønbæk M, Deis A, Sørensen TIA, Becker U, Borch-Johnsen K, Møller C, et al. Influence of sex, age, body mass index, and smoking on alcohol intake and mortality. *Br Med J*. 1994;308:302–6

Grønbæk M, Deis A. Druk og død - hvordan hænger tingene sammen? *Indblik*. 1994;Juni:20–1

Grønbæk M, Deis A, Sørensen TIA, Becker U, Borch-Johnsen K, Møller CF, et al. Sammenhængen mellem alkohol og dødelighed. Betydningen af køn, alder, vægt og rygning. *Ugeskr Laeger*. 1994;156(48):7214–8

Angina Pectoris

2014 Jespersen L. Prognose ved stabil angina uden signifikante stenoser. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

2013 Jespersen L, Abildstrøm SZ, Hvelplund A, Galatius S, Madsen JK, Pedersen F, et al. Symptoms of angina pectoris increase the probability of disability pension and premature exit from the workforce even in the absence of obstructive coronary artery disease. *Eur Heart J*. 2013;34(42):3294–303

1999 Ballegaard S, Johannessen A, Karpatschof B, Nyboe J. Addition of acupuncture and self-care education in the treatment of patients with severe angina pectoris may be cost beneficial. *J Altern Complement Med* 1999;5:405–13

1998 Netterstrøm B, Kristensen T, Møller L, Jensen G, Schnohr P. Angina pectoris, job strain, and social status: A cross-sectional study of employed urban citizens. *Int J Behav Med* 1998;5(4):312–22

1984 Jensen G. Epidemiology of chest pain and angina pectoris, with special reference to treatment Needs. [Acta Med Scand, Suppl. 682]; 1984. Doctoral Thesis

1982 Jensen G. Angina Pectoris - epidemiologi og behandlingsbehov. *Nord Med*. 1982;97(4):99–101

Atrial Fibrillation

2020 Alhakak AS, Brainin P, Mogelvang R, Jensen GB, Jensen JS, Biering-Sorensen T. The cardiac isovolumetric contraction time is an independent predictor of incident atrial fibrillation and adverse outcomes following first atrial fibrillation event in the general population. *Eur Heart J Cardiovasc Imaging*. 2020;21(1):49–57.

2019 Olsen FJ, Møgelvang R, Jensen GB, Jensen JS, Biering-Sørensen T. Relationship Between Left Atrial Functional Measures and Incident Atrial Fibrillation in the General Population. The Copenhagen City Heart Study. *JACC Cardiovasc Imaging*. 2019;12(6):981–9.

- 2018 Marott JL, Skielbo AK, Dixen U, Friberg J, Schnohr P, Jensen GB. Increasing population height and risk of incident atrial fibrillation: The Copenhagen City Heart Study. *Eur Hear J*. 2018;39(45):4012–9.
- Skielboe AK. Physical Activity and Atrial Fibrillation. The Faculty of Health Science of the University of Copenhagen; 2018. Thesis
- Ane Katrine Skielboe. Physical Activity and Atrial Fibrillation. The Faculty of Health and Medical Science of the University of Copenhagen; 2018. Thesis
- Olsen FJ, Møgelvang R, Jensen GB, Jensen JS, Biering-Sørensen T. Relationship Between Left Atrial Functional Measures and Incident Atrial Fibrillation in the General Population. The Copenhagen City Heart Study. *JACC Cardiovasc Imaging*. 2018;S1936-878X(18)30014-7
- 2016 Tolstrup JS, Wium-Andersen MK, Ørsted DD, Nordestgaard BG. Alcohol consumption and risk of atrial fibrillation: Observational and genetic estimates of association. *Eur J Prev Cardiol*. 2016;23(14):1514–23
- 2013 Marott SCW, Nordestgaard BG, Jensen GB, Tybjærg-Hansen A, Benn M. AT1 mutations and risk of atrial fibrillation based on genotypes from 71000 individuals from the general population. *Br J Clin Pharmacol*. 2013;76(1):114–24
- Marott SCW. Markers of inflammation and atrial fibrillation. The faculty of Health Science of the University of Copenhagen; 2013. Thesis
- Marott SCW, Benn M, Johansen JS, Jensen GB, Tybjærg-Hansen A, Nordestgaard BG. YKL-40 levels and atrial fibrillation in the general population. *Int J Cardiol*. 2013;167(4):1354–9
- 2012 Osbak PS, Mourier M, Henriksen JH, Kofoed KF, Jensen GB. Effect of physical exercise training on muscle strength and body composition, and their association with functional capacity and quality of life in Patients with Atrial fibrillation: A Randomized controlled trial. *J Rehabil Med*. 2012;44(11):975–9
- 2010 Marott SCW, Nordestgaard BG, Zacho J, Friberg J, Jensen GB, Tybjærg-Hansen A, et al. Does elevated C-reactive protein increase atrial fibrillation risk? A Mendelian randomization of 47,000 individuals from the general population. *J Am Coll Cardiol* 2010;56(10):789–95
- 2008 Ravn LS, Benn M, Nordestgaard BG, Sethi AA, Agerholm-Larsen B, Jensen GB, et al. Angiotensinogen and ACE gene polymorphisms and risk of atrial fibrillation in the general population. *Pharmacogenet Genomics* 2008;18(6)
- 2006 Mukamal KJ, Tolstrup JS, Friberg J, Grønbaek M, Jensen G. Fibrinogen and Albumin Levels and Risk of Atrial Fibrillation in Men and Women (the Copenhagen City Heart Study). *Am J Cardiol* 2006 Jul 1;98(1):75–81
- 2004 Friberg J. The epidemiology of atrial fibrillation. The Copenhagen City Heart Study. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2004. Thesis

2003 Buch P, Friberg J, Scharling H, Lange P, Prescott E. Reduced lung function and risk of atrial fibrillation in The Copenhagen City Heart Study. *Eur Respir J* 2003;21(6):1012–6

Friberg J, Buch P, Scharling H, Gadsbøll N, Jensen GB. Rising Rates of Hospital Admissions for Atrial Fibrillation. *Epidemiology* 2003;14(6):666–72

Friberg J, Scharling H, Gadsbøll N, Jensen GB. Sex-specific increase in the prevalence of atrial fibrillation (The Copenhagen City Heart Study). *Am J Cardiol* 2003;92:1419–23

1987 Petersen P, Madsen EB, Brun B, Pedersen F. Silent cerebral infarction in chronic atrial fibrillation. *Stroke*. 1987;18(6):1098–100

Autoimmune Disease

2019 Madsen CM, Varbo A, Nordestgaard BG. Low HDL Cholesterol and High Risk of Autoimmune Disease: Two Population-Based Cohort Studies Including 117341 Individuals. *Clin Chem*. 2019;65(5):644–52

Bacteria

2002 Bennedsen M, Berthelsen L, Lind I. Performance of Three Microimmunofluorescence Assays for Detection of *Chlamydia pneumoniae* Immunoglobulin M, G, and A Antibodies. *Clin Vaccine Immunol*. 2002;9(4):833–9

1993 Andersen LI, Frederiksen H-J, Appleyard M. Forekomst af *Candida Albicans*-kolonisering i esophagus. *Ugeskr Laeger*. 1993;155:642–5

1985 Scheibel JH, Ibsen KK. Chlamydial antibodies in Danish children. *Dan Med Bull*. 1985;32:265–6

1982 Ibsen KK, Larsen JH. The prevalence of antibodies to hemolytic streptococci and to *Yersinia enterocolitica* in Danish schoolchildren and among hospitalized patients. *Scand J Infect Dis*. 1982;14:277–82

Biomarkers

2017 Lindberg S, Jensen JS, Bjerre M, Frystyk J, Flyvbjerg A, Jeppesen J, et al. Low adiponectin levels at baseline and decreasing adiponectin levels over 10 years of follow-up predict risk of the metabolic syndrome. *Diabetes Metab* 2017;43(2):134–9

2014 Ellervik C, Marott JL, Tybjaerg-Hansen A, Schnohr P, Nordestgaard BG. Total and cause-specific mortality by moderately and markedly increased ferritin concentrations: general population study and metaanalysis. *Clin Chem* 2014;60(11):1419–28

Lindberg S, Jensen JS, Mogelvang R, Pedersen SH, Galatius S, Flyvbjerg A, et al. Plasma neutrophil gelatinase-associated lipocalin in the general population: association with inflammation and prognosis. *Arterioscler Thromb Vasc Biol*. 2014;34(9):2135–42

Lindberg S, Jensen JS, Bjerre M, Pedersen SH, Frystyk J, Flyvbjerg A, et al. Cardio-adipose tissue cross-talk: relationship between adiponectin, plasma pro brain natriuretic peptide and incident heart failure. *Eur J Heart Fail*. 2014;16(6):633–8

- 2013 Thomsen M, Ingebrigtsen TS, Marott JL, Dahl M, Lange P, Vestbo J, et al. Inflammatory biomarkers and exacerbations in chronic obstructive pulmonary disease. *JAMA* [Internet]. 2013;309(22):2353–61
- Lindberg S, Mogelvang R, Pedersen SH, Bjerre M, Frystyk J, Flyvbjerg A, et al. Relation of serum adiponectin levels to number of traditional atherosclerotic risk factors and all-cause mortality and major adverse cardiovascular events (from the Copenhagen City Heart Study). *Am J Cardiol*. 2013;111(8):1139–45
- Mogelvang R, Haahr-Pedersen S, Bjerre M, Frystyk J, Iversen A, Galatius S, et al. Osteoprotegerin improves risk detection by traditional cardiovascular risk factors and hsCRP. *Heart*. 2013;99(2):106–10
- 2012 Jensen MT, Marott JL, Allin KH, Nordestgaard BG, Jensen GB. Resting heart rate is associated with cardiovascular and all-cause mortality after adjusting for inflammatory markers: The Copenhagen City Heart Study. *Eur J Prev Cardiol* 2012;19:102–8
- Thomsen M, Dahl M, Lange P, Vestbo J, Nordestgaard BG. Inflammatory biomarkers and comorbidities in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*. 2012;186(10):982–8
- The Emerging Risk Factors Collaboration. C-Reactive Protein, Fibrinogen, and Cardiovascular Disease Prediction. *N Engl J Med* 2012;367(14):1310–20
- Mogelvang R, Pedersen SH, Flyvbjerg A, Bjerre M, Iversen AZ, Galatius S, et al. Comparison of osteoprotegerin to traditional atherosclerotic risk factors and high-sensitivity C-reactive protein for diagnosis of atherosclerosis. *Am J Cardiol*. 2012;109(4):515–20
- 2011 Bojesen SE, Johansen JS, Nordestgaard BG. Plasma YKL-40 levels in healthy subjects from the general population. *Clin Chim Acta* 2011;412(9–10):709–12
- 2010 Johansen JS, Bojesen SE, Tybjærg-Hansen A, Mylin AK, Price PA, Nordestgaard BG. Plasma YKL-40 and total and disease-specific mortality in the general population. *Clin Chem*. 2010;56(10):1580–91
- Blood Pressure
- 2020 Korshoj M, Hannerz H, Marott JL, Schnohr P, Prescott E, Clays E, et al. Does occupational lifting affect the risk of hypertension? Cross-sectional and prospective associations in the Copenhagen City Heart Study. *Scand J Work Environ Health*. 2020;46(2):188-97
- Joseph G, Marott JL, Biering-Sørensen T, Johansen MN, Saevereid HA, Nielsen G, et al. Level of Physical Activity, Left Ventricular Mass, Hypertension, and Prognosis. *Hypertension*. 2020;75(3):693-701
- 2019 Joseph G, Marott JL, Torp-Pedersen C, Biering-Sorensen T, Nielsen G, Christensen A-E, et al. Dose-Response Association Between Level of Physical Activity and Mortality in Normal, Elevated, and High Blood Pressure. *Hypertension*. 2019;74(6):1307–15

Riis J, Nordestgaard BG, Jensen GB, Afzal S. Secular trends in risk of stroke according to body mass index and blood pressure, 1976-2017. *Neurology*. 2019;93(14):e1397-407

2018 Korshøj M, Hannerz H, Marott JL, Schnohr P. The Effect of Occupational Lifting on Hypertension Risk : Protocol for a Project Using Data From the Copenhagen City Heart Study. *Jmir Res Protoc*. 2018;7(4):e93

2017 Ding M, Huang T, Bergholdt HK, Nordestgaard BG, Ellervik C, Qi L. Dairy consumption, systolic blood pressure, and risk of hypertension: Mendelian randomization study. *Bmj* 2017;356:j1000

Andersen UO. Trends in population blood pressure and determinant factors for population blood pressure. *Dan Med J*. 2017;64(3):B5353.

2016 Surendran P, Drenos F, Young R, Warren H, Cook JP, Manning AK, et al. Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. *Nat Genet*. 2016;48(10):1151-61

Ellervik C. Hemochromatosis genotypes and elevated transferrin saturation – risk of diabetes mellitus, hypertension, cancer and total mortality. The faculty of Health Science of the University of Copenhagen; 2016. Doctoral Thesis

2015 Andersen UO. Udviklingen af hypertension i Danmark! The faculty of Health Science of the University of Copenhagen; 2015. Doctoral Thesis

2013 Andersen UO, Jensen GB. Gender difference and economic gradients in the secular trend of population Systolic Blood Pressure. *Eur J Intern Med* 2013;24(6):568-72

Palmer TM, Nordestgaard BG, Benn M, Tybjaerg-hansen A, Smith GD, Lawlor DA, et al. Association of plasma uric acid with ischaemic heart disease and blood pressure: mendelian randomisation analysis of two large cohorts. *Bmj*. 2013;347(7919):13-4

2012 Thomsen M, Dahl M, Tybjaerg-Hansen A, Nordestgaard BG. β 2-adrenergic receptor Thr164Ile polymorphism, blood pressure and ischaemic heart disease in 66750 individuals. *J Intern Med*. 2012;271(3):305-14

2011 Andersen UO, Jensen GB. Population blood pressure and low to moderate alcohol intake in an untreated population followed over 20 years. Copenhagen City heart study. *Eur J Intern Med* 2011;22(5):514-7

Andersen UO, Marott JL, Jensen GB. Decreasing systolic blood pressure and declining mortality rates in an untreated population: results from the Copenhagen City Heart Study. *Eur J Cardiovasc Prev Rehabil* 2011;18:248-53

Asferg C, Møgelvang R, Flyvbjerg A, Frystyk J, Jensen JS, Marott JL, et al. Interaction between leptin and leisure time physical activity and development of hypertension. *Blood Press* 2011;20:362-9

- 2010 Andersen UO, Jensen GB. Trends and determinant factors in hypertension control in a population study with 25 years of follow-up. *J Hypertens* 2010;28(5):1091–6
- Andersen UO, Jensen GB. Trends and determinant factors for population blood pressure with 25 years of follow-up: results from the Copenhagen City Heart Study. *Eur J Cardiovasc Prev Rehabil Off J Eur Soc Cardiol Work Groups Epidemiol Prev Card Rehabil Exerc Physiol* 2010;17(6):655–9
- Asferg C, Møgelvang R, Flyvbjerg A, Frystyk J, Jensen JS, Marott JL, et al. Leptin, not adiponectin, predicts hypertension in the Copenhagen City Heart Study. *Am J Hypertens* 2010;23(3):327–33
- 2007 Andersen UO, Jensen G. Decreasing population blood pressure is not mediated by changes in habitual physical activity. Results from 15 years of follow-up. *Blood Press* 2007;16(1):28–35
- Andersen UO. En multivariat undersøgelse af de koronare risikofaktorerens betydning for befolkningens blodtryksudvikling. SDU; 2007
- 2004 Andersen UO, Jensen G. Decreasing population blood pressure: 15 years of follow-up in the Copenhagen City Heart Study (CCHS). *Blood Press* 2004;13(3):176–82
- 2003 Dahl M, Tybjaerg-Hansen A, Sillesen H, Jensen G, Steffensen R, Nordestgaard BG. Blood Pressure, Risk of Ischemic Cerebrovascular and Ischemic Heart Disease, and Longevity in alpha1-Antitrypsin Deficiency: The Copenhagen City Heart Study. *Circulation*. 2003;107(5):747–52
- 2002 Collaboration PS. Age-specific relevance of usual blood pressure to vascular mortality: a meta-analysis of individual data for one million adults in 61 prospective studies. *Lancet* 2002;360:1903–13
- Andersen UO, Henriksen JH, Jensen G, Copenhagen City Heart Study Group. Sources of Measurement Variation in Blood Pressure in Large-scale Epidemiological Surveys with Follow-up. *Blood Press*. 2002;11(6):357–65
- 1997 Nielsen WB, Parner J, Vestbo J, Jensen G. Risk factors for isolated systolic hypertension. A prospective population based study. *Am J Hypertens*. 1997;10:634–9
- Nielsen WB. Isoleret systolisk hypertension. En kardiologisk epidemiologisk undersøgelse. [Copenhagen]: The Faculty of Health Science og the University of Copenhagen; 1997. Thesis
- 1996 Nielsen WB, Vestbo J, Jensen G. Isoleret systolisk hypertension; En væsentlig risikofaktor for apoplexia cerebri (stroke) og akut myokardieinfarkt (AMI). En prospektiv populationsbaseret undersøgelse. *Ugeskr Laeger*. 1996;158(16):2258–61
- 1993 Clausen J, Jensen G. Blodtryk og dødelighed. Østerbroundersøgelsen. *Ugeskr Laeger*. 1993;155:561–6

Jensen G. Remissionsbehandling på hypertension - et nyt behandlingsmål? Ugeskr Laeger. 1993;155:2585–6

1992 Clausen J, Jensen G. Blood pressure and mortality: an epidemiological survey 10 years follow-up. J Hum Hypertens. 1992;6:53–9

1991 de Man SA, André J-L, Bachmann H, Grobbee DE, Ibsen KK, Laaser U, et al. Blood pressure in childhood: Pooled findings of six European studies. J Hypertens. 1991;9(2):104–9

1990 Clausen J, Jensen G. Are blood pressure levels increasing in Denmark? J Int Med. 1990;228:443–50

1985 Ibsen KK. Blodtrykket hos børn og unge (Blood pressure in children and adolescents). [Copenhagen]: F.A.D.L.s Forlag; 1985. Doctoral Thesis

Ibsen KK. Factors influencing blood pressure in children and adolescents. Acta Paediatr Scand. 1985;74:416–22

1984 Ibsen KK. Blood pressure in offsprings of hypertensive parents. Acta Paediatr Scand. 1984;73:842–7

Ibsen KK. Statistical analysis of factors influencing blood pressure in children and adolescents. Acta Med Scand. 1984;(493 (suppl.)):41–6

1981 Ibsen KK. Blood pressure in Danish children and adolescents. Acta Paediatr Scand. 1981;(70):27–31

Ibsen KK. Liquorice consumption and its influence on blood pressure. Dan Med Bull. 1981;28(3):124–6

Jensen G, Schnohr P, Nyboe J, Hansen AT. Forekomsten af højt blodtryk i Østerbrounderøgelsen. I: Hypertensionens epidemiologi i Danmark. Gyntelberg F, Hilden T, Ibsen H, editors. Dansk Hypertensions Selskab; 1981

1979 Schnohr P. The value of mass-screening for hypertension. Acta Med Scand. 1979;(Suppl. 626)

C-Reactive Protein

2016 Zacho J, Benfield T, Tybjaerg-Hansen A, Nordestgaard BG. Increased baseline C-Reactive protein concentrations are associated with increased risk of infections: Results from 2 large danish population cohorts. Clin Chem. 2016;62(2):335–42

Wium-Andersen MK, Ørsted DD, Nordestgaard BG. Elevated C-reactive protein and late-onset bipolar disorder in 78 809 individuals from the general population. Br J Psychiatry. 2016;208(2):138–45

2015 Wium-Andersen MK. Plasma C-reactive protein and bipolar disorder and schizophrenia. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

- 2014 Wium-Andersen MK, Ørsted DD, Nordestgaard BG. Elevated C-reactive protein associated with late-and very-late-onset schizophrenia in the general population: A prospective study. *Schizophr Bull.* 2014;40(5):1117–27
- Wium-Andersen MK, Oørsted DD, Nordestgaard BG. Elevated C-reactive protein, depression, somatic diseases, and all-cause mortality: A mendelian randomization study. *Biol Psychiatry [Internet].* 2014;76(3):249–57
- 2013 Wium-Andersen MK, Ørsted DD, Nielsen SF, Nordestgaard BG. Elevated C-reactive protein levels, psychological distress, and depression in 73131 individuals. *JAMA Psychiatry.* 2013;70(2):176–84
- 2012 The Emerging Risk Factors Collaboration. C-Reactive Protein, Fibrinogen, and Cardiovascular Disease Prediction. *N Engl J Med* 2012;367(14):1310–20
- 2011 CRP CHD Genetics Collaboration. Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. *Bmj* 2011;342(feb15 2):d548–d548
- Allin KH. C-reactive protein and cancer. The faculty of Health Science of the University of Copenhagen; 2011. Thesis
- 2010 Kaptoge S, Di Angelantonio E, Lowe G, Pepys MB, Thompson SG, Collins R, et al. C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: An individual participant meta-analysis. *Lancet.* 2010;375(9709):132–40
- Zacho J, Tybjaerg-Hansen A, Nordestgaard BG. C-reactive protein and all-cause mortality- the Copenhagen City Heart Study. *Eur Heart J.* 2010;31(13):1624–32
- Zacho J, Tybjaerg-Hansen A, Nordestgaard BG. C-Reactive Protein and Risk of Venous Thromboembolism in the General Population. *Arterioscler Thromb Vasc Biol* 2010;30(8):1672–8
- 2008 Collaboration CCG. Collaborative pooled analysis of data on C-reactive protein gene variants and coronary disease: judging causality by Mendelian randomisation. *Eur J Epidemiol* 2008;23(8):531–40
- Cancer
- 2019 Kachuri L, Helby J, Bojesen SE, Christiani DC, Su L, Wu X, et al. Investigation of Leukocyte Telomere Length and Genetic Variants in Chromosome 5p15.33 as Prognostic Markers in Lung Cancer. *Cancer Epidemiol Biomarkers Prev.* 2019;28(7):1228–37
- Ismail H, Helby J, Holmich LR, Chakera AH, Bastholt L, Klyver H, et al. Measured and genetically predicted plasma YKL-40 levels and melanoma mortality. *Eur J Cancer.* 2019;121:74–84
- Rasmussen KL, Tybjaerg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma levels of apolipoprotein E, APOE genotype, and all-cause and cause-specific mortality in 105 949 individuals from a white general population cohort. *Eur Heart J.* 2019;40(33):2813–24

- 2018 Winsløw UC, Nordestgaard BG, Afzal S. High plasma 25-hydroxyvitamin D and high risk of non-melanoma skin cancer: a Mendelian randomisation study of 97849 individuals. *Br J Dermatol* [Internet]. 2018;178(6):1388–95
- 2017 Muranen TA, Greco D, Blomqvist C, Aittomäki K, Khan S, Hogervorst F, et al. Genetic modifiers of CHEK2*1100delC-associated breast cancer risk. *Genet Med* 2017;19(5):599–603
- Näslund-Koch C, Nordestgaard BG, Bojesen SE. Common breast cancer risk alleles and risk assessment: A study on 35 441 individuals from the Danish general population. *Ann Oncol*. 2017;28(1):175–81
- Winsløw UC, Nordestgaard BG, Afzal S. High plasma 25-hydroxyvitamin D and high risk of non-melanoma skin cancer: a Mendelian randomisation study of 97849 individuals. *Br J Dermatol* 2017;25:1388–95
- Norskov MS, Dahl M, Tybjærg-Hansen A. Genetic Variation in GSTP1, Lung Function, Risk of Lung Cancer, and Mortality. *J Thorac Oncol* 2017;12(11):1664–72
- Lauridsen BK, Stender S, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Using genetics to explore whether the cholesterol-lowering drug ezetimibe may cause an increased risk of cancer. *Int J Epidemiol* 2017;46(6):1777–85
- 2016 Lawrenson K, Kar S, McCue K, Kuchenbaecker K, Michailidou K, Tyrer J, et al. Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. *Nat Commun*. 2016;7
- Petridis C, Brook MN, Shah V, Kohut K, Gorman P, Caneppele M, et al. Genetic predisposition to ductal carcinoma in situ of the breast. *Breast Cancer Res* 2016;18(1):1–15
- Hollestelle A, Van Der Baan FH, Berchuck A, Johnatty SE, Aben KK, Agnarsson BA, et al. No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. *Gynecol Oncol*. 2016;141(2):386–401
- Benn M, Tybjærg-Hansen A, Smith GD, Nordestgaard BG. High body mass index and cancer risk—a Mendelian randomisation study. *Eur J Epidemiol*. 2016;31(9):879–92
- Shi J, Zhang Y, Zheng W, Michailidou K, Ghoussaini M, Bolla MK, et al. Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. *Int J Cancer*. 2016;139(6):1303–17
- Couch FJ, Kuchenbacher KB, Michailidou K, Mendoza-Fandino GA, Nord S, Lilyquist J, et al. Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. *Nat Commun* 2016;48(7):11375
- Zeng C, Guo X, Long J, Kuchenbaecker KB, Droit A, Michailidou K, et al. Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. *Breast Cancer Res* 2016;18(1):64

Ellervik C. Hemochromatosis genotypes and elevated transferrin saturation – risk of diabetes mellitus, hypertension, cancer and total mortality. The faculty of Health Science of the University of Copenhagen; 2016. Doctoral Thesis

Kar SP, Beesley J, Al Olama AA, Michailidou K, Tyrer J, Kote-Jarai ZS, et al. Genome-wide meta-analyses of breast, ovarian, and prostate cancer association studies identify multiple new susceptibility loci shared by at least two cancer types. *Cancer Discov.* 2016;6(9):1052–67

Ghousaini M, French JD, Michailidou K, Nord S, Beesley J, Canisius S, et al. Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. *Am J Hum Genet.* 2016;99(4):903–11

Horne HN, Chung CC, Zhang H, Yu K, Prokunina-Olsson L, Michailidou K, et al. Fine-mapping of the 1p11.2 breast cancer susceptibility locus. *PLoS One.* 2016;11(8):1–15

Dunning AM, Michailidou K, Kuchenbaecker KB, Thompson D, French JD, Beesley J, et al. Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. *Nat Genet.* 2016;48(4):374–86

Lei J, Rudolph A, Moysich KB, Behrens S, Goode EL, Bolla MK, et al. Genetic variation in the immunosuppression pathway genes and breast cancer susceptibility: a pooled analysis of 42,510 cases and 40,577 controls from the Breast Cancer Association Consortium. *Hum Genet.* 2016;135(1):137–54

Hamdi Y, Soucy P, Adoue V, Michailidou K, Canisius S, Lemaçon A, et al. Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21. *Oncotarget* 2016;7(49):80140–63

Rode L, Nordestgaard BG, Bojesen SE. Long telomeres and cancer risk among 95 568 individuals from the general population. *Int J Epidemiol* 2016;45(5):1634–43

2015 Kjaergaard AD, Nordestgaard BG, Johansen JS, Bojesen SE. Observational and genetic plasma YKL-40 and cancer in 96,099 individuals from the general population. *Int J Cancer.* 2015;137(11):2696–704

Al Olama AA, Benlloch S, Antoniou AC, Giles G, Severi G, Neal DE, et al. Risk analysis of prostate cancer in practical, a multinational consortium, using 25 known prostate cancer susceptibility loci. *Cancer Epidemiol Biomarkers Prev.* 2015;24(7):1121–9

Michailidou K, Beesley J, Lindstrom S, Canisius S, Dennis J, Lush MJ, et al. Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. *Nat Genet.* 2015;47(4):373–80

Szulkin R, Whittington T, Eklund M, Aly M, Eeles RA, Easton D, et al. Prediction of individual genetic risk to prostate cancer using a polygenic score. *Prostate*. 2015;75(13):1467–74

Dieffenbach AK, Swerdlow A, Chenevix-trench G, Hopper J, Ben J. Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. *Int J Cancer*. 2015;136:E665–96

Day FR, Ruth KS, Thompson DJ, Lunetta KL, Pervjakova N, Chasman DI, et al. Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. *Nat Genet*. 2015;47(11):1294–303

Weischer M. Short telomere length, cardiovascular disease, cancer and mortality. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

Mavaddat N, Pharoah PDP, Michailidou K, Tyrer J, Brook MN, Bolla MK, et al. Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. *JNCI J Natl Cancer Inst* 2015;107(5):1–15

Lin W-Y, Camp NJ, Ghousaini M, Beesley J, Michailidou K, Hopper JL, et al. Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. *Hum Mol Genet* 2015;24(1):285–98

Stegeman S, Amankwah E, Klein K, O’Mara TA, Kim D, Lin HY, et al. A large-scale analysis of genetic variants within putative miRNA binding sites in prostate cancer. *Cancer Discov*. 2015;5(4):368–79

Orr N, Dudbridge F, Dryden N, Maguire S, Novo D, Perrakis E, et al. Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. *Hum Mol Genet* 2015;24(10):2966–84

Guo Q, Schmidt MK, Kraft P, Canisius S, Chen C, Khan S, et al. Identification of novel genetic markers of breast cancer survival. *J Natl Cancer Inst*. 2015;107(5):1–9

Davies NM, Gaunt TR, Lewis SJ, Holly J, Donovan JL, Hamdy FC, et al. The effects of height and BMI on prostate cancer incidence and mortality: a Mendelian randomization study in 20,848 cases and 20,214 controls from the PRACTICAL consortium. *Cancer Causes Control* 2015;26(11):1603–16

Helby J, Bojesen SE, Nielsen SF, Nordestgaard BG. IgE and risk of cancer in 37 747 individuals from the general population. *Ann Oncol*. 2015;26(8):1784–90

Wyszynski A, Hong CC, Lam K, Michailidou K, Lytle C, Yao S, et al. An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating IGFBP5 expression. *Hum Mol Genet*. 2015;25(17):3863–76

Szulkin R, Karlsson R, Whittington T, Aly M, Gronberg H, Eeles RA, et al. Genome-wide association study of prostate cancer-specific survival. *Cancer Epidemiol Biomarkers Prev.* 2015;24(11):1796–800

Zhang B, Shu X-O, Delahanty RJ, Zeng C, Michailidou K, Bolla MK, et al. Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. *J Natl Cancer Inst* 2015;107(11):djv219

2014 Kabisch M, Bermejo JL, Dünnebier T, Ying S, Michailidou K, Bolla MK, et al. Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. *Carcinogenesis.* 2014;36(2):256–71

Ørsted DD, Nordestgaard BG, Bojesen SE. Plasma testosterone in the general population, cancer prognosis and cancer risk: A prospective cohort study. *Ann Oncol.* 2014;25(3):712–8

2013 Ørsted DD. Prostatic hyperplasia, prostatic-specific antigen and prostate cancer incidence and mortality. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

Hvidtfeldt UA, Lange T, Andersen I, Diderichsen F, Keiding N, Prescott E, et al. Educational Differences in Postmenopausal Breast Cancer - Quantifying Indirect Effects through Health Behaviors, Body Mass Index and Reproductive Patterns. *PLoS One.* 2013;8(10):1–8

Afzal S, Nordestgaard BG, Bojesen SE. Plasma 25-hydroxyvitamin D and risk of non-melanoma and melanoma skin cancer: A prospective cohort study. *J Invest Dermatol.* 2013;133(3):629–36

Christensen AS, Clark A, Salo P, Nymann P, Lange P, Prescott E, et al. Symptoms of Sleep Disordered Breathing and Risk of Cancer: A Prospective Cohort Study. *Sleep* 2013;36(10):1429–35

Ørsted DD, Bojesen SE, Kamstrup PR, Nordestgaard BG. Long-term prostate-specific antigen velocity in improved classification of prostate cancer risk and mortality. *Eur Urol* 2013;64(3):384–93

Thomsen M, Nordestgaard BG, Tybjærg-Hansen A, Bojesen SE. Splice site mutations in mismatch repair genes and risk of cancer in the general population. *Fam Cancer.* 2013;12(3):567–72

Afzal S, Bojesen SE, Nordestgaard BG. Low plasma 25-hydroxyvitamin D and risk of tobacco-related cancer. *Clin Chem.* 2013;59(5):771–80

Weischer M, Nordestgaard BG, Cawthon RM, Freiberg JJ, Tybjærg-Hansen A, Bojesen SE. Short telomere length, cancer survival, and cancer risk in 47102 individuals. *J Natl Cancer Inst.* 2013;105(7):459–68

2012 Allin KH, Bojesen SE, Johansen JS, Nordestgaard BG. Cancer risk by combined levels of YKL-40 and C-reactive protein in the general population. *Br J Cancer* 2012;106(1):199–205

Ørsted DD, Nordestgaard BG, Jensen GB, Schnohr P, Bojesen SE. Prostate-specific antigen and long-term prediction of prostate cancer incidence and mortality in the general population. *Eur Urol.* 2012;61(5):865–74

Ellervik C, Tybjærg-Hansen A, Nordestgaard BG. Risk of cancer by transferrin saturation levels and haemochromatosis genotype: Population-based study and meta-analysis. *J Intern Med.* 2012;271(1):51–63

2011 Lee J, Dahl M, Nordestgaard BG. Genetically lowered microsomal epoxide hydrolase activity and tobacco-related cancer in 47,000 individuals. *Cancer Epidemiol Biomarkers Prev.* 2011;20(8):1673–82

Zacho J, Yazdanyar S, Bojesen SE, Tybjærg-Hansen A, Nordestgaard BG. Hyperhomocysteinemia, methylenetetrahydrofolate reductase c.677C>T polymorphism and risk of cancer: Cross-sectional and prospective studies and meta-analyses of 75,000 cases and 93,000 controls. *Int J Cancer.* 2011;128(3):644–52

Benn M, Tybjærg-Hansen A, Stender S, Frikke-Schmidt R, Nordestgaard BG. Low-density lipoprotein cholesterol and the risk of cancer: A mendelian randomization study. *J Natl Cancer Inst.* 2011;103(6):508–19

Nielsen C, Birgens HS, Nordestgaard BG, Kjaer L, Bojesen SE. The JAK2 V617F somatic mutation, mortality and cancer risk in the general population. *Haematologica* 2011;96(3):450–3

Lee J. Human epoxide hydrolases and ischemic cardiovascular disease, chronic pulmonary disease, and cancer. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2011. Thesis

Nørskov MS, Frikke-Schmidt R, Bojesen SE, Nordestgaard BG, Loft S, Tybjærg-Hansen A. Copy number variation in glutathione-S-transferase T1 and M1 predicts incidence and 5-year survival from prostate and bladder cancer, and incidence of corpus uteri cancer in the general population. *Pharmacogenomics J.* 2011;11(4):292–9

Allin KH. C-reactive protein and cancer. The faculty of Health Science of the University of Copenhagen; 2011. Thesis

2010 Kaur-Knudsen D, Nordestgaard BG, Bojesen SE. CYP2C9 genotype does not affect risk of tobacco-related cancer in the general population. *Cancer Epidemiol.* 2010;34(2):178–83

Raaschou-Nielsen O, Bak H, Sorensen M, Jensen SS, Kettel M, Hvidberg M, et al. Air pollution from traffic and risk for lung cancer in three Danish cohorts. *Cancer Epidemiol Biomarkers Prev* 2010;19(5):1284–91

Allin KH, Nordestgaard BG, Zacho J, Tybjærg-Hansen A, Bojesen SE. C-reactive protein and the risk of cancer: A mendelian randomization study. *J Natl Cancer Inst.* 2010;102(3):202–6

- 2009 Johansen JS, Bojesen SE, Mylin AK, Frikke-Schmidt R, Price PA, Nordestgaard BG. Elevated Plasma YKL-40 Predicts Increased Risk of Gastrointestinal Cancer and Decreased Survival After Any Cancer Diagnosis in the General Population. *J Clin Oncol* 2009;27(4):572–8
- Rod NH, Hansen AM, Nielsen J, Schnohr P, Gronbaek M. Low-risk factor profile, estrogen levels, and breast cancer risk among postmenopausal women. *IntJ Cancer* 2009;124(8):1935–40
- Allin KH, Bojesen SE, Nordestgaard BG. Baseline C-Reactive Protein Is Associated With Incident Cancer and Survival in Patients With Cancer. *J Clin Oncol* 2009;27(13):2217–24
- Allin KH, Bojesen SE, Nordestgaard BG. C-reactive protein, risk of and survival after cancer - secondary publication. *Ugeskr Laeger* 2009;171(48):3510–3
- Bergelt C, Prescott E, Grønbaek M, Koch U, Johansen C. Social ties and risk for cancer – a prospective cohort study. *Acta Oncol (Madr)* 2009;48(7):1010–8
- Bojesen S. Pleiotropic effects of genes involved in cancer: Integrin β 3, CHEK2 and TP53. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2009. Doctoral Thesis
- 2008 Weischer M, Bojesen SE, Ellervik C, Tybjaerg-Hansen A, Nordestgaard BG. CHEK2*1100delC Genotyping for Clinical Assessment of Breast Cancer Risk: Meta-Analyses of 26,000 Patient Cases and 27,000 Controls. *J Clin Oncol*. 2008;26(4):542–8
- Dombernowsky SL, Weischer M, Allin KH, Bojesen SE, Tybjærg-Hansen A, Nordestgaard BG. Risk of cancer by ATM missense mutations in the general population. *J Clin Oncol* 2008;26:3057–62
- 2007 Easton DF, Pooley KA, Dunning AM, Pharoah PDP, Thompson D, Ballinger DG, et al. Genome-wide association study identifies novel breast cancer susceptibility loci. *Nature* 2007;447(7148):1087–93
- Cox A, Dunning AM, Garcia-Closas M, Balasubramanian S, Reed MWR, Pooley KA, et al. A common coding variant in CASP8 is associated with breast cancer risk. *Nat Genet* 2007 Mar;39(3):352–8
- Nielsen NR. Psychological stress and risk of hormone-dependent cancers. [Los Angeles]: University of California; 2007. Thesis
- 2006 The Breast Cancer Association Consortium. Commonly Studied Single-Nucleotide Polymorphisms and Breast Cancer: Results From the Breast Cancer Association Consortium. *JNCI J Natl Cancer Inst* 2006;98(19):1382–96
- 2005 Bergelt C, Christensen J, Grønbaek M, Koch U, Johansen C. Vital exhaustion and risk for cancer. *Cancer* 2005;104:1288–95
- 2003 Dreyer L, Prescott E, Gyntelberg F. Association between atherosclerosis and female lung cancer—a Danish cohort study. *Lung Cancer* 2003;42:247–54

- 2002 Høyer AP, Gerdes AM, Jørgensen T, Rank F, Hartvig HB. Organochlorines, p53 mutations in relation to breast cancer risk and survival. A Danish cohort-nested case-control study. *Breast Cancer Res Treat* 2002;71:59–65
- 2001 Hoyer A, Jorgensen T, Rank F, Grandjean P. Organochlorine exposures influence on breast cancer risk and survival according to estrogen receptor status: a Danish cohort-nested case-control study. *BMC Cancer* 2001;1(1):8
- 2000 Høyer AP, Jørgensen T, Grandjean P, Hartvig HB. Repeated measurements of organochlorine exposure and breast cancer risk. *Cancer Causes Control* 2000;11:177–84
- Høyer AP, Jørgensen T, Brock JW, Grandjean P. Organochlorine exposure and breast cancer survival. *J Clin Epidemiol* 2000;53(3):323–30
- Høyer AP, Grandjean P, Hartvig HB. Organochlorine compounds and breast cancer - is there a connection between environmental pollution and breast cancer. *Ugeskr Laeger*. 2000;162:922–6
- 1998 Høyer AP, Grandjean P, Jørgensen T, Brock JW, Hartvig HB. Organochlorine exposure and risk of breast cancer. *Lancet*. 1998;352:1816–20
- 1997 Bak-Christensen A. Risk factors for colon and rectum cancer. A historical cohort study of 28,088 persons. [Copenhagen]: The Faculty of Health Science of the University of Copenhagen; 1997. Thesis
- Cardiovascular Disease
- 2020 Madsen CM, Kamstrup PR, Langsted A, Varbo A, Nordestgaard BG. Lipoprotein(a)-Lowering by 50 mg/dL (105 nmol/L) May Be Needed to Reduce Cardiovascular Disease 20% in Secondary Prevention: A Population-Based Study. *Arterioscler Thromb Vasc Biol*. 2020;40(1):255–66
- 2019 Brainin P, Biering-Sorensen SR, Mogelvang R, Jensen JS, Biering-Sorensen T. Duration of early systolic lengthening: prognostic potential in the general population. *Eur Heart J Cardiovasc Imaging*. 2019 Oct; [ahead of print]
- Emanuelsson F, Nordestgaard BG, Tybjaerg-Hansen A, Benn M. Impact of LDL Cholesterol on Microvascular Versus Macrovascular Disease: A Mendelian Randomization Study. *J Am Coll Cardiol*. 2019;74(11):1465–76
- Modin D, Biering-Sørensen SR, Møgelvang R, Alhakak AS, Jensen JS, Biering-Sørensen T. Prognostic value of left atrial strain in predicting cardiovascular morbidity and mortality in the general population. *Eur Hear J - Cardiovasc Imaging [Internet]*. 2019;20(7):804–15
- Benn M, Tybjaerg-Hansen A, Nordestgaard BG. Low LDL Cholesterol by PCSK9 Variation Reduces Cardiovascular Mortality. *J Am Coll Cardiol*. 2019;73(24):3102–14

Christian M, Lassen H, Biering-sørensen SR, Olsen FJ, Skaarup KG, Tolstrup K, et al. Ratio of transmitral early filling velocity to early diastolic strain rate predicts long-term risk of cardiovascular morbidity and mortality in the general population. *Eur Heart J* [Internet]. 2019;40(6):518–25

Pennells L, Kaptoge S, Wood A, Sweeting M, Zhao X, White I, et al. Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. *Eur Heart J* [Internet]. 2019;40(7):621–31

Modin D, Mogelvang R, Andersen DM, Biering-Sorensen T. Right Ventricular Function Evaluated by Tricuspid Annular Plane Systolic Excursion Predicts Cardiovascular Death in the General Population. *J Am Heart Assoc*. 2019;8(10):e012197

Gregson J, Kaptoge S, Bolton T, Pennells L, Willeit P, Burgess S, et al. Cardiovascular Risk Factors Associated With Venous Thromboembolism. *JAMA Cardiol*. 2019;4(2):163–73

Huang T, Afzal S, Yu C, Guo Y, Bian Z, Yang L, et al. Vitamin D and cause-specific vascular disease and mortality: a Mendelian randomisation study involving 99,012 Chinese and 106,911 European adults. *BMC Med*. 2019;17(1):160

Rasmussen KL, Tybjaerg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma levels of apolipoprotein E, APOE genotype, and all-cause and cause-specific mortality in 105 949 individuals from a white general population cohort. *Eur Heart J*. 2019;40(33):2813–24

2018 Varbo A, Nordestgaard BG. Nonfasting Triglycerides, Low-Density Lipoprotein Cholesterol, and Heart Failure Risk. *Arterioscler Thromb Vasc Biol* 2018;38(2):464–72

Brainin P, Biering-Sørensen SR, Møgelvang R, Søgaard P, Jensen JS, Biering-Sørensen T. Postsystolic shortening by speckle tracking echocardiography is an independent predictor of cardiovascular events and mortality in the general population. *J Am Heart Assoc*. 2018;7(6):pii: e008367

Wulff AB, Nordestgaard BG, Tybjaerg-Hansen A. APOC3 loss-of-function mutations, remnant cholesterol, low-density lipoprotein cholesterol, and cardiovascular risk: Mediation-and meta-analyses of 137 895 individuals. *Arterioscler Thromb Vasc Biol*. 2018;38(3):660–8

Burgess S, Ference BA, Staley JR, Freitag DF, Mason AM, Nielsen SF, et al. Association of LPA Variants With Risk of Coronary Disease and the Implications for Lipoprotein(a)-Lowering Therapies. *JAMA Cardiol* 2018;3(7):619–27

Verbeek R, Hoogeveen RM, Langsted A, Stiekema LCA, Verweij SL, Hovingh GK, et al. Cardiovascular disease risk associated with elevated lipoprotein(a) attenuates at low low-density lipoprotein cholesterol levels in a primary prevention setting. *Eur Heart J* 2018;39(27):2589–96

Winckler K, Wiinberg N, Jensen AK, Thorsteinsson B, Lundby-Christensen L, Heitmann BL, et al. Carotid intima media thickness and ankle brachial index are inversely associated in subjects with and without diabetes. *Scand J Clin Lab Invest.* 2018;78(6):464–9

2017 Paige E, Barrett J, Pennells L, Sweeting M, Willeit P, Di Angelantonio E, et al. Use of Repeated Blood Pressure and Cholesterol Measurements to Improve Cardiovascular Disease Risk Prediction: An Individual-Participant-Data Meta-Analysis. *Am J Epidemiol.* 2017;186(8):899–907

Dewey FE, Gusarova V, Dunbar RL, O’Dushlaine C, Schurmann C, Gottesman O, et al. Genetic and Pharmacologic Inactivation of ANGPTL3 and Cardiovascular Disease. *N Engl J Med* 2017;377(3):211–21

Wang JN, Biering-Sørensen T, Jørgensen PG, Jensen JS, Mogelvang R. Left ventricular filling pressure by septal and lateral E/e’ equally predict cardiovascular events in the general population. *Int J Cardiovasc Imaging.* 2017;33(5):653–61

Howson JMM, Zhao W, Barnes DR, Ho W-K, Young R, Paul DS, et al. Fifteen new risk loci for coronary artery disease highlight arterial-wall-specific mechanisms. *Nat Genet.* 2017 Jul;49(7):1113–9

2016 Nørgaard I, Nielsen SF, Nordestgaard BG. Complement C3 and high risk of venous thromboembolism: 80517 individuals from the Copenhagen general population study. *Clin Chem.* 2016;62(3):525–34

Langsted A. Lipoprotein(a), food intake, inflammation, and cardiovascular risk. The faculty of Health Science of the University of Copenhagen; 2016. Thesis

Kjaergaard AD, Johansen JS, Bojesen SE, Nordestgaard BG. Observationally and genetically high YKL-40 and risk of venous thromboembolism in the general population: Cohort and mendelian randomization studies. *Arterioscler Thromb Vasc Biol.* 2016;36(5):1030–6

Jørgensen PG. Identifying persons from the general population at risk of cardiovascular disease using electrocardiography – Results from the Copenhagen City Heart Study. The faculty of Health Science of the University of Copenhagen; 2016. Thesis

Tybjaerg-Hansen A. The Sialylation Pathway and Coronary Artery Disease. Vol. 374, *The New England journal of medicine.* United States; 2016. p. 2169–71

2015 Kobylecki CJ, Afzal S, Nordestgaard BG. Genetically Low Antioxidant Protection and Risk of Cardiovascular Disease and Heart Failure in Diabetic Subjects. *EBioMedicine* 2015;2(12):2010–5

Weischer M. Short telomere length, cardiovascular disease, cancer and mortality. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

Theilade J. Sudden cardiac death in Denmark. The faculty of Health Science of the University of Copenhagen; 2015. Doctoral Thesis

Lauridsen BK, Stender S, Frikke-Schmidt R, Nordestgaard BG, Tybjaerg-Hansen A. Genetic variation in the cholesterol transporter NPC1L1, ischaemic vascular disease, and gallstone Disease. *Eur Heart J.* 2015;36(25):1601–8

Meyer-Olesen CL, Nielsen SF, Nordestgaard BG. Increased rheumatoid factor and deep venous thrombosis: 2 Cohort studies of 54628 individuals from the general population. *Clin Chem.* 2015;61(2):349–59

Lindberg SØ. Neutrophil gelatinase – Associated Lipocalin (NGAL) – association with inflammation, kidneyfunction and cardiovascular outcome. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

Di Angelantonio E, Kaptoge S, Wormser D, Willeit P, Butterworth AS, Bansal N, et al. Association of cardiometabolic multimorbidity with mortality. *JAMA - J Am Med Assoc.* 2015;314(1):52–60

2014 Holmes M V., Dale CE, Zuccolo L, Silverwood RJ, Guo Y, Ye Z, et al. Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. *Bmj* 2014;349:g4164

Nordestgaard BG, Varbo A. Triglycerides and cardiovascular disease. *Lancet.* 2014;384(9943):626–35

Di Angelantonio E, Gao P, Khan H, Butterworth AS, Wormser D, Kaptoge S, et al. Glycated Hemoglobin Measurement and Prediction of Cardiovascular Disease. *Jama* 2014;311(12):1225

Kamstrup PR, Tybjaerg-Hansen A, Nordestgaard BG. Elevated lipoprotein(a) and risk of aortic valve stenosis in the general population. *J Am Coll Cardiol.* 2014;63(5):470–7

Holmegard HN, Nordestgaard BG, Schnohr P, Tybjaerg-Hansen A, Benn M. Endogenous sex hormones and risk of venous thromboembolism in women and men. *J Thromb Haemost.* 2014;12(3):297–305

2013 Klovaite J, Nordestgaard BG, Tybjaerg-Hansen A, Benn M. Elevated Fibrinogen Levels Are Associated with Risk of Pulmonary Embolism, but Not with Deep Venous Thrombosis. *Am J Respir Crit Care Med* 2013;187(3):286–93

Kornerup H. Impact of psychosocial factors on development and prognosis of cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

Eskenen K, Jensen MT, Galatius S, Vestergaard H, Hildebrandt P, Marott JL, et al. Glycated haemoglobin and the risk of cardiovascular disease, diabetes and all-cause mortality in the Copenhagen City Heart Study. *J Intern Med* 2013;273:94–101

Brøndum-Jacobsen P, Benn M, Tybjærg-Hansen A, Nordestgaard BG. 25-Hydroxyvitamin D concentrations and risk of venous thromboembolism in the general population with 18 791 participants. *J Thromb Haemost.* 2013;11(3):423–31

Hornstrup LS. Genetic variation in ABCC6 and TTR and risk of vascular disease in the general population. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

Singh GM, Danaei G, Farzadfar F, Stevens GA, Woodward M, Wormser D, et al. The age-specific quantitative effects of metabolic risk factors on cardiovascular diseases and diabetes: A pooled analysis. *PLoS One.* 2013;8(7):e65174

2012 Jensen MT, Marott JL, Allin KH, Nordestgaard BG, Jensen GB. Resting heart rate is associated with cardiovascular and all-cause mortality after adjusting for inflammatory markers: The Copenhagen City Heart Study. *Eur J Prev Cardiol* 2012;19:102–8

The Emerging Risk Factors Collaboration. Lipid-related markers and cardiovascular disease prediction. *JAMA* 2012;307(23):2499–506

Rapsomaniki E, White IR, Wood AM, Thompson SG, Tipping RW, Ford CE, et al. A framework for quantifying net benefits of alternative prognostic models. *Stat Med.* 2012;31(2):114–30

2011 Hornstrup LS, Tybjærg-Hansen A, Haase CL, Nordestgaard BG, Sillesen H, Grande P, et al. Heterozygosity for R1141X in ABCC6 and risk of ischemic vascular disease. *Circ Cardiovasc Genet.* 2011;4(5):534–41

Christoffersen M, Frikke-Schmidt R, Schnohr P, Jensen GB, Nordestgaard BG, Tybjærg-Hansen A. Xanthelasmata, arcus corneae, and ischaemic vascular disease and death in general population: Prospective cohort study. *BMJ.* 2011;343(7826):9–10

The Emerging Risk Factors Collaboration, Wormser D, Kaptoge S, Di Angelantonio E, Wood AM, Pennells L, et al. Separate and combined associations of body-mass index and abdominal adiposity with cardiovascular disease: Collaborative analysis of 58 prospective studies. *Lancet* 2011;377(9771):1085–95

Nørskov MS, Frikke-Schmidt R, Loft S, Sillesen H, Grande P, Nordestgaard BG, et al. Copy number variation in glutathione S-transferases M1 and T1 and ischemic vascular disease four studies and meta-analyses. *Circ Cardiovasc Genet.* 2011;4(4):418–28

Klovaite J, Benn M, Yazdanyar S, Nordestgaard BG. High platelet volume and increased risk of myocardial infarction: 39 531 participants from the general population. *J Thromb Haemost.* 2011;9(1):49–56

Rod NH, Andersen I, Prescott E. Psychosocial risk factors and heart failure hospitalization: A prospective cohort study. *Am J Epidemiol.* 2011;174(6):672–80

Varbo A, Benn M, Tybjærg-Hansen A, Grande P, Nordestgaard BG. TRIB1 and GCKR polymorphisms, lipid levels, and risk of ischemic heart disease in the general population. *Arterioscler Thromb Vasc Biol.* 2011;31(2):451–7

Kaur-Knudsen D, Bojesen SE, Tybjærg-Hansen A, Nordestgaard BG. Nicotinic acetylcholine receptor polymorphism, smoking behavior, and tobacco-related cancer and lung and cardiovascular diseases: A cohort study. *J Clin Oncol.* 2011;29(21):2875–82

Tolstrup JS. Alcohol intake and cardiovascular and gastrointestinal diseases. Do other factors matter? of the University of Copenhagen; 2011. Doctoral Thesis

Haase CL, Frikke-Schmidt R, Nordestgaard BG, Kateifides AK, Kardassis D, Nielsen LB, et al. Mutation in APOA1 predicts increased risk of ischaemic heart disease and total mortality without low HDL cholesterol levels. *J Intern Med.* 2011;270(2):136–46

Jensen MT, Marott JL, Jensen GB. Elevated resting heart rate is associated with greater risk of cardiovascular and all-cause mortality in current and former smokers. *Int J Cardiol* 2011;151(2):148–54

Biering-Sørensen T, Mogelvang R, Pedersen S, Schnohr P, Sogaard P, Jensen JS. Usefulness of the myocardial performance index determined by tissue doppler imaging m-mode for predicting mortality in the general population. *Am J Cardiol* 2011;107(3):478–83

2010 Freiberg JJ, Tybjaerg-Hansen A, Nordestgaard BG. Novel mutations in leukotriene C4 synthase and risk of cardiovascular disease based on genotypes from 50000 individuals. *J Thromb Haemost* 2010;8(8):1694–701

Janner JH, Godtfredsen NS, Ladelund S, Vestbo J, Prescott E. Aortic Augmentation Index: Reference Values in a Large Unselected Population by Means of the SphygmoCor Device. *Am J Hypertens* 2010;23(2):180–5

Zacho J. C-reactive protein and risk of cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2010. Thesis

2009 Freiberg JJ, Dahl M, Tybjærg-Hansen A, Grande P, Nordestgaard BG. Leukotriene C4 synthase and ischemic cardiovascular disease and obstructive pulmonary disease in 13,000 individuals. *J Mol Cell Cardiol* 2009;46(4):579–86

Freiberg JJ. Leukotriene C4 synthase and risk of cardiovascular disease. Eget forlag. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2009

The Emerging Risk Factor Collaboration. Lipoprotein(a) Concentration and the Risk of Coronary Heart Disease, Stroke, and Nonvascular Mortality. *JAMA J Am Med Assoc* 2009;302(4):412–23

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. C-reactive protein and risk of ischaemic vascular and cerebrovascular disease--secondary publication. *Ugeskr Laeger* 2009;171(21):1751–5

2008 van der A, Rovers MM, Grobbee DE, Marx JJM, Waalen J, Ellervik C, et al. Mutations in the HFE Gene and Cardiovascular Disease Risk: An Individual Patient Data Meta-Analysis of 53 880 Subjects. *Circ Cardiovasc Genet* 2008;1(1):43–50

Claudicatio
Intermittens / Carotis
Plagues

2002 Kofoed SC, Grønholdt M, Bismuth J, Wilhjelm JE, Sillesen H, Nordestgaard BG. Echolucent, rupture-prone carotid plaques associated with elevated triglyceride-rich lipoproteins, particularly in women. *J Vasc Surg* 2002;36:783–92

1981 Saltin B. Physical training in patients with intermittent Claudication. *Phys Cond Cardiovasc Rehabil.* 1981;181–96

1979 Grønnet I, Roldsgaard T. Trænerbarhed og holdning til motion hos patienter med claudicatio intermittens. Copenhagen: August Krogh Institutet; 1979

1978 Kjellerup N, Guntheil F. Kapillarisering og enzymaktivitet i musculus gastrocnemius hos patienter med claudicatio intermittens. Effekten af fysisk træning. Copenhagen: August Krogh Institutet; 1978

Molander B, Mygind E. Metabolisk og enzymatisk aktivitet i musculus gastrocnemius hos patienter med claudicatio intermittens. Copenhagen: August Krogh Institutet; 1978

Cobalamin

1983 Nexø E. Variation with age of reference values for P-cobalamins. *Scan J Haematol.* 1983;30:430–2

Coronary Heart
Disease

2017 Zhao W, Rasheed A, Tikkanen E, Lee J-J, Butterworth AS, Howson JMM, et al. Identification of new susceptibility loci for type 2 diabetes and shared etiological pathways with coronary heart disease. *Nat Genet* 2017;49(10):1450–7

Webb TR, Erdmann J, Stirrups KE, Stitzel NO, Masca NGD, Jansen H, et al. Systematic Evaluation of Pleiotropy Identifies 6 Further Loci Associated With Coronary Artery Disease. *J Am Coll Cardiol.* 2017;69(7):823–36

2016 Zononi P, Khetarpal SA, Larach DB, Hancock-Cerutti WF, Millar JS, Cuchel M, et al. Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. *Science* 2016; 351(6278):1166–71

Myocardial Infarction Genetics and CARDIoGRAM Exome Consortia Investigators, Stitzel NO, Stirrups KE, Masha NG, Erdmann J, Ferrario PG, et al. Coding Variation in ANGPTL4, LPL, and SVEP1 and Risk of Coronary Disease. *N Engl J Med* 2016;374(12):1134–44

Amouyel P, Müller-nurasyid M. A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. *Sci Transl Med.* 2016;8(341):1–13

McPherson R, Tybjaerg-Hansen A. Genetics of Coronary Artery Disease. *Circ Res.* 2016;118(4):564–78

- 2015 Schnohr P, Marott JL, Kristensen TS, Gyntelberg F, Grønbaek M, Lange P, et al. Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: The Copenhagen City Heart Study. *Eur Heart J*. 2015;36(22):1385–93
- 2014 Holmes M V., Frikke-Schmidt R, Melis D, Luben R, Asselbergs FW, Boer JMA, et al. A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. *Atherosclerosis* 2014;237(1):5–12
- 2013 Nordahl H, Rod NH, Frederiksen BL, Andersen I, Lange T, Diderichsen F, et al. Education and risk of coronary heart disease: Assessment of mediation by behavioral risk factors using the additive hazards model. *Eur J Epidemiol*. 2013;28(2):149–57
- Jespersen L, Abildstrøm SZ, Hvelplund A, Galatius S, Madsen JK, Pedersen F, et al. Symptoms of angina pectoris increase the probability of disability pension and premature exit from the workforce even in the absence of obstructive coronary artery disease. *Eur Heart J*. 2013;34(42):3294–303
- Kamstrup PR, Tybjaerg-Hansen A, Nordestgaard BG. Extreme lipoprotein(a) levels and improved cardiovascular risk prediction. *J Am Coll Cardiol* 2013;61(11):1146–56
- Bussink BE, Holst AG, Jespersen L, Deckers JW, Jensen GB, Prescott E. Right bundle branch block: Prevalence, risk factors, and outcome in the general population: Results from the Copenhagen City Heart Study. *Eur Heart J* 2013;34(2):138–46
- 2012 Jespersen L, Hvelplund A, Abildstrøm SZ, Pedersen F, Galatius S, Madsen JK, et al. Stable angina pectoris with no obstructive coronary artery disease is associated with increased risks of major adverse cardiovascular events. *Eur Heart J*. 2012;33(6):734–44
- Clarke R, Bennett DA, Parish S, Verhoef P, Dötsch-Klerk M, Lathrop M, et al. Homocysteine and coronary heart disease: Meta-analysis of MTHFR case-control studies, avoiding publication bias. *PLoS Med*. 2012;9(2)
- Sarwar N, Butterworth AS, Freitag DF, Gregson J, Willeit P, Gorman DN, et al. Interleukin-6 receptor pathways in coronary heart disease: A collaborative meta-analysis of 82 studies. *Lancet* 2012;379(9822):1205–13
- 2011 Stender S, Frikke-Schmidt R, Anestis A, Kardassis D, Sethi AA, Nordestgaard BG, et al. Genetic variation in liver X receptor alpha and risk of ischemic vascular disease in the general population. *Arterioscler Thromb Vasc Biol*. 2011;31(12):2990–6
- CRP CHD Genetics Collaboration. Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. *Bmj* 2011;342(feb15 2):d548

- 2010 Sarwar N, Sandhu MS, Ricketts SL, Butterworth AS, Di Angelantonio E, Mattheij Boekholdt S, et al. Triglyceride-mediated pathways and coronary disease: Collaborative analysis of 101 studies. *Lancet* 2010;375(9726):1634–9
- Frikke-Schmidt R, Tybjaerg-Hansen A, Schnohr P, Jensen GB, Nordestgaard BG. Common clinical practice versus new PRIM score in predicting coronary heart disease risk. *Atherosclerosis* 2010;213(2):532-8
- 2008 Geismar K, Enevold C, Sørensen LK, Gyntelberg F, Bendtzen K, Sigurd B, et al. Involvement of Interleukin-1 Genotypes in the Association of Coronary Heart Disease With Periodontitis. *J Periodontol.* 2008;79(12):2322–30
- 2006 Geismar K, Stoltze K, Sigurd B, Gyntelberg F, Holmstrup P. Periodontal disease and coronary heart disease. *J Periodontol.* 2006;77:1547–54
- 1988 The ERICA research group. The CHD risk-map of Europe. The 1st report of the WHO-ERICA project. *Eur Heart J.* 1988;9 suppl 1:1–36

Dementia

- 2020 Benn M, Nordestgaard BG, Tybjaerg-Hansen A, Frikke-Schmidt R. Impact of glucose on risk of dementia: Mendelian randomisation studies in 115,875 individuals. *Diabetologia* . 2020 [a head of print]
- Scheller Madrid A, Rasmussen KL, Rode L, Frikke-Schmidt R, Nordestgaard BG, Bojesen SE. Observational and genetic studies of short telomeres and Alzheimer’s disease in 67,000 and 152,000 individuals: a Mendelian randomization study. *Eur J Epidemiol.* 2020;35(2):147-56
- 2019 Juul Rasmussen I, Tybjaerg-Hansen A, Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R. Blood-brain barrier transcytosis genes, risk of dementia and stroke: a prospective cohort study of 74,754 individuals. *Eur J Epidemiol.* 2019;34(6):579–90
- Ishtiak-Ahmed K, Hansen ÅM, Mortensen EL, Garde AH, Nørgaard A, Gyntelberg F, et al. Prolonged or serious conflicts at work and incident dementia: a 23-year follow-up of the Copenhagen City Heart Study. *Int Arch Occup Environ Health* [Internet]. 2019;92(2):165–73.
- Nabe-Nielsen K, Rod NH, Hansen AM, Prescott E, Grynderup MB, Islamoska S, et al. Perceived stress and dementia: Results from the Copenhagen city heart study. *Aging Ment Health.* 2019 Jun;1–9 [ahead of print]
- Rasmussen KL, Tybjaerg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma levels of apolipoprotein E, APOE genotype, and all-cause and cause-specific mortality in 105 949 individuals from a white general population cohort. *Eur Heart J.* 2019;40(33):2813–24
- Islamoska S, Ishtiak-Ahmed K, Hansen AM, Grynderup MB, Mortensen EL, Garde AH, et al. Vital Exhaustion and Incidence of Dementia: Results from the Copenhagen City Heart Study. *J Alzheimers Dis.* 2019;67(1):369–79

- 2018 Rasmussen KL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Absolute 10-year risk of dementia by age, sex and APOE genotype: A population-based cohort study. *Cmaj*. 2018;190(35):E1033–41
- Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R, Nielsen SF. An updated Alzheimer hypothesis: Complement C3 and risk of Alzheimer’s disease—A cohort study of 95,442 individuals. *Alzheimer’s Dement*. 2018;14(12):1589–601
- Rasmussen KL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma apolipoprotein E levels and risk of dementia: A Mendelian randomization study of 106,562 individuals. *Alzheimer’s Dement* 2018;14(1):71–80
- Nordestgaard LT, Tybjærg-Hansen A, Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R. Genetic variation in clusterin and risk of dementia and ischemic vascular disease in the general population: Cohort studies and meta-analyses of 362,338 individuals. *BMC Med*. 2018;16(1):1–11
- 2017 Benn M, Nordestgaard BG, Frikke-Schmidt R, Tybjærg-Hansen A. Low LDL cholesterol, PCSK9 and HMGCR genetic variation, and risk of Alzheimer’s disease and Parkinson’s disease: Mendelian randomisation study. *BMJ*. 2017;357:j1648
- Kjeldsen EW, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. ABCA7 and risk of dementia and vascular disease in the Danish population. *Ann Clin Transl Neurol*. 2017;5(1):41–51
- 2015 Rasmussen KL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma levels of apolipoprotein E and risk of dementia in the general population. *Ann Neurol*. 2015;77(2):301–11
- Hyman BT, Holtzman DM. Apolipoprotein E levels and Alzheimer risk. *Ann Neurol*. 2015;77(2):204–5
- 2014 Afzal S, Bojesen SE, Nordestgaard BG. Reduced 25-hydroxyvitamin D and risk of Alzheimer’s disease and vascular dementia. *Alzheimer’s Dement* 2014;10(3):296–302
- Diabetes Mellitus
- 2020 Bjerregaard LG, Wasenius N, Nedelec R, Gjaerde LK, Angquist L, Herzig K-H, et al. Possible Modifiers of the Association Between Change in Weight Status From Child Through Adult Ages and Later Risk of Type 2 Diabetes. *Diabetes Care*. 2020 [ahead of print]
- Emanuelsson F, Marott S, Tybjærg-Hansen A, Nordestgaard BG, Benn M. Impact of Glucose Level on Micro- and Macrovascular Disease in the General Population: A Mendelian Randomization Study. *Diabetes Care*. 2020;43(4):894–902
- 2019 Modin D, Møgelvang R, Jørgensen PG, Jensen MT, Seferovic JP, Sørensen TB. Left ventricular concentric geometry predicts incident diabetes mellitus independent of established risk factors in the general population : the Copenhagen City Heart Study. *Cardiovasc Diabetol* [Internet]. 2019;18(1):37

- Christensen RH, Hansen CS, von Scholten BJ, Jensen MT, Pedersen BK, Schnohr P, et al. Epicardial and pericardial adipose tissues are associated with reduced diastolic and systolic function in type 2 diabetes. *Diabetes, Obesity & Metabolism*. 2019;21(8), 2006–11
- 2018 Winckler K, Wiinberg N, Jensen AK, Thorsteinsson B, Lundby-Christensen L, Heitmann BL, et al. Carotid intima media thickness and ankle brachial index are inversely associated in subjects with and without diabetes. *Scand J Clin Lab Invest*. 2018;78(6):464–9
- Rasmussen KL, Nordestgaard BG, Nielsen SF. Complement C3 and Risk of Diabetic Microvascular Disease: A Cohort Study of 95202 Individuals from the General Population. *Clin Chem*. 2018;64(7):1113–24
- Gusarova V, O’Dushlaine C, Teslovich TM, Benotti PN, Mirshahi T, Gottesman O, et al. Genetic inactivation of ANGPTL4 improves glucose homeostasis and is associated with reduced risk of diabetes. *Nat Commun*. 2018;9(1):1–11
- 2017 Volden S, Wimmelmann CL, Flensburg-Madsen T. Does vital exhaustion increase the risk of type 2 diabetes? A prospective study. *J Psychosom Res* 2017;99:82–8
- Zhao W, Rasheed A, Tikkanen E, Lee J-J, Butterworth AS, Howson JMM, et al. Identification of new susceptibility loci for type 2 diabetes and shared etiological pathways with coronary heart disease. *Nat Genet* 2017;49(10):1450–7
- 2016 Ellervik C. Hemochromatosis genotypes and elevated transferrin saturation – risk of diabetes mellitus, hypertension, cancer and total mortality. The faculty of Health Science of the University of Copenhagen; 2016. Doctoral Thesis
- Zhao Z, Wen W, Michailidou K, Bolla MK, Wang Q, Zhang B, et al. Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. *Cancer Causes Control [Internet]*. 2016;27(5):679–93
- 2015 Thomsen M. Biochemical and genetic markers in chronic obstructive pulmonary disease, diabetes, and ischemic heart disease in the general population. The faculty of Health Science of the University of Copenhagen; 2015. Doctoral Thesis
- Bergholdt HKM. LCT-13910 C/T, milk intake and risk of ischemic heart disease and type 2 diabetes. Mendelian randomization studies. The faculty of Health Science of the University of Copenhagen; 2015. Thesis
- Haase CL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. HDL Cholesterol and Risk of Type 2 Diabetes: A Mendelian Randomization Study. *Diabetes* 2015;64(9):3328–33
- Masters Pedersen JL. Adverse psychosocial, socioeconomic, and developmental processes and risk of inflammation and type 2 diabetes mellitus in later life. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

Nordestgaard AT, Thomsen M, Nordestgaard BG. Coffee intake and risk of obesity, metabolic syndrome and type 2 diabetes: A Mendelian randomization study. *Int J Epidemiol.* 2015;44(2):551–65

Jensen MT, Sogaard P, Andersen HU, Bech J, Fritz Hansen T, Biering-Sørensen T, et al. Global longitudinal strain is not impaired in type 1 diabetes patients without albuminuria: The thousand & 1 study. *JACC Cardiovasc Imaging* 2015;8(4):400–10

Bergholdt HK, Nordestgaard BG, Ellervik C. Milk intake is not causally associated with diabetes—a mendelian randomization study in 97,811 danish individuals. *Am J Clin Nutr* 2015;102(2):487–96

2014 Ellervik C, Mandrup-Poulsen T, Tybjaerg-Hansen A, Nordestgaard BG. Total and Cause-Specific Mortality by Elevated Transferrin Saturation and Hemochromatosis Genotype in Individuals With Diabetes: Two General Population Studies. *Diabetes Care* 2014;37(2):444–52

Afzal S, Brøndum-Jacobsen P, Bojesen SE, Nordestgaard BG. Vitamin D concentration, obesity, and risk of diabetes: A mendelian randomisation study. *Lancet Diabetes Endocrinol.* 2014;2(4):298–306

Jensen MT. Advanced Echocardiography in type 2 diabetes. Evidence of early myocardial impairment in patients with albuminuria – The thousand & 1 study. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

2013 Eskesen K, Jensen MT, Galatius S, Vestergaard H, Hildebrandt P, Marott JL, et al. Glycated haemoglobin and the risk of cardiovascular disease, diabetes and all-cause mortality in the Copenhagen City Heart Study. *J Intern Med* 2013;273:94–101

Kamstrup PR, Nordestgaard BG. Lipoprotein(a) concentrations, isoform size, and risk of type 2 diabetes: A Mendelian randomisation study. *Lancet Diabetes Endocrinol.* 2013;1(3):220–7

Afzal S, Bojesen SE, Nordestgaard BG. Low 25-hydroxyvitamin D and risk of type 2 diabetes: A prospective cohort study and metaanalysis. *Clin Chem.* 2013;59(2):381–91

Singh GM, Danaei G, Farzadfar F, Stevens GA, Woodward M, Wormser D, et al. The age-specific quantitative effects of metabolic risk factors on cardiovascular diseases and diabetes: A pooled analysis. *PLoS One.* 2013;8(7):e65174

2012 Thomsen M, Dahl M, Tybjaerg-Hansen A, Nordestgaard BG. β 2-adrenergic receptor Thr164Ile polymorphism, obesity, and diabetes: Comparison with FTO, MC4R, and TMEM18 polymorphisms in more than 64,000 individuals. *J Clin Endocrinol Metab.* 2012;97(6):1074–9

Schou J, Tybjaerg-Hansen A, Moller HJ, Nordestgaard BG, Frikke-Schmidt R. ABC Transporter Genes and Risk of Type 2 Diabetes: A study of 40,000 individuals from the general population. *Diabetes Care* 2012;35(12):2600–6

- 2011 Ellervik C, Mandrup-Poulsen T, Andersen HU, Tybjærg-Hansen A, Frandsen M, Birgens H, et al. Elevated transferrin saturation and risk of diabetes: Three population-based studies. *Diabetes Care*. 2011;34(10):2256–8
- Møller HJ, Frikke-Schmidt R, Moestrup SK, Nordestgaard BG, Tybjærg-Hansen A. Serum soluble CD163 predicts risk of type 2 diabetes in the general population. *Clin Chem*. 2011;57(2):291–7
- 2008 Almdal T, Scharling H, Jensen JS, Vestergaard H. Higher prevalence of risk factors for type 2 diabetes mellitus and subsequent higher incidence in men. *Eur J Intern Med*. 2008;19(1):40–5
- 2007 Benfield T, Jensen J, Nordestgaard B. Influence of diabetes and hyperglycaemia on infectious disease hospitalisation and outcome. *Diabetologia*. 2007;50(3):549–54
- Prescott E, Godtfredsen N, Osler M, Schnohr P, Barefoot J. Social gradient in the metabolic syndrome not explained by psychosocial and behavioural factors: evidence from the Copenhagen City Heart Study. *Eur J Cardiovasc Prev Rehabil*. 2007;14(3):405–12.
- 2005 Jensen JS, Feldt-Rasmussen B, Borch-Johnsen K, Jensen KS, Nordestgaard BG. Increased Transvascular Lipoprotein Transport in Diabetes: Association with Albuminuria and Systolic Hypertension. *J Clin Endocrinol Metab* 2005;90(8):4441–5
- 2004 Almdal T, Scharling H, Jensen JS, Vestergaard H. The Independent Effect of Type 2 Diabetes Mellitus on Ischemic Heart Disease, Stroke, and Death: A Population-Based Study of 13 000 Men and Women With 20 Years of Follow-up. *Arch Intern Med* 2004 Jul 12;164(13):1422–6
- 2003 Kornerup K, Nordestgaard BG, Feldt-Rasmussen B, Borch-Johnsen K, Jensen KS, Jensen JS. Increased transvascular low density lipoprotein transport in insulin dependent diabetes mellitus: a mechanistic model for development of atherosclerosis. *Atherosclerosis* 2003;170:163–8
- 2002 Kornerup K, Nordestgaard BG, Feldt-Rasmussen B, Borch-Johnsen K, Jensen KS, Jensen JS. Transvascular Low-Density Lipoprotein Transport in Patients With Diabetes Mellitus (Type 2): A Noninvasive In Vivo Isotope Technique. *Arterioscler Thromb Vasc Biol* 2002 Jul 1;22(7):1168–74
- 2001 Ellervik C, Mandrup-Poulsen T, Nordestgaard BG, Larsen LE, Appleyard M, Frandsen M, et al. Prevalence of hereditary hemochromatosis in late-onset type 1 diabetes mellitus: a prospective study. *Lancet* 2001;358:1405–9
- 2000 Holstein P, Ellitsgaard N, Bornefeldt Olsen N, Ellitsgaard V. Decreasing incidence of major amputations in people with diabetes. *Diabetologia* 2000;43:844–7
- 1996 Chen J-W, Gall M-A, Yokoyama H, Jensen JS, Deckert M, Parving H-H. Raised serum sialic acid concentration in NIDDM patients with and without diabetic nephropathy. *Diabetes Care* 1996;19:130–4

1990 Lange P, Groth S, Mortensen J, Appleyard M, Nyboe J, Schnohr P, et al. Diabetes Mellitus and ventilatory capacity. A five-year follow-up study. *Eur Respir J.* 1990;3:288–92

1989 Lange P, Groth S, Kastrup J, Mortensen J, Appleyard M, Nyboe J, et al. Diabetes mellitus, plasma glucose and lung function in a cross-sectional population study. *Eur Respir J.* 1989;2:14–9

Diet

2019 Nordestgaard AT, Stender S, Nordestgaard BG, Tybjaerg-Hansen A. Coffee intake protects against symptomatic gallstone disease in the general population: a Mendelian randomization study. *J Intern Med.* 2020;287(1):42–53

2018 Mendelian Randomization of Dairy Consumption Working Group. Dairy consumption and body mass index among adults: Mendelian randomization analysis of 184802 individuals from 25 studies. *Clin Chem.* 2018;64(1):183–91

Bergholdt HKM, Nordestgaard BG, Varbo A, Ellervik C. Lactase persistence, milk intake, and mortality in the Danish general population: a Mendelian randomization study. *Eur J Epidemiol.* 2018;33(2):171–81

Bergholdt HK, Larsen MK, Varbo A, Nordestgaard BG, Ellervik C. Lactase persistence, milk intake, hip fracture, and bone mineral density: A study of 97,811 Danish individuals and a meta-analysis. *J Intern Med* 2018;1–16

2015 Kobylecki CJ, Afzal S, Smith GD. Genetically high plasma vitamin C , intake of fruit and vegetables , and risk of ischemic heart disease and all-cause mortality : a Mendelian. *Am J Clin Nutr.* 2015;101(6):1135–43

2012 Jackson KG, Poppitt SD, Minihane AM. Postprandial lipemia and cardiovascular disease risk: Interrelationships between dietary, physiological and genetic determinants. *Atherosclerosis.* 2012;220(1):22–33

1989 Ibsen KK, Larsen PB, Roed J, Ibsen KK. Kostsammensætning og serum-lipider hos børn. *Ugeskr Laeger.* 1989;151(11):686–90

1979 Wahl H, Bruun de Neergård R, Schnohr P, Jensen G. Kosten hos 40-49 årige københavnere i 1977 - Østerbroundersøgelsen. *Ugeskr Laeger.* 1979;141(1):51–3

1977 Rasmussen R. En undersøgelse af ernæringsmæssige og sociale forhold hos en mindre gruppe ældre på Nørrebro. Copenhagen; 1977

Echocardiography

2020 Alhakak AS, Mogelvang R, Schnohr P, Modin D, Brainin P, Gislason G, et al. The cardiac isovolumetric contraction time is an independent predictor of incident heart failure in the general population. *International Journal of Cardiology.* 2020 [ahead of print]

Alhakak AS, Brainin P, Mogelvang R, Jensen GB, Jensen JS, Biering-Sorensen T. The cardiac isovolumetric contraction time is an independent predictor of incident atrial fibrillation and adverse outcomes following first atrial fibrillation event in the general population. *Eur Heart J Cardiovasc Imaging.* 2020;21(1):49–57

2019 Christensen RH, Hansen CS, von Scholten BJ, Jensen MT, Pedersen BK, Schnohr P, et al. Epicardial and pericardial adipose tissues are associated with reduced diastolic and systolic function in type 2 diabetes. *Diabetes, Obesity & Metabolism*. 2019;21(8):2006–11

Olsen FJ, Møgelvang R, Jensen GB, Jensen JS, Biering-Sørensen T. Relationship Between Left Atrial Functional Measures and Incident Atrial Fibrillation in the General Population. The Copenhagen City Heart Study. *JACC Cardiovasc Imaging*. 2019;12(6):981–9

Brainin P, Biering-Sørensen SR, Mogelvang R, Jensen JS, Biering-Sørensen T. Duration of early systolic lengthening: prognostic potential in the general population. *Eur Heart J Cardiovasc Imaging*. 2019 Oct; [ahead of print]

Modin D, Biering-Sørensen SR, Møgelvang R, Alhakak AS, Jensen JS, Biering-Sørensen T. Prognostic value of left atrial strain in predicting cardiovascular morbidity and mortality in the general population. *Eur Hear J - Cardiovasc Imaging [Internet]*. 2019;20(7):804–815

Modin D, Møgelvang R, Jørgensen PG, Jensen MT, Seferovic JP, Sørensen TB. Left ventricular concentric geometry predicts incident diabetes mellitus independent of established risk factors in the general population : the Copenhagen City Heart Study. *Cardiovasc Diabetol [Internet]*. 2019;18(1):37

Christian M, Lassen H, Biering-sørensen SR, Olsen FJ, Skaarup KG, Tolstrup K, et al. Ratio of transmitral early filling velocity to early diastolic strain rate predicts long-term risk of cardiovascular morbidity and mortality in the general population. *Eur Heart J [Internet]*. 2019;40(6):518–25

Modin D, Mogelvang R, Andersen DM, Biering-Sørensen T. Right Ventricular Function Evaluated by Tricuspid Annular Plane Systolic Excursion Predicts Cardiovascular Death in the General Population. *J Am Heart Assoc*. 2019;8(10):e012197

Joseph G, Mogelvang R, Biering-Sørensen T, Nielsen G, Schnohr P, Sogaard P. The association between physical activity and cardiac performance is dependent on age: the Copenhagen City Heart Study. *Int J Cardiovasc Imaging*. 2019;35(7):1249–58

2017 Johansen ND, Biering-Sørensen T, Jensen JS, Mogelvang R. Diastolic dysfunction revisited: A new, feasible, and unambiguous echocardiographic classification predicts major cardiovascular events. *Am Heart J* 2017;188:136–46

Biering-Sørensen T, Biering-Sørensen SR, Olsen FJ, Sengeløv M, Jørgensen PG, Mogelvang R, et al. Global Longitudinal Strain by Echocardiography Predicts Long-Term Risk of Cardiovascular Morbidity and Mortality in a Low-Risk General Population: The Copenhagen City Heart Study. *Circ Cardiovasc Imaging*. 2017;10(3):1–11

- 2015 Biering-Sørensen T. Cardiac time intervals by tissue doppler imaging M-mode echocardiography: Reproducibility, reference values, association with clinical characteristics and prognostic implications. The faculty of Health Science of the University of Copenhagen; 2015. Thesis
- 2014 Jensen MT. Advanced Echocardiography in type 2 diabetes. Evidence of early myocardial impairment in patients with albuminuria – The thousand & 1 study. The faculty of Health Science of the University of Copenhagen; 2014. Thesis
- 2013 Theilade J, Pecini R, Marott JL, Jensen GB. ECG is not a reliable predictor of sudden cardiac death in the general population. *World J Cardiovasc Dis.* 2013;3:239–44
- 2011 Christensen S, Mogelvang R, Heitmann M, Prescott E. Level of education and risk of heart failure: A prospective cohort study with echocardiography evaluation. *Eur Heart J.* 2011;32(4):450–8
- 2010 Probst V, Le Marec H. Copenhagen city heart study: more mermaids than Brugada’s patients in Copenhagen. Vol. 12, *Europace : European pacing, arrhythmias, and cardiac electrophysiology : journal of the working groups on cardiac pacing, arrhythmias, and cardiac cellular electrophysiology of the European Society of Cardiology.* England; 2010. p. 923–4
- 2009 Mogelvang R, Sogaard P, Pedersen SA, Olsen NT, Marott JL, Schnohr P, et al. Cardiac Dysfunction Assessed by Echocardiographic Tissue Doppler Imaging Is an Independent Predictor of Mortality in the General Population. *Circulation.* 2009;119(20):2679–85
- Mogelvang R, Goetze JP, Pedersen SA, Olsen NT, Marott JL, Schnohr P, et al. Preclinical Systolic and Diastolic Dysfunction Assessed by Tissue Doppler Imaging is Associated With Elevated Plasma Pro-B-type Natriuretic Peptide Concentrations. *J Card Fail* 2009;15(6):489–95
- Mogelvang R. Population Study of Tissue Doppler Echocardiography. Association with Ischemic Heart Disease, Hypertension, Diabetes and Mortality. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2009. Thesis
- Mogelvang R, Sogaard P, Pedersen SA, Olsen NT, Schnohr P, Jensen JS. Tissue Doppler echocardiography in persons with hypertension, diabetes, or ischaemic heart disease: the Copenhagen City Heart Study. *Eur Heart J* 2009;30(6):731–9
- 1996 Gustafsson F, Ali S, Hanel B, Toft JC, Secher NH. Left ventricular hypertrophy in senior orsman: an echocardiographic evaluation. *Med Sci Sport Exer.* 1996;28:1045–8
- 1995 Carstensen S, Ali S, Stensgaard-Hansen F, Toft JC, Haunsø S, Saunamäki K. Dobutamine-Atropine stress echocardiography in asymptomatic healthy individuals. *Circulation* 1995;92:3452–3

Electrocardiography

- 2016 Jørgensen PG. Identifying persons from the general population at risk of cardiovascular disease using electrocardiography – Results from the Copenhagen City Heart Study. The faculty of Health Science of the University of Copenhagen; 2016. Thesis
- 2015 Jørgensen PG, Jensen JS, Appleyard M, Jensen GB, Mogelvang R. Plasma pro-brain natriuretic peptide and electrocardiographic changes in combination improve risk prediction in persons without known heart disease. *Int J Cardiol* 2015;201(2015):104–9
- 2014 Carlson N, Dixen U, Marott JL, Jensen MT, Jensen GB. Predictive value of casual ECG-based resting heart rate compared with resting heart rate obtained from Holter recording. *Scand J Clin Lab Invest*. 2014;74(2):163–9
- Jørgensen PG, Jensen JS, Marott JL, Jensen GB, Appleyard M, Mogelvang R. Electrocardiographic changes improve risk prediction in asymptomatic persons age 65 years or above without cardiovascular disease. *J Am Coll Cardiol* 2014;64(9):898–906
- 2013 Theilade J, Pecini R, Marott JL, Jensen GB. ECG is not a reliable predictor of sudden cardiac death in the general population. *World J Cardiovasc Dis* 2013;3(2):239–44
- 2012 Godsk P, Jensen JS, Abildstrøm SZ, Appleyard M, Pedersen S, Mogelvang R. Prognostic significance of electrocardiographic Q-waves in a low-risk population. *Europace*. 2012;14(7):1012–7
- 2011 Janner J. Pulsbølgeanalyser. The faculty of Health Science of the University of Copenhagen; 2011. Thesis
- 2010 Pecini R, Cedergreen P, Theilade S, Haunsø S, Theilade J, Jensen GB. The prevalence and relevance of the Brugada-type electrocardiogram in the Danish general population: Data from the Copenhagen City Heart Study. *Europace*. 2010;12(7):982–6
- 2002 Larsen CT, Dahlin J, Blackburn H, Scharling H, Appleyard M, Sigurd B, et al. Prevalence and prognosis of electrocardiographic left ventricular hypertrophy, ST segment depression and negative T-wave. The Copenhagen City Heart Study. *Eur Heart J*. 2002;23(4):315–24
- 1999 Vaage-Nilsen M, Rasmussen V, Sorum C, Jensen G. ST-segment deviation during 24-hour ambulatory electrocardiographic monitoring and exercise stress test in healthy male subjects 51 to 75 years of age. *Am Heart J* 1999;137:1070–4
- 1997 Toft J, Rasmussen V, Hesse B, Ali S, Carstensen S, Jensen G. Late potentials in healthy subjects: Do we need new criteria for abnormality? *Ann Noninvasive Electrocardiol* 1997;2(1):27–32
- 1991 Rasmussen V, Jensen G, Fischer Hansen J. QT interval in 24-hour ambulatory ECG recordings from 60 healthy adult subjects. *J Electrocardiol*. 1991;24:91–8

1985 Rasmussen V, Jensen G, Schnohr P, Hansen JF. Premature ventricular beats in healthy adult subjects 20 to 79 years of age. *Eur Heart J.* 1985;6:335–41

1981 Östör E, Schnohr P, Nyboe J, Tybjærg-Hansen A. Electrocardiographic findings and their association with mortality in The Copenhagen City Heart Study. *Eur Heart J.* 1981;2:317–28

Epilepsy 1997 Skaarup E. En klinisk epidemiologisk tværsnitsundersøgelse af prævalens af epilepsi i en voksen københavnerbefolkning. [Copenhagen]: The Faculty of Health Science of the University of Copenhagen; 1997. Thesis

Esophageal Disease 1992 Andersen LI, Frederiksen H-J, Appleyard M. Prevalence of oesophageal candidiasis in a Danish population, with special reference to oesophageal symptoms, benign oesophageal disorders and pulmonary disease. *J Infect Dis.* 1992;165:389–92

1991 Andersen LI, Jensen G. Risk factors for benign oesophageal disease in a random population sample. *J Int Med.* 1991;230:5–10

1987 Andersen LI, Madsen P V, Dalgaard P, Jensen G. Validity of clinical symptoms in benign esophageal disease, assessed by questionnaire. *Acta Med Scand.* 1987;221:171–7

Estrogens 1989 Eldrup E, Winkel P, Lindholm J, Christiansen C, Jensen G, Schnohr P, et al. Coronary risk factors, development of myocardial infarction and plasma estrogens. A prospective study. *J Intern Med.* 1989;225:367–72

Eye Diseases 2007 Buch H, Vinding T, Nielsen N V. Prevalence and Long-term Natural Course of Retinoschisis among Elderly Individuals: The Copenhagen City Eye Study. *Ophthalmology* 2007;114(4):751–5

2005 Buch H, Vinding T, La Cour M, Jensen GB, Prause JU, Nielsen N V. The association of risk factors for age-related maculopathy in a 14-year follow up study: The Copenhagen City Eye Study. *Acta Ophtalmol Scand* 2005;83:409–18

Buch H, Nielsen N V, Vinding T, Jensen GB, Prause JU, la Cour M. 14-Year Incidence, Progression, and Visual Morbidity of Age-Related Maculopathy: The Copenhagen City Eye Study. *Ophthalmology* 2005;112(5):787–98

Buch H. 14-year incidence of age-related maculopathy and cause-specific prevalence of visual impairment and blindness in a caucasian population. The Copenhagen City Eye Study. *Acta Ophtalmologica Scandinavica.* [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2005. Thesis

Buch H, Vinding T, la Cour M, Jensen GB, Prause JU, Nielsen N V. Age-related maculopathy: A risk indicator for poorer survival in women: The Copenhagen City Eye Study. *Ophthalmology.* 2005;112(2):305–12

2004 Buch H, Vinding T, La Cour M, Appleyard M, Jensen GB, Nielsen N V. Prevalence and causes of visual impairment and blindness among 9980 scandinavian adults: The Copenhagen City Eye Study. *Ophtalmology* 2004;111:53–61

- 2001 Bjerrum K. Primary Sjögren's syndrome and keratoconjunctivitis sicca: Diagnostic methods, frequency and social disease aspects. Vol. 78, Acta Ophthalmologica. The Faculty of Health Science of the University of Copenhagen; 2001. Doctoral Thesis
- Buch H, Vinding T, La Cour M, Nielsen N V. The prevalence and causes of bilateral and unilateral blindness in an elderly urban Danish population. The Copenhagen City Eye Study. Acta Ophthalmol Scand 2001;79:441-9
- Buch H, Nielsen N V, Vinding T. Prevalence and causes of visual impairment According to World Health Organization and United States criteria in an aged, urban Scandinavian population. The Copenhagen City Eye Study. Ophthalmology 2001;108:2347-57
- 1997 Thudium D. Senil demens - forekomst og risikofaktorer. En undersøgelse af Østerbro-populationen. [Copenhagen]: The Faculty of Health Science of the University of Copenhagen; 1997. Thesis
- Bjerrum K. Keratoconjunctivitis sicca and primary Sjögren's syndrome in a Danish population aged 30-60 years. Acta Ophthalmol Scand 1997;75:281-6
- Toft J, Hesse B, Rabøl A. The occurrence of false-positive technetium-99m sestamibi bull's eye defects in difference databases. Eur J Nucl Med 1997;24(2):179-83
- 1996 Bjerrum K. Test and symptoms in keratoconjunctivitis sicca and their correlation. Acta Ophthalmol Scand 1996;74:436-41
- 1995 Vinding T. Age related macular degeneration in the Danish population. An epidemiological study of 1000 aged individuals Vol. 73:suppl 2. Acta Ophthalm Scand; 1995. Doctoral Thesis
- 1992 Vinding T, Appleyard M, Nyboe J, Jensen G. Risk factor analysis for atrophic and exudative age-related macular degeneration. An epidemiological study of 1000 aged individuals. Acta Ophthalmol. 1992;70:66-72
- 1990 Vinding T. Pigmentation of the eye and hair in relation to age-related macular degeneration. An epidemiological study of 1000 aged individuals. Acta Ophthalmol. 1990;68:53-8
- Vinding T. Visual impairment of age-related macular degeneration. An epidemiological study of 1000 aged individuals. Acta Ophthalmol. 1990;68:162-7
- Vinding T. Occurrence of drusen, pigmentary changes and exudative changes in the macula with reference to agerelated macular degeneration. An epidemiological study of 1000 aged individuals. Acta Ophthalmol. 1990;68:410-4
- 1989 Vinding T. Age-related macular degeneration; Macular changes, prevalence and sex-ratio. An epidemiological study of 1000 aged individuals. Acta Ophthalmol. 1989;67:609-16

1979 Varnek L, Schnohr P, Jensen G. Presenile corneal arcus in healthy persons. A possible cardiovascular risk indicator in younger adults. *Acta Ophthalmol.* 1979;(57):755–65

Ferritin

2019 Mikkelsen LF, Nordestgaard BG, Schnohr P, Ellervik C. Increased Ferritin Concentration and Risk of Atrial Fibrillation and Heart Failure in Men and Women: Three Studies of the Danish General Population Including 35799 Individuals. *Clin Chem.* 2019;65(1):180-8

2018 Moen IW, Bergholdt HKM, Mandrup-Poulsen T, Nordestgaard BG, Ellervik C. Increased plasma ferritin concentration and low-grade inflammation—a mendelian randomization study. *Clin Chem.* 2018;64(2):374–85

1984 Milman H, Ibsen KK. Serum ferritin in Danish children and adolescents. *Scan J Haematol.* 1984;33:260–6

Genetics

2020 Emanuelsson F, Marott S, Tybjaerg-Hansen A, Nordestgaard BG, Benn M. Impact of Glucose Level on Micro- and Macrovascular Disease in the General Population: A Mendelian Randomization Study. *Diabetes Care.* 2020; 43(4), 894–902

Gellert-Kristensen H, Nordestgaard BG, Tybjaerg-Hansen A, Stender S. High Risk of Fatty Liver Disease Amplifies the Alanine Transaminase-Lowering Effect of a HSD17B13 Variant. *Hepatology.* 2020;71(1):56-66

Nordestgaard AT, Stender S, Nordestgaard BG, Tybjaerg-Hansen A. Coffee intake protects against symptomatic gallstone disease in the general population: a Mendelian randomization study. *J Intern Med.* 2020;287(1):42–53

Rimbert A, Dalila N, Wolters JC, Huijckman N, Smit M, Kloosterhuis N, et al. A common variant in CCDC93 protects against myocardial infarction and cardiovascular mortality by regulating endosomal trafficking of low-density lipoprotein receptor. *European Heart Journal.* 2020; 41(9):1040–53 <https://doi.org/10.1093/eurheartj/ehz727>

Seidelin AS, Nordestgaard BG, Tybjaerg-Hansen A, Stender S. Genetic variation at PPP1R3B increases hepatic CT attenuation and interacts with prandial status on plasma glucose. *The Journal of Clinical Endocrinology and Metabolism.* 2020 [ahead of print]

Gellert-Kristensen H, Richardson TG, Smith GD, Nordestgaard BG, Tybjaerg-Hansen A, Stender S. Combined Effect of PNPLA3, TM6SF2, and HSD17B13 Variants on Risk of Cirrhosis and Hepatocellular Carcinoma in the General Population. *Hepatology.* 2020 [ahead of print]

Benn M, Nordestgaard BG, Tybjaerg-Hansen A, Frikke-Schmidt R. Impact of glucose on risk of dementia: Mendelian randomisation studies in 115,875 individuals. *Diabetologia.* 2020 [ahead of print]

Colak Y, Afzal S, Nordestgaard BG. 25-Hydroxyvitamin D and Risk of Osteoporotic Fractures: Mendelian Randomization Analysis in 2 Large Population-Based Cohorts. *Clinical Chemistry.* 2020 [ahead of print]

Scheller Madrid A, Rasmussen KL, Rode L, Frikke-Schmidt R, Nordestgaard BG, Bojesen SE. Observational and genetic studies of short telomeres and Alzheimer's disease in 67,000 and 152,000 individuals: a Mendelian randomization study. *European Journal of Epidemiology*. 2020;35 (2):147–56 <https://doi.org/10.1007/s10654-019-00563-w>

2019 Gellert-Kristensen H, Dalila N, Nielsen SF, Nordestgaard BG, Tybjaerg-Hansen A, Stender S. Identification and replication of six new loci associated with gallstone disease. *Hepatology* [Internet]. 2019;70(2):597–609

Emanuelsson F, Nordestgaard BG, Tybjaerg-Hansen A, Benn M. Impact of LDL Cholesterol on Microvascular Versus Macrovascular Disease: A Mendelian Randomization Study. *J Am Coll Cardiol*. 2019;74(11):1465–76

Rasmussen KL, Tybjaerg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma levels of apolipoprotein E, APOE genotype, and all-cause and cause-specific mortality in 105 949 individuals from a white general population cohort. *Eur Heart J*. 2019;40(33):2813–24

Gellert-Kristensen H, Nordestgaard BG, Tybjaerg-Hansen A, Stender S. High Risk of Fatty Liver Disease Amplifies the Alanine Transaminase-Lowering Effect of a HSD17B13 Variant. *Hepatology*. 2019 Jun; [ahead of print]

Rimbert A, Dalila N, Wolters JC, Huijckman N, Smit M, Kloosterhuis N, et al. A common variant in CCDC93 protects against myocardial infarction and cardiovascular mortality by regulating endosomal trafficking of low-density lipoprotein receptor. *Eur Heart J*. 2019 Oct; [ahead of print]

Huang T, Afzal S, Yu C, Guo Y, Bian Z, Yang L, et al. Vitamin D and cause-specific vascular disease and mortality: a Mendelian randomisation study involving 99,012 Chinese and 106,911 European adults. *BMC Med*. 2019;17(1):160

Ismail H, Helby J, Holmich LR, Chakera AH, Bastholt L, Klyver H, et al. Measured and genetically predicted plasma YKL-40 levels and melanoma mortality. *Eur J Cancer*. 2019;121:74–84

Langsted A, Nordestgaard BG, Kamstrup PR. Elevated Lipoprotein(a) and Risk of Ischemic Stroke. *J Am Coll Cardiol*. 2019;74(1):54–66

Ingebrigtsen TS, Vestbo J, Rode L, Marott JL, Lange P, Nordestgaard BG. beta2-Adrenergic genotypes and risk of severe exacerbations in COPD: a prospective cohort study. *Thorax*. 2019;74(10):934–40

Scheller Madrid A, Rasmussen KL, Rode L, Frikke-Schmidt R, Nordestgaard BG, Bojesen SE. Observational and genetic studies of short telomeres and Alzheimer's disease in 67,000 and 152,000 individuals: a Mendelian randomization study. *Eur J Epidemiol*. 2019 Sep; [ahead of print]

Juul Rasmussen I, Tybjaerg-Hansen A, Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R. Blood-brain barrier transcytosis genes, risk of dementia and stroke: a prospective cohort study of 74,754 individuals. *Eur J Epidemiol.* 2019;34(6):579–90

Kachuri L, Helby J, Bojesen SE, Christiani DC, Su L, Wu X, et al. Investigation of Leukocyte Telomere Length and Genetic Variants in Chromosome 5p15.33 as Prognostic Markers in Lung Cancer. *Cancer Epidemiol Biomarkers Prev.* 2019;28(7):1228–37

Benn M, Tybjaerg-Hansen A, Nordestgaard BG. Low LDL Cholesterol by PCSK9 Variation Reduces Cardiovascular Mortality. *J Am Coll Cardiol.* 2019;73(24):3102–14

2018 Bergholdt HKM, Nordestgaard BG, Varbo A, Ellervik C. Lactase persistence, milk intake, and mortality in the Danish general population: a Mendelian randomization study. *Eur J Epidemiol.* 2018;33(2):171–81

Wulff AB, Nordestgaard BG, Tybjaerg-Hansen A. APOC3 loss-of-function mutations, remnant cholesterol, low-density lipoprotein cholesterol, and cardiovascular risk: Mediation-and meta-analyses of 137 895 individuals. *Arterioscler Thromb Vasc Biol.* 2018;38(3):660–8

Oldoni F, van Capelleveen JC, Dalila N, Wolters JC, Heeren J, Sinke RJ, et al. Naturally Occurring Variants in LRP1 (Low-Density Lipoprotein Receptor–Related Protein 1) Affect HDL (High-Density Lipoprotein) Metabolism Through ABCA1 (ATP-Binding Cassette A1) and SR-B1 (Scavenger Receptor Class B Type 1) in Humans Highlights. *Arterioscler Thromb Vasc Biol* 2018;38(7):1440–53

Rasmussen KL, Nordestgaard BG, Nielsen SF. Complement C3 and Risk of Diabetic Microvascular Disease: A Cohort Study of 95202 Individuals from the General Population. *Clin Chem.* 2018;64(7):1113–24

Bergholdt HK, Larsen MK, Varbo A, Nordestgaard BG, Ellervik C. Lactase persistence, milk intake, hip fracture, and bone mineral density: A study of 97,811 Danish individuals and a meta-analysis. *J Intern Med.* 2018;284(3):1–16

Gusarova V, O’Dushlaine C, Teslovich TM, Benotti PN, Mirshahi T, Gottesman O, et al. Genetic inactivation of ANGPTL4 improves glucose homeostasis and is associated with reduced risk of diabetes. *Nat Commun.* 2018;9(1):1–11

Qayyum F, Lauridsen BK, Frikke-Schmidt R, Kofoed KF, Nordestgaard BG, Tybjaerg-Hansen A. Genetic variants in CYP7A1 and risk of myocardial infarction and symptomatic gallstone disease. *Eur Heart J.* 2018;39(22):2106–16

Nordestgaard LT, Tybjaerg-Hansen A, Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R. Genetic variation in clusterin and risk of dementia and ischemic vascular disease in the general population: Cohort studies and meta-analyses of 362,338 individuals. *BMC Med.* 2018;16(1):1–11

Burgess S, Ference BA, Staley JR, Freitag DF, Mason AM, Nielsen SF, et al. Association of LPA Variants With Risk of Coronary Disease and the Implications for Lipoprotein(a)-Lowering Therapies. *JAMA Cardiol* [Internet]. 2018;3(7):619–27

Beheshti S, Madsen CM, Varbo A, Benn M, Nordestgaard BG. Relationship of Familial Hypercholesterolemia and High LDL Cholesterol to Ischemic Stroke: The Copenhagen General Population Study. *Circulation* [Internet]. 2018;138(6):578–89

Lund-Nielsen J, Vedel-Krogh S, Kobylecki CJ, Brynskov J, Afzal S, Nordestgaard BG. Vitamin D and Inflammatory Bowel Disease: Mendelian Randomization Analyses in Copenhagen Studies and UK Biobank. *J Clin Endocrinol Metab* [Internet]. 2018;103(9):3267–77

Petersen JH. Plasma immunoglobulin E, leukocyte telomere length and risk of cancer and infections in the general population. The Faculty of Health and Medical Sciences, University of Copenhagen; 2018. Thesis

Turcot V, Lu Y, Highland HM, Schurmann C, Justice AE, Fine RS, et al. Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. *Nat Genet*. 2018;50(1):26–41

Rasmussen KL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Absolute 10-year risk of dementia by age, sex and APOE genotype: A population-based cohort study. *Cmaj*. 2018;190(35):E1033–41

Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R, Nielsen SF. An updated Alzheimer hypothesis: Complement C3 and risk of Alzheimer's disease—A cohort study of 95,442 individuals. *Alzheimer's Dement*. 2018;14(12):1589–601

2017 Wium-Andersen MK, Ørsted DD, Rode L, Bojesen SE, Nordestgaard BG. Telomere length and depression: Prospective cohort study and Mendelian randomisation study in 67 306 individuals. *Br J Psychiatry*. 2017;210(1):31–8

Muranen TA, Greco D, Blomqvist C, Aittomäki K, Khan S, Hogervorst F, et al. Genetic modifiers of CHEK2*1100delC-associated breast cancer risk. *Genet Med* 2017;19(5):599–603

Näslund-Koch C, Nordestgaard BG, Bojesen SE. Common breast cancer risk alleles and risk assessment: A study on 35 441 individuals from the Danish general population. *Ann Oncol*. 2017;28(1):175–81

Tolbus A, Mortensen MB, Nielsen SF, Kamstrup PR, Bojesen SE, Nordestgaard BG. Kringle IV Type 2, Not Low Lipoprotein(a), as a Cause of Diabetes: A Novel Genetic Approach Using SNPs Associated Selectively with Lipoprotein(a) Concentrations or with Kringle IV Type 2 Repeats. *Clin Chem* 2017;63(12):1866–76

Gregson JM, Freitag DF, Surendran P, Stitzel NO, Chowdhury R, Burgess S, et al. Genetic invalidation of Lp-PLA2 as a therapeutic target: Large-scale study of five functional Lp-PLA2-lowering alleles. *Eur J Prev Cardiol*. 2017;24(5):492–504

Helby J, Nordestgaard BG, Benfield T, Bojesen SE. Shorter leukocyte telomere length is associated with higher risk of infections: A prospective study of 75,309 individuals from the general population. *Haematologica*. 2017;102(8):1457–65

Bojesen SE, Timpson N, Relton C, Smith GD, Nordestgaard BG. AHRR (cg05575921) hypomethylation marks smoking behaviour, morbidity and mortality. *Thorax*. 2017;646–53

Gaurav R, Varasteh JT, Weaver MR, Jacobson SR, Hernandez-Lagunas L, Liu Q, et al. The R213G polymorphism in SOD3 protects against allergic airway inflammation. *JCI Insight* 2017;2(17):1–15

Dewey FE, Gusarova V, Dunbar RL, O’Dushlaine C, Schurmann C, Gottesman O, et al. Genetic and Pharmacologic Inactivation of ANGPTL3 and Cardiovascular Disease. *N Engl J Med* 2017;377(3):211–21

Christoffersen M, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Genetic variation in WRN and ischemic stroke: General population studies and meta-analyses. *Exp Gerontol* 2017;89:69–77

Petersen SV. Morbidity and mortality by hair dye use, statin use and genetic variation. The faculty of Health Science of the University of Copenhagen; 2017. Thesis

Lauridsen BK, Stender S, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Using genetics to explore whether the cholesterol-lowering drug ezetimibe may cause an increased risk of cancer. *Int J Epidemiol* 2017;46(6):1777–85

Benn M, Nordestgaard BG, Frikke-Schmidt R, Tybjærg-Hansen A. Low LDL cholesterol, PCSK9 and HMGCR genetic variation, and risk of Alzheimer’s disease and Parkinson’s disease: Mendelian randomisation study. *BMJ*. 2017;357:j1648

Kobylecki CJ. Extracellular superoxide dismutase R213G variant, morbidity, mortality and lung function. The faculty of Health Science of the University of Copenhagen; 2017. Thesis

Liu DJ, Peloso GM, Yu H, Butterworth AS, Wang X, Mahajan A, et al. Exome-wide association study of plasma lipids in >300,000 individuals. *Nat Genet*. 2017;49(12):1758–66

Howson JMM, Zhao W, Barnes DR, Ho W-K, Young R, Paul DS, et al. Fifteen new risk loci for coronary artery disease highlight arterial-wall-specific mechanisms. *Nat Genet*. 2017 Jul;49(7):1113–9

Kjeldsen EW, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. ABCA7 and risk of dementia and vascular disease in the Danish population. *Ann Clin Transl Neurol*. 2017;5(1):41–51

Norskov MS, Dahl M, Tybjærg-Hansen A. Genetic Variation in GSTP1, Lung Function, Risk of Lung Cancer, and Mortality. *J Thorac Oncol* 2017;12(11):1664–72

- 2016 Yang X, Sethi A, Yanek LR, Knapper C, Nordestgaard BG, Tybjærg-Hansen A, et al. SCARB1 Gene Variants Are Associated with the Phenotype of Combined High High-Density Lipoprotein Cholesterol and High Lipoprotein (a). *Circ Cardiovasc Genet.* 2016;9(5):408–18
- Lawrenson K, Kar S, McCue K, Kuchenbaecker K, Michailidou K, Tyrer J, et al. Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. *Nat Commun.* 2016;7(7):12675
- Petridis C, Brook MN, Shah V, Kohut K, Gorman P, Caneppele M, et al. Genetic predisposition to ductal carcinoma in situ of the breast. *Breast Cancer Res* 2016;18(1):1–15
- Madrid AS, Rode L, Nordestgaard BG, Bojesen SE. Short telomere length and ischemic heart disease: Observational and genetic studies in 290 022 individuals. *Clin Chem.* 2016;62(8):1140–9
- Kobylecki CJ, Afzal S, Nordestgaard BG. Does SOD3 R213G Homozygosity Influence Morbidity, Mortality, and Lung Function in the General Population? *Antioxid Redox Signal* 2016;24(15):884–91
- Hollestelle A, Van Der Baan FH, Berchuck A, Johnatty SE, Aben KK, Agnarsson BA, et al. No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. *Gynecol Oncol.* 2016;141(2):386–401
- Surendran P, Drenos F, Young R, Warren H, Cook JP, Manning AK, et al. Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. *Nat Genet.* 2016;48(10):1151–61
- Shi J, Zhang Y, Zheng W, Michailidou K, Ghoussaini M, Bolla MK, et al. Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. *Int J Cancer.* 2016;139(6):1303–17
- Zanoni P, Khetarpal SA, Larach DB, Hancock-Cerutti WF, Millar JS, Cuchel M, et al. Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. *Science (80-).* 2016;351(6278):1166–71
- Couch FJ, Kuchenbacher KB, Michailidou K, Mendoza-Fandino GA, Nord S, Lilyquist J, et al. Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. *Nat Commun* 2016;48(7):11375
- Liu J, Loncar I, Colléé JM, Bolla MK, Dennis J, Michailidou K, et al. Rs2735383, located at a microRNA binding site in the 3'UTR of NBS1, is not associated with breast cancer risk. *Sci Rep* 2016;6:1–13
- Myocardial Infarction Genetics and CARDIoGRAM Exome Consortia Investigators, Stitzel NO, Stirrups KE, Masha NG, Erdmann J, Ferrario PG, et al. Coding Variation in ANGPTL4, LPL, and SVEP1 and Risk of Coronary Disease. *N Engl J Med* 2016;374(12):1134–44

Joshi AD, Andersson C, Buch S, Stender S, Noordam R, Weng LC, et al. Four Susceptibility Loci for Gallstone Disease Identified in a Meta-analysis of Genome-Wide Association Studies. *Gastroenterology* 2016;151(2):351–363.e28

Zeng C, Guo X, Long J, Kuchenbaecker KB, Droit A, Michailidou K, et al. Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. *Breast Cancer Res* 2016;18(1)

Meeks HD, Song H, Michailidou K, Bolla MK, Dennis J, Wang Q, et al. BRCA2 Polymorphic Stop Codon K3326X and the Risk of Breast, Prostate, and Ovarian Cancers. *J Natl Cancer Inst.* 2016;108(2):1–10

Nordestgaard AT, Nordestgaard BG. Coffee intake, cardiovascular disease and allcause mortality: Observational and mendelian randomization analyses in 95 000-223 000 individuals. *Int J Epidemiol.* 2016;45(6):1938–52

Langsted A, Nordestgaard BG, Benn M, Tybjaerg-Hansen A, Kamstrup PR. PCSK9 R46L loss-of-function mutation reduces lipoprotein(a), LDL cholesterol, and risk of aortic valve stenosis. *J Clin Endocrinol Metab.* 2016;101(9):3281–7

Kar SP, Beesley J, Al Olama AA, Michailidou K, Tyrer J, Kote-Jarai ZS, et al. Genome-wide meta-analyses of breast, ovarian, and prostate cancer association studies identify multiple new susceptibility loci shared by at least two cancer types. *Cancer Discov.* 2016;6(9):1052–67

Ghousaini M, French JD, Michailidou K, Nord S, Beesley J, Canisus S, et al. Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. *Am J Hum Genet.* 2016;99(4):903–11

Zhao Z, Wen W, Michailidou K, Bolla MK, Wang Q, Zhang B, et al. Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. *Cancer Causes Control* 2016;27(5):679–93

Darabi H, Beesley J, Droit A, Kar S, Nord S, Marjaneh MM, et al. Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). *Sci Rep* 2016;6:1–14

Easton DF, Lesueur F, Decker B, Michailidou K, Li J, Allen J, et al. No evidence that protein truncating variants in BRIP1 are associated with breast cancer risk: Implications for gene panel testing. *J Med Genet* 2016;53(5):298–309

Christensen AH, Kamstrup PR, Gandjbakhch E, Benn M, Jensen JS, Bundgaard H, et al. Plakophilin-2 c.419C>T and risk of heart failure and arrhythmias in the general population. *Eur J Hum Genet.* 2016;24(5):732–8

Horne HN, Chung CC, Zhang H, Yu K, Prokunina-Olsson L, Michailidou K, et al. Fine-mapping of the 1p11.2 breast cancer susceptibility locus. *PLoS One.* 2016;11(8):1–15

Dunning AM, Michailidou K, Kuchenbaecker KB, Thompson D, French JD, Beesley J, et al. Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. *Nat Genet.* 2016;48(4):374–86

Stender S, Tybjærg-Hansen A. Using human genetics to predict the effects and side-effects of drugs. *Curr Opin Lipidol.* 2016;27(2):105–11

Amouyel P, Müller-nurasyid M. A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. *Sci Transl Med.* 2016;8(341):1–13

Lei J, Rudolph A, Moysich KB, Behrens S, Goode EL, Bolla MK, et al. Genetic variation in the immunosuppression pathway genes and breast cancer susceptibility: a pooled analysis of 42,510 cases and 40,577 controls from the Breast Cancer Association Consortium. *Hum Genet.* 2016;135(1):137–54

Guo Y, Warren Andersen S, Shu XO, Michailidou K, Bolla MK, Wang Q, et al. Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. *PLoS Med.* 2016;13(8):1–18

Hamdi Y, Soucy P, Adoue V, Michailidou K, Canisius S, Lemaçon A, et al. Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21. *Oncotarget* 2016;7(49):80140–63

Rode L, Nordestgaard BG, Bojesen SE. Long telomeres and cancer risk among 95 568 individuals from the general population. *Int J Epidemiol* 2016;45(5):1634–43

2015 Thomsen M. Biochemical and genetic markers in chronic obstructive pulmonary disease, diabetes, and ischemic heart disease in the general population. The faculty of Health Science of the University of Copenhagen; 2015. Doctoral Thesis

Michailidou K, Beesley J, Lindstrom S, Canisius S, Dennis J, Lush MJ, et al. Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. *Nat Genet.* 2015;47(4):373–80

Dieffenbach AK, Swerdlow A, Chenevix-trench G, Hopper J, Ben J. Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. *Int J Cancer.* 2015;136:E665–96

Day FR, Ruth KS, Thompson DJ, Lunetta KL, Pervjakova N, Chasman DI, et al. Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. *Nat Genet.* 2015;47(11):1294–303

Weischer M. Short telomere length, cardiovascular disease, cancer and mortality. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

Freitag D, Butterworth AS, Willeit P, Howson JMM, Burgess S, Kaptoge S, et al. Cardiometabolic effects of genetic upregulation of the interleukin 1 receptor antagonist: A Mendelian randomisation analysis. *Lancet Diabetes Endocrinol* 2015;3(4):243–53

Lauridsen BK, Stender S, Frikke-Schmidt R, Nordestgaard BG, Tybjaerg-Hansen A. Genetic variation in the cholesterol transporter NPC1L1, ischaemic vascular disease, and gallstone Disease. *Eur Heart J*. 2015;36(25):1601–8

Litchfield K, Sultana R, Renwick A, Dudakia D, Seal S, Ramsay E, et al. Multi-stage genome-wide association study identifies new susceptibility locus for testicular germ cell tumour on chromosome 3q25. *Hum Mol Genet*. 2015;24(4):1169–76

Mavaddat N, Pharoah PDP, Michailidou K, Tyrer J, Brook MN, Bolla MK, et al. Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. *JNCI J Natl Cancer Inst* 2015;107(5):1–15

Lin W-Y, Camp NJ, Ghousaini M, Beesley J, Michailidou K, Hopper JL, et al. Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. *Hum Mol Genet* 2015;24(1):285–98

Stegeman S, Amankwah E, Klein K, O'Mara TA, Kim D, Lin HY, et al. A large-scale analysis of genetic variants within putative miRNA binding sites in prostate cancer. *Cancer Discov*. 2015;5(4):368–79

Orr N, Dudbridge F, Dryden N, Maguire S, Novo D, Perrakis E, et al. Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. *Hum Mol Genet* 2015;24(10):2966–84

Guo Q, Schmidt MK, Kraft P, Canisius S, Chen C, Khan S, et al. Identification of novel genetic markers of breast cancer survival. *J Natl Cancer Inst* 2015;107(5):1–9

Glubb DM, Maranian MJ, Michailidou K, Pooley KA, Meyer KB, Kar S, et al. Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. *Am J Hum Genet*. 2015;96(1):5–20

Al Olama AA, Dadaev T, Hazelett DJ, Li Q, Leongamornlert D, Saunders EJ, et al. Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. *Hum Mol Genet* 2015;24(19):5589–602

Rode L, Nordestgaard BG, Bojesen SE. Peripheral blood leukocyte telomere length and mortality among 64 637 individuals from the general population. *J Natl Cancer Inst*. 2015;107(6):1–8

Wyszynski A, Hong CC, Lam K, Michailidou K, Lytle C, Yao S, et al. An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating IGFBP5 expression. *Hum Mol Genet*. 2015;25(17):3863–76

2014 Nielsen C. JAK2 V617F mutation in the general population: Prevalence, morbidity and mortality. The faculty of Health Science of the University of Copenhagen; 2014

Holmes M V., Frikke-Schmidt R, Melis D, Luben R, Asselbergs FW, Boer JMA, et al. A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. *Atherosclerosis* 2014;237(1):5–12

Kaur-Knudsen D, Bojesen SE, Nordestgaard BG. CHRNA3 and CYP3A5*3 genotype, lung function and chronic obstructive pulmonary disease in the general population. *Pharmacogenet Genomics*. 2014;24(4):220–9

Jørgensen AB, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Loss-of-Function Mutations in APOC3 and Risk of Ischemic Vascular Disease. *N Engl J Med* 2014;371(1):32–41

Kjærgaard AD. YKL-40 and ischemic vascular disease: observational, genetic and Mendelian randomization studies. The faculty of Health Science of the University of Copenhagen; 2014

Kozlitina J, Smagris E, Stender S, Nordestgaard BG, Zhou HH, Tybjærg-Hansen A, et al. Exome-wide association study identifies a TM6SF2 variant that confers susceptibility to nonalcoholic fatty liver disease. *Nat Genet* 2014;46(4):352–6

Dijkstra AE, Smolonska J, Van Den Berge M, Wijmenga C, Zanen P, Luinge MA, et al. Susceptibility to chronic mucus hypersecretion, a genome wide association study. *PLoS One*. 2014;9(4)

Weischer M, Bojesen SE, Nordestgaard BG. Telomere Shortening Unrelated to Smoking, Body Weight, Physical Activity, and Alcohol Intake: 4,576 General Population Individuals with Repeat Measurements 10 Years Apart. *PLoS Genet*. 2014;10(3)

Kjaergaard AD, Bojesen SE, Nordestgaard BG, Johansen JS. YKL-40 and alcoholic liver and pancreas damage and disease in 86258 individuals from the general population: Cohort and mendelian randomization studies. *Clin Chem*. 2014;60(11):1429–40

Anders Berg Jørgensen. Genetic variation in APOA5 and APOC3, nonfasting triglycerides and risk of ischemic cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

2013 Nanda NC. Genetic associations with valvular calcification and aortic stenosis. *Cardiol Rev*. 2013;29(2):503–12

Hornstrup LS, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Genetic stabilization of transthyretin, cerebrovascular disease, and life expectancy. *Arterioscler Thromb Vasc Biol*. 2013;33(6):1441–7

Kjaergaard AD, Johansen JS, Nordestgaard BG, Bojesen SE. Genetic variants in CHI3L1 influencing YKL-40 levels: Resequencing 900 individuals and genotyping 9000 individuals from the general population. *J Med Genet.* 2013;50(12):831–7

Thomsen M. Scavenger receptorer, ADRB2 og lungesygdom. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

Rode L, Bojesen SE, Weischer M, Vestbo J, Nordestgaard BG. Short telomere length, lung function and chronic obstructive pulmonary disease in 46 396 individuals. *Thorax.* 2013;68(5):429–35

Marott SCW, Nordestgaard BG, Jensen GB, Tybjærg-Hansen A, Benn M. AT1 mutations and risk of atrial fibrillation based on genotypes from 71000 individuals from the general population. *Br J Clin Pharmacol.* 2013;76(1):114–24

Thomsen M, Nordestgaard BG, Tybjærg-Hansen A, Bojesen SE. Splice site mutations in mismatch repair genes and risk of cancer in the general population. *Fam Cancer.* 2013;12(3):567–72

Bottolo L, Chadeau-Hyam M, Hastie DI, Zeller T, Liqet B, Newcombe P, et al. GUESS-ing Polygenic Associations with Multiple Phenotypes Using a GPU-Based Evolutionary Stochastic Search Algorithm. *PLoS Genet.* 2013;9(8):e1003657

Sode BF, Allin KH, Dahl M, Gyntelberg F, Nordestgaard BG. Risk of venous thromboembolism and myocardial infarction associated with factor V Leiden and prothrombin mutations and blood type. *CMAJ* 2013;185(5):E229-37

Weischer M, Nordestgaard BG, Cawthon RM, Freiberg JJ, Tybjærg-Hansen A, Bojesen SE. Short telomere length, cancer survival, and cancer risk in 47102 individuals. *J Natl Cancer Inst.* 2013;105(7):459–68

Thun GA, Imboden M, Ferrarotti I, Kumar A, Obeidat M, Zorzetto M, et al. Causal and Synthetic Associations of Variants in the SERPINA Gene Cluster with Alpha1-antitrypsin Serum Levels. *PLoS Genet.* 2013;9(8)

Schou J. Resequencing the ABCG1 gene to identify genetic variation affecting lipid and lipoprotein levels, risk of ischemic heart disease, mortality and type diabetes in the general population. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

Hornstrup LS. Genetic variation in ABCC6 and TTR and risk of vascular disease in the general population. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

2012 Haase CL, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Population-Based Resequencing of APOA1 in 10,330 Individuals: Spectrum of Genetic Variation, Phenotype, and Comparison with Extreme Phenotype Approach. *PLoS Genet.* 2012;8(11)

Johannsen TH, Frikke-Schmidt R, Schou J, Nordestgaard BG, Tybjærg-Hansen A. Genetic inhibition of CETP, ischemic vascular disease and mortality, and possible adverse effects. *J Am Coll Cardiol* 2012;60(20):2041–8

Thomsen M, Dahl M, Tybjærg-Hansen A, Nordestgaard BG. β 2-adrenergic receptor Thr164Ile polymorphism, blood pressure and ischaemic heart disease in 66750 individuals. *J Intern Med.* 2012;271(3):305–14

Weischer M, Heerfordt IM, Bojesen SE, Eigentler T, Garbe C, Röcken M, et al. CHEK2 *1100delC and risk of malignant melanoma: Danish and German studies and meta-analysis. *J Invest Dermatol.* 2012;132(2):299–303

Thomsen M, Dahl M, Tybjærg-Hansen A, Nordestgaard BG. β 2-adrenergic receptor Thr164Ile polymorphism, obesity, and diabetes: Comparison with FTO, MC4R, and TMEM18 polymorphisms in more than 64,000 individuals. *J Clin Endocrinol Metab.* 2012;97(6):1074–9

Weischer M, Bojesen SE, Cawthon RM, Freiberg JJ, Tybjrg-Hansen A, Nordestgaard BG. Short telomere length, myocardial infarction, ischemic heart disease, and early death. *Arterioscler Thromb Vasc Biol.* 2012;32(3):822–9

Schou J, Tybjaerg-Hansen A, Moller HJ, Nordestgaard BG, Frikke-Schmidt R. ABC Transporter Genes and Risk of Type 2 Diabetes: A study of 40,000 individuals from the general population. *Diabetes Care* 2012;35(12):2600–6

Schou J, Frikke-Schmidt R, Kardassis D, Thymiakou E, Nordestgaard BG, Jensen G, et al. Genetic variation in ABCG1 and risk of myocardial infarction and ischemic heart disease. *Arterioscler Thromb Vasc Biol.* 2012;32(2):506–15

Ellervik C, Tybjærg-Hansen A, Nordestgaard BG. Risk of cancer by transferrin saturation levels and haemochromatosis genotype: Population-based study and meta-analysis. *J Intern Med.* 2012;271(1):51–63

2011 Hornstrup LS, Tybjærg-Hansen A, Haase CL, Nordestgaard BG, Sillesen H, Grande P, et al. Heterozygosity for R1141X in ABCC6 and risk of ischemic vascular disease. *Circ Cardiovasc Genet.* 2011;4(5):534–41

Thomsen M, Nordestgaard BG, Tybjærg-Hansen A, Dahl M. Scavenger receptor AI/II truncation, lung function and COPD: A large population-based study. *J Intern Med.* 2011;269(3):340–8

Stender S, Frikke-Schmidt R, Anestis A, Kardassis D, Sethi AA, Nordestgaard BG, et al. Genetic variation in liver X receptor alpha and risk of ischemic vascular disease in the general population. *Arterioscler Thromb Vasc Biol.* 2011;31(12):2990–6

Lee J, Dahl M, Nordestgaard BG. Genetically lowered microsomal epoxide hydrolase activity and tobacco-related cancer in 47,000 individuals. *Cancer Epidemiol Biomarkers Prev.* 2011;20(8):1673–82

Nørskov MS, Frikke-Schmidt R, Loft S, Sillesen H, Grande P, Nordestgaard BG, et al. Copy number variation in glutathione S-transferases M1 and T1 and ischemic vascular disease four studies and meta-analyses. *Circ Cardiovasc Genet.* 2011;4(4):418–28

Varbo A, Benn M, Tybjærg-Hansen A, Grande P, Nordestgaard BG. TRIB1 and GCKR polymorphisms, lipid levels, and risk of ischemic heart disease in the general population. *Arterioscler Thromb Vasc Biol.* 2011;31(2):451–7

Bækvad-Hansen M, Nordestgaard BG, Dahl M. Surfactant protein B polymorphisms, pulmonary function and COPD in 10,231 individuals. *Eur Respir J.* 2011;37(4):791–9

Nielsen C, Birgens HS, Nordestgaard BG, Kjaer L, Bojesen SE. The JAK2 V617F somatic mutation, mortality and cancer risk in the general population. *Haematologica* 2011;96(3):450–3

Nørskov MS, Frikke-Schmidt R, Bojesen SE, Nordestgaard BG, Loft S, Tybjærg-Hansen A. Copy number variation in glutathione-S-transferase T1 and M1 predicts incidence and 5-year survival from prostate and bladder cancer, and incidence of corpus uteri cancer in the general population. *Pharmacogenomics J.* 2011;11(4):292–9

Kaur-Knudsen D. Cytochrome P450 1B1 and 2C9 genotypes and risk of disease in the general population. The faculty of Health Science of the University of Copenhagen; 2011. Thesis

Haase CL, Frikke-Schmidt R, Nordestgaard BG, Kateifides AK, Kardassis D, Nielsen LB, et al. Mutation in APOA1 predicts increased risk of ischaemic heart disease and total mortality without low HDL cholesterol levels. *J Intern Med.* 2011;270(2):136–46

Stender S, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Sterol transporter adenosine triphosphate-binding cassette transporter G8, gallstones, and biliary cancer in 62,000 individuals from the general population. *Hepatology.* 2011;53(2):640–8

2010 Bækvad-Hansen M, Dahl M, Tybjærg-Hansen A, Nordestgaard BG. Surfactant protein-B 121ins2 heterozygosity, reduced pulmonary function, and chronic obstructive pulmonary disease in smokers. *Am J Respir Crit Care Med.* 2010;181(1):17–20

Benn M. Apolipoprotein b levels, APOB alleles, and risk of ischemic cardiovascular disease in the general population. The faculty of Health Science of the University of Copenhagen; 2010. Doctoral Thesis

Stengård JH, Dyson G, Frikke-Schmidt R, Tybjærg-Hansen A, Nordestgaard BG, Sing CF. Context-dependent associations between variation in risk of ischemic heart disease and variation in the 5ε promoter region of the Apolipoprotein E gene in Danish women. *Circ Cardiovasc Genet.* 2010;3(1):22–30

Benfield T, Ejrnæs K, Juul K, Østergaard C, Helweg-Larsen J, Weis N, et al. Influence of Factor V Leiden on susceptibility to and outcome from critical illness: A genetic association study. *Crit Care* 2010;14(2):R28

Lee J, Dahl M, Grande P, Tybjaerg-Hansen A, Nordestgaard BG. Genetically Reduced Soluble Epoxide Hydrolase Activity and Risk of Stroke and Other Cardiovascular Disease. *Stroke*. 2010;41(1):27–33

Yazdanyar S, Kamstrup PR, Tybjærg-Hansen A, Nordestgaard BG. Penetrance of NOD2/CARD15 genetic variants in the general population. *Cmaj*. 2010;182(7):661–5

Bækvad-Hansen M, Nordestgaard BG, Tybjærg-Hansen A, Dahl M. Two novel mutations in surfactant protein-C, lung function and obstructive lung disease. *Respir Med* 2010;104(3):418–25

Frikke-Schmidt R. Genetic variation in the ABCA1 gene, HDL cholesterol, and risk of ischemic heart disease in the general population. *Atherosclerosis*. 2010;208(2):305–16. Doctoral Thesis

Yazdanyar S, Nordestgaard BG. NOD2/CARD15 genotype, cardiovascular disease and cancer in 43 600 individuals from the general population. *J Intern Med*. 2010;268:162–70

Nørskov MS. Copy number variation in Glutamine S-Transferase M1 and T1 and risk of disease in the general population. The faculty of Health Science of the University of Copenhagen; 2010. Thesis

Yazdanyar S. NOD2/card15 genotypes and risk of disease in the general population. The Faculty of Health Science of the University of Copenhagen; 2010. Thesis

2009 Dyson GB, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A, Sing CF. Modifications to the Patient Rule-Induction Method that utilize non-additive combinations of genetic and environmental effects to define partitions that predict ischemic heart disease. *Genet Epidemiol*. 2009;33:317–24

Nørskov MS, Frikke-Schmidt R, Loft S, Tybjærg-Hansen A. High-throughput genotyping of copy number variation in Glutathione S-Transferases M1 and T1 using real-time PCR in 20,687 individuals. *Clin Biochem* 2009;42(3):201–9

Yazdanyar S, Weischer M, Nordestgaard BG. Genotyping for NOD2 Genetic Variants and Crohn Disease: a Metaanalysis. *Clin Chem* 2009;55(11):1950–7

Kaur-Knudsen D, Nordestgaard BG, Tybjaerg-Hansen A, Bojesen SE. CYP1B1 genotype and risk of cardiovascular disease, pulmonary disease, and cancer in 50 000 individuals. *Pharmacogenet Genomics* 2009;19(9)

Kamstrup PR, Tybjaerg-Hansen A, Steffensen R, Nordestgaard BG. Genetically Elevated Lipoprotein(a) and Increased Risk of Myocardial Infarction. *JAMA J Am Med Assoc* 2009;301(22):2331–9

Kaur-Knudsen D, Bojesen SE, Nordestgaard BG. Common polymorphisms in CYP2C9, subclinical atherosclerosis and risk of ischemic vascular disease in 52.000 individuals. *Pharmacogenomics J* 2009;9(5):327–32

Ellervik C, Tarnow L, Pedersen EB. Genetics and hypertension. *Ugeskr Laeger* 2009;171(24):2012–5

Dahl M, Nordestgaard BG, Lange P, Hansen AT. Fifteen-year follow-up of pulmonary function in individuals heterozygous for cystic fibrosis phenylalanine-508 deletion. *J Allergy Clin Immunol* 2009;107:818–23

Dombernowsky SL, Weischer M, Freiberg JJ, Bojesen SE, Tybjaerg-Hansen A, Nordestgaard BG. Missense polymorphisms in BRCA1 and BRCA2 and risk of breast and ovarian cancer. *Cancer Epidemiol Biomarkers Prev* 2009;18(8):2339–42

2008 Freiberg JJ, Tybjaerg-Hansen A, Sillesen H, Jensen GB, Nordestgaard BG. Promotor Polymorphisms in Leukotriene C4 Synthase and Risk of Ischemic Cerebrovascular Disease. *Arterioscler Thromb Vasc Biol* 2008;28(5):990–6

Heid IM, Boes E, Müller M, Kollerits B, Lamina C, Coassin S, et al. Genome-wide association analysis of high-density lipoprotein cholesterol in the population-based KORA study sheds new light on intergenic regions. *Circ Cardiovasc Genet*. 2008;1(1):10–20

Stene MCA, Frikke-Schmidt R, Nordestgaard BG, Grande P, Schnohr P, Tybjaerg-Hansen A. Functional Promoter Variant in Zinc Finger Protein 202 Predicts Severe Atherosclerosis and Ischemic Heart Disease. *J Am Coll Cardiol* 2008 Jul 29;52(5):369–77

Frikke-Schmidt R, Nordestgaard BG, Jensen GB, Steffensen R, Tybjaerg-Hansen A. Genetic Variation in ABCA1 Predicts Ischemic Heart Disease in the General Population. *Arterioscler Thromb Vasc Biol*. 2008;28(1):180–6

Frikke-Schmidt R, Nordestgaard BG, Stene MCA, Sethi AA, Remaley AT, Schnohr P, et al. Association of Loss-of-Function Mutations in the ABCA1 Gene With High-Density Lipoprotein Cholesterol Levels and Risk of Ischemic Heart Disease. *JAMA J Am Med Assoc* 2008;299(21):2524–32

Pedersen-Bjergaard U, Dhamrait SS, Sethi AA, Frandsen E, Nordestgaard BG, Montgomery HE, et al. Genetic Variation and Activity of the Renin-Angiotensin System and Severe Hypoglycemia in Type 1 Diabetes. *Am J Med* 2008;121(3):246

Dahl M, Bowler RP, Juul K, Crapo JD, Levy S, Nordestgaard BG. Superoxide Dismutase 3 Polymorphism Associated with Reduced Lung Function in Two Large Populations. *Am J Respir Crit Care Med* 2008;178(9):906–12

Dahl M. Genetic and biochemical markers of obstructive lung disease in the general population. [Lægeforeningens forlag]: The faculty of Health Science of the University of Copenhagen; 2008. Thesis

Benn M, Schwartz M, Nordestgaard BG, Tybjaerg-Hansen A. Mitochondrial Haplogroups: Ischemic Cardiovascular Disease, Other Diseases, Mortality, and Longevity in the General Population. *Circulation* 2008;117(19):2492–501

Lewis SJ, Lawlor DA, Nordestgaard BG, Tybjaerg-Hansen A, Ebrahim S, Zacho J, et al. The methylenetetrahydrofolate reductase C677T genotype and the risk of obesity in three large population-based cohorts. *Eur J Endocrinol* 2008 Jul 1;159(1):35–40

Kamstrup PR, Tybjaerg-Hansen A, Steffensen R, Nordestgaard BG. Pentanucleotide Repeat Polymorphism, Lipoprotein(a) Levels, and Risk of Ischemic Heart Disease. *J Clin Endocrinol Metab* 2008;93(10):3769–76

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. Genetically Elevated C-Reactive Protein and Ischemic Vascular Disease. *N Engl J Med* 2008;359(18):1897–908

2007 Stengard JH, Frikke-Schmidt R, Hansen AT, Nordestgaard BG, Sing CF. Variation in the 5' promoter region of the APOE gene contributes to predicting ischemic heart disease (IHD) in the population at large: The Copenhagen City Heart Study. *Ann Hum Genet.* 2007;71:762–71

Stene MCA. Common genetic variation in Zinc Finger Protein 202, HDL cholesterol and risk of severe atherosclerosis and ischemic heart disease. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2007. Thesis

Weischer M, Bojesen SE, Tybjaerg-Hansen A, Axelsson CK, Nordestgaard BG. Increased Risk of Breast Cancer Associated With CHEK2*1100delC. *J Clin Oncol.* 2007;25(1):57–63

Geismar K. Association between periodontal disease and coronary heart disease: including analysis of the involvement of polymorphism of the IL-1 gene cluster. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2007. Thesis

Kjaergaard AD, Ellervik C, Tybjaerg-Hansen A, Axelsson CK, Gronholdt ML, Grande P, et al. Estrogen Receptor alpha Polymorphism and Risk of Cardiovascular Disease, Cancer, and Hip Fracture: Cross-Sectional, Cohort, and Case-Control Studies and a Meta-Analysis. *Circulation.* 2007;115(7):861–71

Frikke-Schmidt R, Sing CF, Nordestgaard BG, Steffensen R, Hansen AT. Subsets of SNPs define rare genotype subclasses that predict ischemic heart disease. *Hum Genet.* 2007;120:865–77

McPherson R, Pertsemlidis A, Kavaslar N, Stewart A, Roberts R, Cox DR, et al. A Common Allele on Chromosome 9 Associated with Coronary Heart Disease. *Science* 2007;316(5830):1488–91

Benn M, Nordestgaard BG, Jensen JS, Tybjaerg-Hansen A. Polymorphisms in Apolipoprotein B and Risk of Ischemic Stroke. *J Clin Endocrinol Metab* 2007 Sep 1;92(9):3611–7

- Dyson G, Frikke-Schmidt R, Nordestgaard BG, Hansen AT, Sing CF. An application of the Patient Rule Induction Method for evaluating the contribution of the apolipoprotein E and lipoprotein lipase genes to predicting ischemic heart disease. *Genet Epidemiol.* 2007;31:515–27
- Orsted DD, Bojesen SE, Tybjaerg-Hansen A, Nordestgaard BG. Tumor suppressor p53 Arg72Pro polymorphism and longevity, cancer survival, and risk of cancer in the general population. *J Exp Med* 2007;204(6):1295–301
- Romeo S, Pennacchio LA, Fu Y, Boerwinkle E, Tybjaerg-Hansen A, Hobbs HH, et al. Population-based resequencing of ANGPTL4 uncovers variations that reduce triglycerides and increase HDL. *Nat Genet* 2007;39(4):513–6
- Tofteng CL, Bach-Mortensen P, Bojesen SE, Tybjærg-Hansen A, Hyldstrup L, Nordestgaard BG. Integrin β 3 Leu33Pro polymorphism and risk of hip fracture: 25 years follow-up of 9233 adults from the general population. *Pharmacogenet Genomics* 2007;17(1):85-91
- 2006 Stene MC, Frikke-Schmidt R, Nordestgaard BG, Tybjaerg-Hansen A. Zinc Finger Protein 202, genetic variation, and HDL cholesterol in the general population. *J Lipid Res* 2006;47(5):944–52
- Stengard JH, Kardina SLR, Hamon SC, Frikke-Schmidt R, Tybjaerg-Hansen A, Salomaa V, et al. Contribution of regulatory and structural variations in APOE to predicting dyslipidemia. *J Lipid Res.* 2006;47(2):318–28
- Juul K, Tybjaerg-Hansen A, Marklund S, Lange P, Nordestgaard BG. Genetically Increased Antioxidative Protection and Decreased Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2006;173(8):858–64
- Stene MCA, Frikke-Schmidt R, Nordestgaard BG, Steffensen R, Schnohr P, Tybjærg-Hansen A. Zinc Finger Protein 202: A new candidate gene for ischemic heart disease: The Copenhagen City Heart Study. *Atherosclerosis* 2006 Sep;188(1):43–50
- Wittrup HH, Andersen R V, Tybjaerg-Hansen A, Jensen GB, Nordestgaard BG. Combined Analysis of Six Lipoprotein Lipase Genetic Variants on Triglycerides, High-Density Lipoprotein, and Ischemic Heart Disease: Cross-Sectional, Prospective, and Case-Control Studies from the Copenhagen City Heart Study. *J Clin Endocrinol Metab* 2006;91(4):1438–45
- 2005 Juul K, Hansen AT, Marklund S, Heegaard NHH, Steffensen R, Sillesen H, et al. Genetisk betinget reduktion i antioxidativ beskyttelse og øget risiko for iskæmisk hjertesygdom. *Ugeskr Laeger* 2005;167:767–70
- Dahl M, Hersh CP, Ly NP, Berkey CS, Silverman EK, Nordestgaard BG. The protease inhibitor PI*S allele and COPD: a meta-analysis. *Eur Respir J* 2005 Jul 1;26(1):67–76
- Benfield T, Dahl M, Nordestgaard B, Tybjærg-Hansen A. Influence of the Factor V Leiden Mutation on Infectious Disease Susceptibility and Outcome: A Population-Based Study. *J Infect Dis* 2005;192(10):1851–7

Juul K, Tybjaerg-Hansen A, Mortensen J, Lange P, Vestbo J, Nordestgaard BG. Factor V Leiden Homozygosity, Dyspnea, and Reduced Pulmonary Function. *Arch Intern Med* 2005 Sep 26;165(17):2032–6

Bojesen SE, Kjaer SK, Hogdall EVS, Thomsen BL, Hogdall CK, Blaakaer J, et al. Increased risk of ovarian cancer in integrin beta-3 Leu33Pro homozygotes. *Endocr Relat Cancer* 2005;12(4):945–52

Dahl M, Tybjaerg-Hansen A, Lange P, Nordestgaard B. Asthma and COPD in cystic fibrosis intron-8 5T carriers. A population-based study. *Respir Res* 2005;6(1):113

Benn M, Nordestgaard BG, Jensen JS, Grande P, Sillesen H, Tybjaerg-Hansen A. Polymorphism in APOB Associated with Increased Low-Density Lipoprotein Levels in Both Genders in the General Population. *J Clin Endocrinol Metab* 2005;90(10):5797–803

Benn M, Nordestgaard BG, Jensen JS, Nilausen K, Meinertz H, Tybjærg-Hansen A. Mutation in Apolipoprotein B Associated with Hypobetalipoproteinemia Despite Decreased Binding to the Low Density Lipoprotein Receptor. *J Biol Chem* 2005;280(22):21052–60

Frikke-Schmidt R, Nordestgaard BG, Schnohr P, Steffensen R, Tybjaerg-Hansen A. Mutation in ABCA1 Predicted Risk of Ischemic Heart Disease in the Copenhagen City Heart Study Population. *J Am Coll Cardiol* 2005;46(8):1516–20

Tybjaerg-Hansen A, Jensen HK, Benn M, Steffensen R, Jensen G, Nordestgaard BG. Phenotype of Heterozygotes for Low-Density Lipoprotein Receptor Mutations Identified in Different Background Populations. *Arterioscler Thromb Vasc Biol.* 2005;25(1):211–5

Sethi AA, Tybjærg-Hansen A, Jensen GB, Nordestgaard BG. 164Ile allele in the [beta]2-Adrenergic receptor gene is associated with risk of elevated blood pressure in women. The Copenhagen City Heart Study. *Pharmacogenet Genomics* 2005;15(9):633-45

Bojesen SE, Tybjaerg-Hansen A, Axelsson CK, Nordestgaard BG. No association of breast cancer risk with integrin beta3 (ITGB3) Leu33Pro genotype. *Br J Cancer* 2005;93(1):167–71

2004 Frederiksen J, Juul K, Grande P, Jensen GB, Schroeder T V, Tybjaerg-Hansen A, et al. Methylenetetrahydrofolate reductase polymorphism (C677T), hyperhomocysteinemia, and risk of ischemic cardiovascular disease and venous thromboembolism: prospective and case-control studies from the Copenhagen City Heart Study. *Blood* 2004;104(10):3046–51

Tholstrup T, Hellgren LI, Petersen M, Basu S, Straarup EM, Schnohr P, et al. A Solid Dietary Fat Containing Fish Oil Redistributes Lipoprotein Subclasses without Increasing Oxidative Stress in Men. *J Nutr* 2004;134(5):1051–7

Juul K, Tybjærg-Hansen A, Schnohr P, Nordestgaard BG. Factor V Leiden and the Risk for Venous Thromboembolism in the Adult Danish Population. *Ann Intern Med* 2004;140(5):330–7

Sethi AA, Tybjaerg-Hansen A, Andersen RV, Nordestgaard BG. Nanogen Microelectronic Chip for Large-Scale Genotyping. *Clin Chem*. 2004;50(2):443–6

Andersen RV, Tybjaerg-Hansen A, Appleyard M, Birgens H, Nordestgaard BG. Hemochromatosis mutations in the general population: iron overload progression rate. *Blood* 2004;103(8):2914–9

Frikke-Schmidt R, Sing CF, Nordestgaard BG, Tybjærg-Hansen A. Gender- and age-specific contributions of additional DNA sequence variation in the 5' regulatory region of the APOE gene to prediction of measures of lipid metabolism. *Hum Genet* 2004 Sep 4;115(4):331–45

Dahl M, Hansen AT, Schnohr P, Nordestgaard BG. Morbiditet og mortalitet hos personer med mannosebindende lektin-mangel. *Østerbroundersøgelsen. Ugeskr Laeger* 2004;166:4606–9

Frikke-Schmidt R, Nordestgaard BG, Jensen GB, Hansen AT. Genetic variation in ABC transporter A1 contributes to HDL cholesterol in the general population. *J Clin Invest* 2004;114:1343–53

Frikke-Schmidt R, Nordestgaard BG, Schnohr P, Tybjaerg-Hansen A. Single nucleotide polymorphism in the low-density lipoprotein receptor is associated with a threefold risk of stroke: A case-control and prospective study. *Eur Heart J* 2004;25(11):943–51

Juul K. Factor V Leiden and venous thromboembolism, arterial thrombosis, and chronic pulmonary vascular disease. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2004. Thesis

Dahl M, Hansen AT, Schnohr P, Nordestgaard BG. A population-based study of morbidity and mortality in mannose-binding lectin deficiency. *J Exp Med* 2004;199:1391–9

2003 Bojesen SE, Juul K, Schnohr P, Hansen AT, Nordestgaard BG. Platelet glycoprotein IIb/IIIa PLA2/PLA2 homozygosity associated with risk of ischemic cardiovascular disease and myocardial infarction in young men. The Copenhagen City Heart Study. *J Am Coll Cardiol* 2003;42:661–7

Andersen RA, Wittrup HH, Hansen AT, Steffensen R, Schnohr P, Nordestgaard BG. Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease. The Copenhagen City Heart Study. *J Am Coll Cardiol* 2003;41:1972–82

Sethi AA, Nordestgaard BG, Tybjaerg-Hansen A. Angiotensinogen Gene Polymorphism, Plasma Angiotensinogen, and Risk of Hypertension and Ischemic Heart Disease: A Meta-Analysis. *Arterioscler Thromb Vasc Biol* 2003 Jul 1;23(7):1269–75

Sethi AA. Common mutations in the angiotensinogen gene and risk of elevated blood pressure, ischemic heart disease and ischemic cerebrovascular disease. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2003. Thesis

Juul K, Tybjærg-Hansen A, Marklund S, Heegaard NHH, Steffensen R, Sillesen H, et al. Genetically Reduced Antioxidative Protection and Increased Ischemic Heart Disease Risk. The Copenhagen City Heart Study. *Circulation* 2003; 109(1):59-65

Sethi AA, Nordestgaard BG, Gronholdt ML, Steffensen R, Jensen G, Tybjaerg-Hansen A. Angiotensinogen Single Nucleotide Polymorphisms, Elevated Blood Pressure, and Risk of Cardiovascular Disease. *Hypertension* 2003;41(6):1202-11

2002 Larsen LE, Ellervik C, Appleyard M, Nordestgaard BG, Birgens H, Hansen AT. Frekvensen af hæmokromatose-associerede mutationer i HFE-genet i den danske befolkning. *Ugeskr Laeger* 2002;164:4545-7

Juul K, Tybjærg-Hansen A, Steffensen R, Kofoed S, Jensen G, Nordestgaard BG. Factor V Leiden: The Copenhagen City Heart Study and 2 meta-analyses. *Blood* 2002;100(1):3-10

Dahl M, Tybjærg-Hansen A, Lange P, Vestbo J., Nordestgaard BG. Change in Lung Function and Morbidity from Chronic Obstructive Pulmonary Disease in alpha1-Antitrypsin MZ Heterozygotes: A Longitudinal Study of the General Population. *Ann Intern Med.* 2002;136(4):270-9

Dahl M. Intermediate and severe alfa1-antitrypsin deficiency: Influence on plasma alfa1-antitrypsin, FEV1, and risk of chronic obstructive pulmonary disease. Three meta-analyses. The faculty of Health Science of the University of Copenhagen; 2002. Thesis

Sethi AA, Hansen AT, Grønhold ML, Steffensen R, Schnohr P, Nordestgaard BG. Six case-control studies from the Osterbro-study (The Copenhagen City Heart Study). Angiotensinogen mutations and risk of myocardial and cerebral ischemia. *Lakartidningen* 2002;99:2392-3

Wittrup HH, Nordestgaard BG, Steffensen R, Jensen G, Hansen AT. Effect of gender on phenotypic expression of the S447X mutation in LPL. The Copenhagen City Heart Study. *Atherosclerosis* 2002;165:119-26

2001 Sethi AA, Nordestgaard BG, Agerholm-Larsen B, Frandsen E, Jensen G, Tybjærg-Hansen A. Angiotensinogen Polymorphisms and Elevated Blood Pressure in the General Population : The Copenhagen City Heart Study. *Hypertension* 2001;37(3):875-81

Sethi AA, Tybjaerg-Hansen A, Gronholdt MLM, Steffensen R, Schnohr P, Nordestgaard BG. Angiotensinogen Mutations and Risk for Ischemic Heart Disease, Myocardial Infarction, and Ischemic Cerebrovascular Disease: Six Case-Control Studies from the Copenhagen City Heart Study. *Ann Intern Med* 2001;134(10):941-54

Frikke-Schmidt R, Nordestgaard BG, Thudium D, Moes Gronholdt ML, Tybjarg-Hansen A. APOE genotype predicts Alzheimer's Disease and other dementia but not ischemic cerebrovascular disease. *Neurology*. 2001;56(2):194–200

Dahl M, Nordestgaard BG, Lange P, Vestbo J, Tybjarg-Hansen A. Molecular Diagnosis of Intermediate and Severe α 1-Antitrypsin Deficiency: MZ Individuals with Chronic Obstructive Pulmonary Disease May Have Lower Lung Function Than MM Individuals. *Clin Chem* 2001;47(1):56–62

2000 Wittrup HH, Nordestgaard BG, Sillesen H, Schnohr P, Tybjarg-Hansen A. A Common Mutation in Lipoprotein Lipase Confers a 2-Fold Increase in Risk of Ischemic Cerebrovascular Disease in Women but Not in Men. *Circulation* 2000;101(20):2393–7

Frikke-Schmidt R, Nordestgaard BG, Agerholm-Larsen B, Schnohr P, Tybjarg-Hansen A. Context-dependent and invariant associations between lipids, lipoproteins, and apolipoproteins and apolipoprotein E genotype. *J Lipid Res* 2000;41(11):1812–22

Frikke-Schmidt R, Wittrup HH, Hansen AT, Meinertz H, Schnohr P, Nordestgaard BG. Apolipoprotein E genotypes predict attendance rates at lipid clinic. *Atherosclerosis* 2000;153:461–8

Frikke-Schmidt R. Context dependent and invariant associations between APO E genotype and levels of lipoproteins and risk of ischemic heart disease. [Copenhagen]: The faculty of Health Science of the University of Copenhagen. 2000. Thesis

Frikke-Schmidt R, Tybjaerg-Hansen A, Steffensen R, Jensen G, Nordestgaard B org. Apolipoprotein E genotype: epsilon32 women are protected while epsilon43 and epsilon44 men are susceptible to ischemic heart disease: The Copenhagen City Heart Study. *J Am Coll Cardiol* 2000;35(5):1192–9

Agerholm-Larsen B, Nordestgaard BG, Tybjarg-Hansen A. ACE Gene Polymorphism in Cardiovascular Disease : Meta-Analyses of Small and Large Studies in Whites. *Arterioscler Thromb Vasc Biol*. 2000;20(2):484–92

Agerholm-Larsen B, Tybjaerg-Hansen A, Schnohr P, Steffensen R, Nordestgaard BG. Common Cholesteryl Ester Transfer Protein Mutations, Decreased HDL Cholesterol, and Possible Decreased Risk of Ischemic Heart Disease : The Copenhagen City Heart Study. *Circulation* 2000;102(18):2197–203

Agerholm-Larsen B, Nordestgaard BG, Steffensen R, Jensen G, Tybjarg-Hansen A. Elevated HDL Cholesterol Is a Risk Factor for Ischemic Heart Disease in White Women When Caused by a Common Mutation in the Cholesteryl Ester Transfer Protein Gene. *Circulation* 2000;101(16):1907–12

1999 Wittrup HH, Tybjærg Hansen A, Steffensen R, Deeb SS, Brunzell JD, Jensen G, et al. Mutations in the lipoprotein lipase gene associated with ischemic heart disease in men. *Arter Thromb Vasc Biol*. 1999;19:1535–40

Wittrup HH, Tybjærg-Hansen A, Nordestgaard BG. Lipoprotein Lipase Mutations, Plasma Lipids and Lipoproteins, and Risk of Ischemic Heart Disease : A Meta-Analysis. *Circulation* 1999;99(22):2901–7

Dahl M, Tybjærg Hansen A, Lange P, Nordestgaard BG. Bærere af cystisk fibrose har øget risiko for asthma. *Ugeskr Laeger*. 1999;161:4507–9

Agerholm-Larsen B, Tybjærg Hansen A, Schnohr P, Nordestgaard BG. ACE gene polymorphism explains 30-40% of variability in serum ACE activity in both women and men in the population at large. *Atherosclerosis* 1999;147:425–7

Nordestgaard BG, Tybjærg Hansen A. Susceptibility mutations for ischemic heart disease. *Curr Atheroscler Rep* 1999;1:108–14

1998 Tybjærg Hansen A, Steffensen R, Meinertz H, Schnohr P, Nordestgaard BG. Association of mutations in the apolipoprotein B gene with hypercholesterolemia and the risk of ischemic heart disease. *N Engl J Med* 1998;338:1577–84

Urhammer SA, Dalgaard LT, Sørensen TIA, Tybjærg Hansen A, Echwald S, Andersen T, et al. Organisation of the coding exons and mutational screening of the uncoupling protein 3 gene in subjects with juvenile-onset obesity. *Diabetologia*. 1998;41:241–4

Dahl M, Hansen AT, Lange P, Nordestgaard BG. F508 heterozygosity in cystic fibrosis and susceptibility to asthma. *Lancet*. 1998;351:1911–3

Dahl M, Hansen AT, Lange P, Nordestgaard BG. Hyppig mutation fordobler risikoen for iskæmisk hjertesygdom hos kvinder. *Ugeskr Laeger*. 1998;160 dobbel(27):4067–72

Wittrup HH. Variation in the lipoprotein lipase gene: Influence on lipids and risk of ischemic heart disease. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 1998. Thesis

Agerholm-Larsen B. The ACE gene insertion/deletion polymorphism and ischemic cardiovascular disease. [Copenhagen]: The Faculty of Health Science of the University of Copenhagen; 1998. Thesis

Dahl M, Hansen AT, Wittrup HH, Lange P, Nordestgaard BG. Cystic fibrosis F508 heterozygotes, smoking, and reproduction. Studies of 9,141 individuals from a general population sample. *Genomics* 1998;50:89–96

1997 Nordestgaard BG, Abildgaard S, Wittrup HH, Steffensen R, Jensen G, Hansen AT. Heterozygous lipoprotein lipase deficiency. Frequency in the general population, effect on plasma lipid levels, and risk of ischemic heart disease. *Circulation*. 1997;96(6):1737–44

Tybjærg-Hansen A, Agerholm-Larsen B, Humphries SE, Abildgaard S, Scnnohr P, Nordestgaard BG. A common mutation (G-455→A) in the β -fibrinogen promoter is an independent predictor of plasma fibrinogen, but not of ischemic heart disease: A study of 9,127 individuals based on the Copenhagen City Heart Study. *J Clin Invest*. 1997;99(12):3034–9

Agerholm-Larsen B, Nordestgaard BG, Steffensen R, Sørensen TIA, Jensen G, Hansen AT. The ACE gene polymorphism: Ischemic heart disease and longevity in 10,150 individuals. A case-referent and a retrospective cohort study based on The Copenhagen City Heart Study. *Circulation* 1997;95:2358–67

Agerholm-Larsen B, Hansen AT, Frikke-Schmidt R, Grønholdt M, Jensen G, Nordestgaard BG. ACE gene polymorphism as a risk factor for ischemic cerebrovascular disease. *Ann Intern Med* 1997;129(5):346–55

Wittrup HH, Hansen AT, Abildgaard S, Steffensen R, Schnohr P, Nordestgaard BG. A common substitution (Asn291Ser) in lipoprotein lipase is associated with increased risk of ischemic heart disease. *J Clin Invest* 1997;99(7):1606–13

1996 Nordestgaard BG, Agerholm-Larsen B, Wittrup HH, Hansen AT. A prospective cardiovascular population study used in genetic epidemiology. The Copenhagen City Heart Study. *Scand J Clin Lab Invest* 1996;56(suppl 226):65–71

1995 Hansen AT. Rare and common mutations in hyperlipidemia and atherosclerosis. With special reference to familial defective apolipoprotein B-100. [Copenhagen]: Scand J Clin Lab Invest 55, suppl 220: 57-76; 1995. Doctoral Thesis

1993 Hansen AT, Nordestgaard BG, Gerdes LU, Færgemann O, Humphries SE. Genetic markers in the apo A1-CIII-AIV gene cluster for combined hyperlipidemia, hypertriglyceridemia, and predisposition to atherosclerosis. *Atherosclerosis*. 1993;100(2):157-69

1992 Hansen AT, Humphries SE. Familial defective apolipoprotein B-100: a single mutation that causes hypercholesterolemia and premature coronary artery disease. *Atherosclerosis*. 1992;96:91–107

1991 Hansen AT, Nordestgaard BG, Gerdes LU, Humphries SE. Variation of apolipoprotein B gene is associated with myocardial infarction and lipoproteins levels in Danes. *Atherosclerosis*. 1991;89:69–81

1990 Hansen AT, Gerdes LU, Overgaard K, Ingerslev J, Færgemann O, Nerup J. Polymorphism in 5' flanking region of human insulin gene. *Arteriosclerosis*. 1990;10(3):372–8

Height 2016 NCD-RisC. NRFC. A century of trends in adult human height. *Elife* [Internet]. 2016;5:e13410.

1995 Hertel NT, Scheike T, Juul A, Main KM, Holm K, Bach-Mortensen N, et al. Kropsproportioner hos danske børn. Kurver for siddehøjde, siddehøjderatio, subiskial benlængde og armspænd. *Ugeskr Laeger*. 1995;157(49):6876–81

1989 Roed J, Larsen PB, Ibsen KK. Højde hos en population af storkøbenhavnske børn i alderen 7-18 år, 1981 og 1985. Ugeskr Laeger. 1989;151(14):895-7

Hemochromatosis

2016 Ellervik C. Hemochromatosis genotypes and elevated transferrin saturation – risk of diabetes mellitus, hypertension, cancer and total mortality. The faculty of Health Science of the University of Copenhagen; 2016. Doctoral Thesis

2012 Ellervik C, Tybjærg-Hansen A, Nordestgaard BG. Risk of cancer by transferrin saturation levels and haemochromatosis genotype: Population-based study and meta-analysis. J Intern Med. 2012;271(1):51-63

2011 Ellervik C, Tybjærg-Hansen A, Nordestgaard BG. Total mortality by transferrin saturation levels: Two general population studies and a metaanalysis. Clin Chem. 2011;57(3):459-66

2010 Ellervik C, Tybjærg-Hansen A, Appleyard M, Ibsen H, Nordestgaard BG. Haemochromatosis genotype and iron overload: Association with hypertension and left ventricular hypertrophy. J Intern Med. 2010;268(3):252-64

2007 Ellervik C, Tybjaerg-Hansen A, Appleyard M, Sillesen H, Boysen G, Nordestgaard BG. Hereditary hemochromatosis genotypes and risk of ischemic stroke. Neurology 2007;68(13):1025-31

Ellervik C, Birgens H, Hansen AT, Nordestgaard BG. Hemochromatosis genotypes and risk of 31 disease endpoints. Meta-analyses including 66,000 cases and 226,000 controls. Hepatology. 2007;46:1071-80

Ellervik C. Hemochromatosis genotypes and risk of disease. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2007. Thesis

2005 Waalen J, Nordestgaard BG, Beutler E. The penetrance of hereditary hemochromatosis. Best Pract Res Clin Haematol 2005;18(2):203-20

Ellervik C, Tybjaerg-Hansen A, Grande P, Appleyard M, Nordestgaard BG. Hereditary Hemochromatosis and Risk of Ischemic Heart Disease: A Prospective Study and a Case-Control Study. Circulation 2005 Jul 12;112(2):185-93

Hormons

2010 Rod NH, Kristensen TS, Diderichsen F, Prescott E, Jensen GB, Hansen AM. Cortisol, estrogens and risk of ischaemic heart disease, cancer and all-cause mortality in postmenopausal women: a prospective cohort study. Int J Epidemiol 2010;39(2):530-8

Inflammation

2009 Asferg C, Jensen JS, Marott JL, Appleyard M, Mogelvang R, Jensen GB, et al. Markers of Inflammation and Hemodynamic Measurements in Obesity: Copenhagen City Heart Study. Am J Hypertens. 2009;22(4):451-6

Ischemic Heart Disease

2018 Lauridsen BK, Stender S, Kristensen TS, Kofoed KF, Køber L, Nordestgaard BG, et al. Liver fat content, non-alcoholic fatty liver disease, and ischaemic heart disease: Mendelian randomization and meta-analysis of 279 013 individuals. Eur Heart J. 2018;39(5):385-93

Nordestgaard LT, Tybjærg-Hansen A, Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R. Genetic variation in clusterin and risk of dementia and ischemic vascular disease in the general population: Cohort studies and meta-analyses of 362,338 individuals. *BMC Med.* 2018;16(1):39

2016 Rasmussen KL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Data on plasma levels of apolipoprotein E, correlations with lipids and lipoproteins stratified by APOE genotype, and risk of ischemic heart disease. *Data Br* 2016;6:923–32

Madrid AS, Rode L, Nordestgaard BG, Bojesen SE. Short telomere length and ischemic heart disease: Observational and genetic studies in 290 022 individuals. *Clin Chem.* 2016;62(8):1140–9

Rasmussen KL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma levels of apolipoprotein E and risk of ischemic heart disease in the general population. *Atherosclerosis* 2016;246(2016):63–70

Nordestgaard AT, Nordestgaard BG. Coffee intake, cardiovascular disease and all-cause mortality: Observational and mendelian randomization analyses in 95 000–223 000 individuals. *Int J Epidemiol.* 2016;45(6):1938–52

2015 Varbo A, Benn M, Smith GD, Timpson NJ, Tybjærg-Hansen A, Nordestgaard BG. Remnant cholesterol, low-density lipoprotein cholesterol, and blood pressure as mediators from obesity to ischemic heart disease. *Circ Res.* 2015;116(4):665–73

Thomsen M. Biochemical and genetic markers in chronic obstructive pulmonary disease, diabetes, and ischemic heart disease in the general population. The faculty of Health Science of the University of Copenhagen; 2015. Doctoral Thesis

Bergholdt HKM. LCT-13910 C/T, milk intake and risk of ischemic heart disease and type 2 diabetes. Mendelian randomization studies. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

Benn M, Voss SS, Holmegard HN, Jensen GB, Tybjærg-Hansen A, Nordestgaard BG. Extreme concentrations of endogenous sex hormones, ischemic heart disease, and death in women. *Arterioscler Thromb Vasc Biol.* 2015;35(2):471–7

Bergholdt HKM, Nordestgaard BG, Varbo A, Ellervik C. Milk intake is not associated with ischaemic heart disease in observational or Mendelian randomization analyses in 98 529 Danish adults. *Int J Epidemiol.* 2015;44(2):587–603

Kobylecki CJ, Afzal S, Smith GD. Genetically high plasma vitamin C, intake of fruit and vegetables, and risk of ischemic heart disease and all-cause mortality: a Mendelian. *Am J Clin Nutr.* 2015;101(July):1135–43

Brøndum-Jacobsen P, Benn M, Afzal S, Nordestgaard BG. No evidence that genetically reduced 25-hydroxyvitamin D is associated with increased risk of ischaemic heart disease or myocardial infarction: A Mendelian randomization study. *Int J Epidemiol.* 2015;44(2):651–61

Christoffersen M. Visible aging signs as risk markers for ischemic cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2015. Thesis

Frikke-Schmidt R, Tybjærg-Hansen A, Dyson G, Haase CL, Benn M, Nordestgaard BG, et al. Subgroups at high risk for ischaemic heart disease: Identification and validation in 67 000 individuals from the general population. *Int J Epidemiol.* 2015;44(1):117–28

2014 Langsted A, Kamstrup PR, Nordestgaard BG. Lipoprotein(a): Fasting and nonfasting levels, inflammation, and cardiovascular risk. *Atherosclerosis* 2014;234(1):95–101

Jørgensen AB, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Loss-of-Function Mutations in APOC3 and Risk of Ischemic Vascular Disease. *N Engl J Med* 2014;371(1):32–41

Stender S. Bilirubin as a causal risk factor for ischemic heart disease and symptomatic gallstone disease. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

Anders Berg Jørgensen. Genetic variation in APOA5 and APOC3, nonfasting triglycerides and risk of ischemic cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

Christoffersen M, Frikke-Schmidt R, Schnohr P, Jensen GB, Nordestgaard BG, Tybjærg-Hansen A. Visible age-related signs and risk of ischemic heart disease in the general population: A prospective cohort study. *Circulation.* 2014;129(9):990–8

Sibillitz KL, Benn M, Nordestgaard BG. Creatinine, eGFR and association with myocardial infarction, ischemic heart disease and early death in the general population. *Atherosclerosis* 2014;237(1):67–75

Jacobsen PB. Reduced plasma 25-hydroxyvitamin D concentrations and risk of ischemic heart disease, total mortality, and venous thromboembolism in the general population. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

2013 Stender S, Frikke-Schmidt R, Nordestgaard BG, Grande P, Tybjærg-Hansen A. Genetically elevated bilirubin and risk of ischaemic heart disease: Three Mendelian randomization studies and a meta-analysis. *J Intern Med.* 2013;273(1):59–68

Varbo A, Benn M, Tybjærg-Hansen A, Jørgensen AB, Frikke-Schmidt R, Nordestgaard BG. Remnant cholesterol as a causal risk factor for ischemic heart disease. *J Am Coll Cardiol* 2013;61(4):427–36

Varbo A. Remnant cholesterol and ischemic heart disease. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

Varbo A, Benn M, Tybjærg-Hansen A, Nordestgaard BG. Elevated remnant cholesterol causes both low-grade inflammation and ischemic heart disease, whereas elevated low-density lipoprotein cholesterol causes ischemic heart disease without inflammation. *Circulation*. 2013;128(12):1298–309

Palmer TM, Nordestgaard BG, Benn M, Tybjærg-hansen A, Smith GD, Lawlor DA, et al. Association of plasma uric acid with ischaemic heart disease and blood pressure: mendelian randomisation analysis of two large cohorts. *Bmj*. 2013;347(7919):13–4

2012 Johannsen TH, Frikke-Schmidt R, Schou J, Nordestgaard BG, Tybjærg-Hansen A. Genetic inhibition of CETP, ischemic vascular disease and mortality, and possible adverse effects. *J Am Coll Cardiol* 2012;60(20):2041–8

Haase CL, Tybjærg-Hansen A, Ali Qayyum A, Schou J, Nordestgaard BG, Frikke-Schmidt R. LCAT, HDL cholesterol and ischemic cardiovascular disease: A mendelian randomization study of HDL cholesterol in 54,500 individuals. *J Clin Endocrinol Metab*. 2012;97(2):248–56

Thomsen M, Dahl M, Tybjærg-Hansen A, Nordestgaard BG. β 2-adrenergic receptor Thr164Ile polymorphism, blood pressure and ischaemic heart disease in 66750 individuals. *J Intern Med*. 2012;271(3):305–14

Brøndum-Jacobsen P, Benn M, Jensen GB, Nordestgaard BG. 25-hydroxyvitamin D levels and risk of ischemic heart disease, myocardial infarction, and early death: Population-based study and meta-analyses of 18 and 17 studies. *Arterioscler Thromb Vasc Biol*. 2012;32(11):2794–802

Weischer M, Bojesen SE, Cawthon RM, Freiberg JJ, Tybjrg-Hansen A, Nordestgaard BG. Short telomere length, myocardial infarction, ischemic heart disease, and early death. *Arterioscler Thromb Vasc Biol*. 2012;32(3):822–9

Nordestgaard BG, Palmer TM, Benn M, Zacho J, Tybjærg-Hansen A, Smith GD, et al. The effect of elevated body mass index on ischemic heart disease risk: Causal estimates from a mendelian randomisation approach. *PLoS Med*. 2012;9(5):e1001212

Schou J, Frikke-Schmidt R, Kardassis D, Thymiakou E, Nordestgaard BG, Jensen G, et al. Genetic variation in ABCG1 and risk of myocardial infarction and ischemic heart disease. *Arterioscler Thromb Vasc Biol*. 2012;32(2):506–15

Benn M, Tybjærg-Hansen A, McCarthy MI, Jensen GB, Grande P, Nordestgaard BG. Nonfasting glucose, ischemic heart disease, and myocardial infarction: A mendelian randomization study. *J Am Coll Cardiol* 2012;59(25):2356–65

Haase CL. APOA1, HDL cholesterol and ischemic heart disease. The faculty of Health Science of the University of Copenhagen; 2012. Thesis

2011 Argraves KM, Sethi AA, Gazzolo PJ, Wilkerson BA, Remaley AT, Tybjaerg-Hansen A, et al. S1P, dihydro-S1P and C24:1-ceramide levels in the HDL-containing fraction of serum inversely correlate with occurrence of ischemic heart disease. *Lipids Health Dis*. 2011;10:1–12

- Lee J. Human epoxide hydrolases and ischemic cardiovascular disease, chronic pulmonary disease, and cancer. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2011. Thesis
- Andersen I, Diderichsen F, Kornerup H, Prescott E, Rod NH. Major life events and the risk of ischaemic heart disease: Does accumulation increase the risk? *Int J Epidemiol.* 2011;40(4):904–13
- 2010 Weischer M, Juul K, Zacho J, Jensen GB, Steffensen R, Schroeder T V, et al. Prothrombin and risk of venous thromboembolism, ischemic heart disease and ischemic cerebrovascular disease in the general population. *Atherosclerosis* 2010;208(2):480–3
- Netterstrøm B, Kristensen TS, Jensen G, Schnor P. Is the demand-control model still a usefull tool to assess work-related psychosocial risk for ischemic heart disease? Results from 14 year follow up in the Copenhagen City Heart study. *Int J Occup Med Environ Health.* 2010;23(3):217–24
- 2008 Kamstrup PR. Lipoprotein (a) and ischemic heart disease - a causal association? The faculty of Health Science of the University of Copenhagen; 2008. Thesis
- 2005 Barefoot JC, Gronbaek M, Jensen G, Schnohr P, Prescott E. Social Network Diversity and Risks of Ischemic Heart Disease and Total Mortality: Findings from the Copenhagen City Heart Study. *Am J Epidemiol* 2005;161(10):960–7
- Larsen CT. Elektrocardiographic ST depression. Similarities in its prevalence and prognostic significance in the population and in patients with arterial hypertension. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2005. Thesis
- Larsen CT, Blackburn H, Bruun NE, Jensen GB, Scharling H, Schnohr P. The ischemic electrocardiogram: A harbinger for ischemic heart disease independent of the blood pressure level. The Copenhagen City Heart Study. *Eur J Epidemiol* 2005;20(4):301–9
- 2004 Scharling H, Videbæk J. Risikofaktorer for udvikling af iskæmisk hjertesygdom. *Hjertestatistik.* 2004;247–80
- 2003 Andersen I, Osler M, Petersen L, Gronbaek M, Prescott E. Income and risk of ischaemic heart disease in men and women in a Nordic welfare country. *Int J Epidemiol* 2003;32(3):367–74
- 1992 Jensen G. Forebyggelse af iskæmisk hjertesygdom. *Ugeskr Laeger.* 1992;154:537
- 1984 Jensen G, Hansen PF, Albrechtsen OK. Aorto-koronar by-pass kirurgi. Operativt behov, omkostninger og lønsomhed i Danmark. *Nord Med.* 1984;99:242–4
- 1981 Jensen G. Udviklingstendenser i iskæmisk hjertesygdoms epidemiologi. *Nord Med.* 1981;96(3):75–7

- 2020 Madsen CM, Kamstrup PR, Langsted A, Varbo A, Nordestgaard BG. Lipoprotein(a)-Lowering by 50 mg/dL (105 nmol/L) May Be Needed to Reduce Cardiovascular Disease 20% in Secondary Prevention: A Population-Based Study. *Arterioscler Thromb Vasc Biol*. 2020;40(1):255–66
- Rimbert A, Dalila N, Wolters JC, Huijkman N, Smit M, Kloosterhuis N, et al. A common variant in CCDC93 protects against myocardial infarction and cardiovascular mortality by regulating endosomal trafficking of low-density lipoprotein receptor. *Eur Heart J*. 2020;41(9):1040-53
- 2019 Madsen CM, Varbo A, Nordestgaard BG. Low HDL Cholesterol and High Risk of Autoimmune Disease: Two Population-Based Cohort Studies Including 117341 Individuals. *Clin Chem*. 2019;65(5):644–52
- Emanuelsson F, Nordestgaard BG, Tybjaerg-Hansen A, Benn M. Impact of LDL Cholesterol on Microvascular Versus Macrovascular Disease: A Mendelian Randomization Study. *J Am Coll Cardiol*. 2019;74(11):1465–76
- Rasmussen KL, Tybjaerg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. Plasma levels of apolipoprotein E, APOE genotype, and all-cause and cause-specific mortality in 105 949 individuals from a white general population cohort. *Eur Heart J*. 2019;40(33):2813–24
- Varbo A, Nordestgaard BG. Remnant cholesterol and risk of ischemic stroke in 112,512 individuals from the general population. *Ann Neurol*. 2019;85(4):550–9
- Hansen SEJ, Madsen CM, Varbo A, Nordestgaard BG. Low-Grade Inflammation in the Association Between Mild-to-Moderate Hypertriglyceridemia and Risk of Acute Pancreatitis: A Study of More Than 115000 Individuals from the General Population. *Clin Chem [Internet]*. 2019;65(2):321–32
- Langsted A, Nordestgaard BG, Kamstrup PR. Elevated Lipoprotein(a) and Risk of Ischemic Stroke. *J Am Coll Cardiol*. 2019;74(1):54–66
- Benn M, Tybjaerg-Hansen A, Nordestgaard BG. Low LDL Cholesterol by PCSK9 Variation Reduces Cardiovascular Mortality. *J Am Coll Cardiol*. 2019;73(24):3102–14
- 2018 Varbo A, Nordestgaard BG. Nonfasting Triglycerides, Low-Density Lipoprotein Cholesterol, and Heart Failure Risk. *Arterioscler Thromb Vasc Biol* 2018;38(2):464–72
- Burgess S, Ference BA, Staley JR, Freitag DF, Mason AM, Nielsen SF, et al. Association of LPA Variants With Risk of Coronary Disease and the Implications for Lipoprotein(a)-Lowering Therapies. *JAMA Cardiol* 2018;3(7):619–27
- Verbeek R, Hoogeveen RM, Langsted A, Stiekema LCA, Verweij SL, Hovingh GK, et al. Cardiovascular disease risk associated with elevated lipoprotein(a) attenuates at low low-density lipoprotein cholesterol levels in a primary prevention setting. *Eur Heart J* 2018;39(27):2589–96

Madsen CM, Varbo A, Tybjaerg-Hansen A, Frikke-Schmidt R, Nordestgaard BG. U-shaped relationship of HDL and risk of infectious disease: two prospective population-based cohort studies. *Eur Hear J* 2018;39(14):1181–90

Beheshti S, Madsen CM, Varbo A, Benn M, Nordestgaard BG. Relationship of Familial Hypercholesterolemia and High LDL Cholesterol to Ischemic Stroke: The Copenhagen General Population Study. *Circulation [Internet]*. 2018;138(6):578–89

Oldoni F, van Capelleveen JC, Dalila N, Wolters JC, Heeren J, Sinke RJ, et al. Naturally Occurring Variants in LRP1 (Low-Density Lipoprotein Receptor–Related Protein 1) Affect HDL (High-Density Lipoprotein) Metabolism Through ABCA1 (ATP-Binding Cassette A1) and SR-B1 (Scavenger Receptor Class B Type 1) in Humans Highlights. *Arterioscler Thromb Vasc Biol [Internet]*. 2018;38(7):1440–53

Stender S, Smagris E, Lauridsen BK, Kofoed KF, Nordestgaard BG, Tybjærg-Hansen A, et al. Relationship between genetic variation at PPP1R3B and levels of liver glycogen and triglyceride. *Hepatology*. 2018;67(6):2182–95

2017 Tolbus A, Mortensen MB, Nielsen SF, Kamstrup PR, Bojesen SE, Nordestgaard BG. Kringle IV Type 2, Not Low Lipoprotein(a), as a Cause of Diabetes: A Novel Genetic Approach Using SNPs Associated Selectively with Lipoprotein(a) Concentrations or with Kringle IV Type 2 Repeats. *Clin Chem* 2017;63(12):1866–76

Madsen CM, Varbo A, Tybjærg-Hansen A, Frikke-Schmidt R, Nordestgaard BG. U-shaped relationship of HDL and risk of infectious disease: two prospective population-based cohort studies. *Eur Heart J* 2017;8:1181–90

Langsted A, Kamstrup PR, Nordestgaard BG. High lipoprotein(a) and low risk of major bleeding in brain and airways in the general population: A mendelian randomization study. *Clin Chem*. 2017;63(11):1714–23

Madsen CM, Varbo A, Nordestgaard BG. Extreme high high-density lipoprotein cholesterol is paradoxically associated with high mortality in men and women: two prospective cohort studies. *Eur Heart J* 2017;(January):2478–86

Benn M, Nordestgaard BG, Frikke-Schmidt R, Tybjærg-Hansen A. Low LDL cholesterol, PCSK9 and HMGCR genetic variation, and risk of Alzheimer's disease and Parkinson's disease: Mendelian randomisation study. *BMJ*. 2017;357:j1648

2016 Langsted A, Nordestgaard BG, Benn M, Tybjærg-Hansen A, Kamstrup PR. PCSK9 R46L loss-of-function mutation reduces lipoprotein(a), LDL cholesterol, and risk of aortic valve stenosis. *J Clin Endocrinol Metab*. 2016;101(9):3281–7

Langsted A. Lipoprotein(a), food intake, inflammation, and cardiovascular risk. The faculty of Health Science of the University of Copenhagen; 2016. Thesis

Pedersen SB, Langsted A, Nordestgaard BG. Nonfasting mild-to-moderate hypertriglyceridemia and risk of acute pancreatitis. *JAMA Intern Med*. 2016;176(12):1834–42

Kamstrup PR, Nordestgaard BG. Elevated lipoprotein(a) levels, LPA risk genotypes, and increased risk of heart failure in the general population. *JACC Hear Fail.* 2016;4(1):78–87

Afshar M, Kamstrup PR, Williams K, Sniderman AD, Nordestgaard BG, Thanassoulis G. Estimating the Population Impact of Lp(a) Lowering on the Incidence of Myocardial Infarction and Aortic Stenosis - Brief Report. *Arterioscler Thromb Vasc Biol.* 2016;36(12):2421–3

2015 Haase CL, Tybjærg-Hansen A, Nordestgaard BG, Frikke-Schmidt R. HDL Cholesterol and Risk of Type 2 Diabetes: A Mendelian Randomization Study. *Diabetes* 2015;64(9):3328–33

Langsted A, Varbo A, Kamstrup PR, Nordestgaard BG. Elevated lipoprotein(a) does not cause low-grade inflammation despite causal association with aortic valve stenosis and myocardial infarction: A study of 100 578 individuals from the general population. *J Clin Endocrinol Metab.* 2015;100(7):2690–9

Varbo A, Freiberg JJ, Nordestgaard BG. Extreme nonfasting remnant cholesterol vs extreme LDL cholesterol as contributors to cardiovascular disease and all-cause mortality in 90000 individuals from the general population. *Clin Chem.* 2015;61(3):533–43

2014 Langsted A, Kamstrup PR, Nordestgaard BG. Lipoprotein(a): Fasting and nonfasting levels, inflammation, and cardiovascular risk. *Atherosclerosis* 2014;234(1):95–101

Nordestgaard BG, Varbo A. Triglycerides and cardiovascular disease. *Lancet.* 2014;384(9943):626–35

Kamstrup PR, Tybjærg-Hansen A, Nordestgaard BG. Elevated lipoprotein(a) and risk of aortic valve stenosis in the general population. *J Am Coll Cardiol.* 2014;63(5):470–7

Anders Berg Jørgensen. Genetic variation in APOA5 and APOC3, nonfasting triglycerides and risk of ischemic cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

Thomsen M, Varbo A, Tybjærg-Hansen A, Nordestgaard BG. Low nonfasting triglycerides and reduced all-cause mortality: A mendelian randomization Study. *Clin Chem.* 2014;60(5):737–46

2013 Jørgensen AB, Frikke-Schmidt R, West AS, Grande P, Nordestgaard BG, Tybjærg-Hansen A. Genetically elevated non-fasting triglycerides and calculated remnant cholesterol as causal risk factors for myocardial infarction. *Eur Heart J.* 2013;34(24):1826–33

Varbo A, Benn M, Tybjærg-Hansen A, Jørgensen AB, Frikke-Schmidt R, Nordestgaard BG. Remnant cholesterol as a causal risk factor for ischemic heart disease. *J Am Coll Cardiol* 2013;61(4):427–36

Stender S, Frikke-Schmidt R, Benn M, Nordestgaard BG, Tybjaerg-Hansen A. Low-density lipoprotein cholesterol and risk of gallstone disease: A Mendelian randomization study and meta-analyses. *J Hepatol* 2013;58(1):126–33

Varbo A. Remnant cholesterol and ischemic heart disease. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

Kamstrup PR, Nordestgaard BG. Lipoprotein(a) concentrations, isoform size, and risk of type 2 diabetes: A Mendelian randomisation study. *Lancet Diabetes Endocrinol*. 2013;1(3):220–7

Kamstrup PR, Tybjaerg-Hansen A, Nordestgaard BG. Extreme lipoprotein(a) levels and improved cardiovascular risk prediction. *J Am Coll Cardiol* 2013;61(11):1146–56

Varbo A, Benn M, Tybjaerg-Hansen A, Nordestgaard BG. Elevated remnant cholesterol causes both low-grade inflammation and ischemic heart disease, whereas elevated low-density lipoprotein cholesterol causes ischemic heart disease without inflammation. *Circulation*. 2013;128(12):1298–309

Schou J. Resequencing the ABCG1 gene to identify genetic variation affecting lipid and lipoprotein levels, risk of ischemic heart disease, mortality and type diabetes in the general population. The faculty of Health Science of the University of Copenhagen; 2013. Thesis

2012 Christoffersen C, Benn M, Christensen PM, Gordts PLSM, Roebroek AJM, Frikke-Schmidt R, et al. The plasma concentration of HDL-associated apoM is influenced by LDL receptor-mediated clearance of apoB-containing particles. *J Lipid Res* 2012;53(10):2198–204

Haase CL, Tybjaerg-Hansen A, Ali Qayyum A, Schou J, Nordestgaard BG, Frikke-Schmidt R. LCAT, HDL cholesterol and ischemic cardiovascular disease: A mendelian randomization study of HDL cholesterol in 54,500 individuals. *J Clin Endocrinol Metab*. 2012;97(2):248–56

The Emerging Risk Factors Collaboration. Lipid-related markers and cardiovascular disease prediction. *JAMA* 2012;307(23):2499–506

Kamstrup PR, Tybjaerg-Hansen A, Nordestgaard BG. Genetic evidence that lipoprotein(a) associates with atherosclerotic stenosis rather than venous thrombosis. *Arterioscler Thromb Vasc Biol*. 2012;32(7):1732–41

Voight BF, Peloso GM, Orho-Melander M, Frikke-Schmidt R, Barbalic M, Jensen MK, et al. Plasma HDL cholesterol and risk of myocardial infarction: A mendelian randomisation study. *Lancet*. 2012;380(9841):572–80

Haase CL. APOA1, HDL cholesterol and ischemic heart disease. The faculty of Health Science of the University of Copenhagen; 2012. Thesis

- 2011 Argraves KM, Sethi AA, Gazzolo PJ, Wilkerson BA, Remaley AT, Tybjaerg-Hansen A, et al. S1P, dihydro-S1P and C24:1-ceramide levels in the HDL-containing fraction of serum inversely correlate with occurrence of ischemic heart disease. *Lipids Health Dis.* 2011;10:1–12
- Varbo A, Benn M, Tybjærg-Hansen A, Grande P, Nordestgaard BG. TRIB1 and GCKR polymorphisms, lipid levels, and risk of ischemic heart disease in the general population. *Arterioscler Thromb Vasc Biol.* 2011;31(2):451–7
- Langsted A, Freiberg JJ, Tybjærg-Hansen A, Schnohr P, Jensen GB, Nordestgaard BG. Nonfasting cholesterol and triglycerides and association with risk of myocardial infarction and total mortality: The Copenhagen City Heart Study with 31years of follow-up. *J Intern Med.* 2011;270(1):65–75
- Benn M, Tybjærg-Hansen A, Stender S, Frikke-Schmidt R, Nordestgaard BG. Low-density lipoprotein cholesterol and the risk of cancer: A mendelian randomization study. *J Natl Cancer Inst.* 2011;103(6):508–19
- Varbo A, Nordestgaard BG, Tybjrg-Hansen A, Schnohr P, Jensen GB, Benn M. Nonfasting triglycerides, cholesterol, and ischemic stroke in the general population. *Ann Neurol.* 2011;69(4):628–34
- Haase CL, Frikke-Schmidt R, Nordestgaard BG, Kateifides AK, Kardassis D, Nielsen LB, et al. Mutation in APOA1 predicts increased risk of ischaemic heart disease and total mortality without low HDL cholesterol levels. *J Intern Med.* 2011;270(2):136–46
- 2010 Mora S, Kamstrup PR, Rifai N, Nordestgaard BG, Buring JE, Ridker PM. Lipoprotein(a) and risk of type 2 diabetes. *Clin Chem.* 2010;56(8):1252–60
- Sethi AA, Sampson M, Warnick R, Muniz N, Vaisman B, Nordestgaard BG, et al. High pre- β 1 HDL concentrations and low lecithin: Cholesterol acyltransferase activities are strong positive risk markers for ischemic heart disease and independent of HDL-cholesterol. *Clin Chem.* 2010;56(7):1128–37
- Benn M, Nordestgaard BG, Grande P, Schnohr P, Tybjærg-Hansen A. PCSK9 R46L, Low-Density Lipoprotein Cholesterol Levels, and Risk of Ischemic Heart Disease. 3 Independent Studies and Meta-Analyses. *J Am Coll Cardiol* 2010;55(25):2833–42
- 2009 Johannsen TH, Kamstrup PR, Andersen R V, Jensen GB, Sillesen H, Tybjaerg-Hansen A, et al. Hepatic Lipase, Genetically Elevated High-Density Lipoprotein, and Risk of Ischemic Cardiovascular Disease. *J Clin Endocrinol Metab* 2009;94(4):1264–73
- The Emerging Risk Factor Collaboration. Lipoprotein(a) Concentration and the Risk of Coronary Heart Disease, Stroke, and Nonvascular Mortality. *JAMA J Am Med Assoc* 2009;302(4):412–23
- Kamstrup PR, Tybjaerg-Hansen A, Steffensen R, Nordestgaard BG. Genetically Elevated Lipoprotein(a) and Increased Risk of Myocardial Infarction. *JAMA J Am Med Assoc* 2009;301(22):2331–9

Tybjærg-Hansen A, Nordestgaard BG. Nonfasting triglycerides, remnant lipoproteins, and cardiovascular disease. *Klin Biokem Nord*. 2009 Mar 1;10–7

Iversen A, Jensen JS, Scharling H, Schnohr P. Hypercholesterolaemia and risk of coronary heart disease in the elderly: Impact of age: The Copenhagen City Heart Study. *Eur J Intern Med* 2009;20(2):139–44

The Emerging Risk Factors Collaboration. Major Lipids, Apolipoproteins, and Risk of Vascular Disease. *JAMA J Am Med Assoc* 2009;302(18):1993–2000

Nordestgaard BG, Langsted A, Freiberg JJ. Nonfasting hyperlipidemia and cardiovascular disease. *CurrDrug Targets* 2009;10(4):328–35

Nordestgaard BG, Zacho J. Lipids, atherosclerosis and CVD risk: is CRP an innocent bystander? *NutrMetab Cardiovasc Dis* 2009;19(8):521–4

2008 Freiberg JJ, Tybjærg-Hansen A, Jensen JS, Nordestgaard BG. Nonfasting Triglycerides and Risk of Ischemic Stroke in the General Population. *JAMA J Am Med Assoc* 2008;300(18):2142–52

Kamstrup PR, Benn M, Tybjærg-Hansen A, Nordestgaard BG. Lipoprotein(a) og risiko for myokardieinfarkt. *Ugeskr Laeger* 2008;170:3226–30

Benn M, Stene MCA, Nordestgaard BG, Jensen GB, Steffensen R, Tybjærg-Hansen A. Common and Rare Alleles in Apolipoprotein B Contribute to Plasma Levels of Low-Density Lipoprotein Cholesterol in the General Population. *J Clin Endocrinol Metab* 2008;93(3):1038–45

Kamstrup PR, Benn M, Tybjærg-Hansen A, Nordestgaard BG. Extreme Lipoprotein(a) Levels and Risk of Myocardial Infarction in the General Population: The Copenhagen City Heart Study. *Circulation*. 2008;117(2):176–84

Kamstrup PR. Lipoprotein (a) and ischemic heart disease - a causal association? The faculty of Health Science of the University of Copenhagen; 2008. Thesis

Kamstrup PR, Tybjærg-Hansen A, Steffensen R, Nordestgaard BG. Pentanucleotide Repeat Polymorphism, Lipoprotein(a) Levels, and Risk of Ischemic Heart Disease. *J Clin Endocrinol Metab* 2008;93(10):3769–76

2007 Prospective Studies Collaboration. Blood cholesterol and vascular mortality by age, sex, and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55000 vascular deaths. *Prospective Studies Collaboration. Lancet* 2007;370:1829–39

Nordestgaard BG, Benn M, Schnohr P, Tybjærg-Hansen A. Nonfasting Triglycerides and Risk of Myocardial Infarction, Ischemic Heart Disease, and Death in Men and Women. *JAMA J Am Med Assoc* 2007 Jul 18;298(3):299–308

The Emerging Risk Factors Collaboration. The Emerging Risk Factors Collaboration: analysis of individual data on lipid, inflammatory and other markers in over 1.1 million participants in 104 prospective studies of cardiovascular diseases. *Eur J Epidemiol* 2007;22(12):839–69

Benn M, Nordestgaard BG, Jensen GB, Tybjaerg-Hansen A. Improving Prediction of Ischemic Cardiovascular Disease in the General Population Using Apolipoprotein B: The Copenhagen City Heart Study. *Arterioscler Thromb Vasc Biol* 2007;27(3):661–70

1990 Gerdes LU. Grænseværdier for hyperkolesterolæmi: Enkelte værdier eller percentiler? *Ugeskr Laeger*. 1990;152:1736–9

1980 Jensen G, Schnohr P, Færgemann O, Meinertz H, Nyboe J, Hansen AT. HDL-cholesterol and ischaemic cardiovascular disease in The Copenhagen City Heart Study. *Dan Med Bull*. 1980;27:139–42

Kiens B, Jørgensen I, Lewis S, Jensen G, Lithell H, Vessby B, et al. Increased plasma HDL-cholesterol and apo A-1 in sedentary middle-aged men after physical conditioning. *Eur J Clin Invest*. 1980;10:203–9

Microalbuminuria

2009 Klausen KP, Parving HH, Scharling H, Jensen JS. Microalbuminuria and obesity: impact on cardiovascular disease and mortality. *Clin Endocrinol(Oxf)*. 2009 Jul;71(1):40–5

2007 Klausen KP, Parving HH, Scharling H, Jensen JS. The association between metabolic syndrome, microalbuminuria and impaired renal function in the general population: impact on cardiovascular disease and mortality. *J Intern Med* 2007;262:470–8

2006 Klausen KP, Scharling H, Jensen JS. Very low levels of microalbuminuria is associated with increased risk of death in subjects with cardiovascular or cerebrovascular diseases. *J Int Med*. 2006;260:231–7

2005 Klausen KP, Scharling H, Jensen G, Jensen JS. New Definition of Microalbuminuria in Hypertensive Subjects: Association With Incident Coronary Heart Disease and Death. *Hypertension* 2005 Jul 1;46(1):33–7

2004 Kornerup K, Nordestgaard BG, Jensen TK, Feldt-Rasmussen B, Eiberg JP, Jensen KS, et al. Transendothelial exchange of low-density lipoprotein is unaffected by the presence of severe atherosclerosis. *Cardiovasc Res* 2004;64(2):337–45

Klausen K, Borch-Johnsen K, Feldt-Rasmussen B, Jensen G, Clausen P, Scharling H, et al. Very Low Levels of Microalbuminuria Are Associated With Increased Risk of Coronary Heart Disease and Death Independently of Renal Function, Hypertension, and Diabetes. *Circulation* 2004 Jul 6;110(1):32–5

Jensen JS, Feldt-Rasmussen B, Jensen KS, Clausen P, Scharling H, Nordestgaard BG. Transendothelial lipoprotein exchange and microalbuminuria. *Cardiovasc Res* 2004 Jul 1;63(1):149–54

- 2001 Clausen P, Jensen JS, Jensen G, Borch-Johnsen K, Feldt-Rasmussen B. Elevated Urinary Albumin Excretion Is Associated With Impaired Arterial Dilatory Capacity in Clinically Healthy Subjects. *Circulation* 2001;103(14):1869–74
- 2000 Clausen P. Elevated urinary albumin excretion. Association with risk of myocardial infarction in the third Copenhagen City Heart Study and studies of possible pathogenetic mechanisms in clinical healthy subjects. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2000. Thesis
- Clausen P, Jensen JS, Jensen G, Feldt-Rasmussen B. Plasma concentrations of endothelial vasoactive substances in clinically healthy subjects. Associations with urinary albumin excretion and ambulatory blood pressure. *Scand J Clin Lab Investig.* 2000;60(2):133–40
- Clausen P, Borch-Johnsen K, Jensen GB, Feldt-Rasmussen B, Jensen JS. Elevated Urinary Albumin Excretion is not Linked to the Angiotensin I-converting Enzyme Gene Polymorphism in Clinically Healthy Subjects. *Scand Cardiovasc J.* 2000;34(2):159–63
- Jensen JS. Microalbuminuria and the risk of arteriosclerosis. Clinical epidemiological and physiological investigations. [Dan Med Bull]: The faculty of Health Science of the University of Copenhagen; 2000. Doctoral Thesis
- 1998 Clausen P, Jensen JS, Borch-Johnsen K, Jensen G, Feldt-Rasmussen B. Prevalence of positive urinary dipstick analysis (leucocyte esterase, nitrite, haemoglobin, or glucose) in a population of 3645 adult subjects--consequence for measurement of urinary albumin excretion rate. *Scand J UrolNephrol* 1998;32(6):399–404
- Clausen P, Jensen JS, Borch-Johnsen K, Jensen G, Feldt-Rasmussen B. Ambulatory blood pressure and urinary albumin excretion in clinically healthy subjects. *Hypertension* 1998;32:71–7
- Taskiran M, Feldt-Rasmussen B, Jensen G, Jensen JS. Urinary albumin excretion in hospitalized patients with acute myocardial infarction. Prevalence of microalbuminuria and correlation to left ventricle wall thickness. *Scand Cardiovasc J* 1998;32:163–6
- 1997 Jensen JS, Clausen P, Borch-Johnsen K, Jensen G, Feldt-Rasmussen B. Detecting microalbuminuria by urinary albumin/creatinine concentration ratio. *Nephrol Dial Transpl* 1997;12 suppl 2:6–9
- Jensen JS, Feldt-Rasmussen B, Borch-Johnsen K, Clausen P, Appleyard M, Jensen G. Microalbuminuria in arterial hypertension. Relation to cardiovascular disease and antihypertensive agents. *J Hum Hypertens* 1997;11:727–32
- Jensen JS, Borch-Johnsen K, Feldt-Rasmussen B, Appleyard M, Jensen G. Urinary albumin excretion and atherosclerotic vascular disease in a population based sample of 2,613 individuals. *J Cardiovasc Risk.* 1997;4(2):121–5
- 1996 Jensen JS. The distribution of urinary albumine excretion and its association to atherosclerotic risk factors. [Copenhagen]: Dan Med Bull 1996;43:379-80, The faculty of Health Science of the University of Copenhagen; 1996. Thesis

Jensen JS, Borch-Johnsen K, Jensen G, Feldt-Rasmussen B. Insulin sensitivity in clinically healthy individuals with microalbuminuria. *Atherosclerosis*. 1996;119:69–76

1995 Jensen JS, Myrup B, Borch-Johnsen K, Jensen G, Jensen T, Feldt-Rasmussen B. Aspects of haemostatic function in healthy subjects with microalbuminuria - a potential atherosclerotic risk factor. *Throm Res*. 1995;77:423–30

Jensen JS, Borch-Johnsen K, Jensen G, Feldt-Rasmussen B. Microalbuminuria reflects a generalized transvascular albumin leaking in clinically healthy subjects. *Clin Sci*. 1995;88:629–33

Jensen JS, Borch-Johnsen K, Jensen G, Feldt-Rasmussen B. Atherosclerotic risk factors are increased in clinically healthy subjects with microalbuminuria. *Atherosclerosis*. 1995;112:245–52

Jensen JS, Borch-Johnsen K, Deckert T, Deckert M, Jensen G, Feldt-Rasmussen B. Reduced glomerular size- and charge-selectivity in clinically healthy individuals with microalbuminuria. *Eur J Clin Invest* 1995;25:608–14

Jensen JS. Intra-individual variation of overnight urinary albumin excretion in clinically healthy middle aged individuals. *Clin Chim Acta* 1995;243:95–9

Jensen JS. Renal and systemic transvascular albumin leakage in severe atherosclerosis. *Arter Thromb Vasc Biol*. 1995;15:1324–9

1993 Jensen JS, Feldt-Rasmussen B, Borch-Johnsen K, Jensen G, Group TCCHS. Urinary albumin excretion in a population based sample of 1.011 middle aged non-diabetic subjects. *Scand J Clin Lab Invest*. 1993;53:867–72

Feldt-Rasmussen B, Borch-Johnsen K, Deckert T, Jensen G, Jensen JS. Mikroalbuminuri - En værdifuld diagnostisk parameter. *Ugeskr Laeger* 1993;155:4149–54

Jensen JS, Borch-Johnsen K, Feldt-Rasmussen B, Jensen G. Screening for mikroalbuminuri med Micral-Test. En semikvantitativ urin-stix. *Ugeskr Laeger*. 1993;155:4155–7

Muscles

2020 Alcazar J, Aagaard P, Haddock B, Kamper RS, Hansen SK, Prescott E, et al. Age- and sex-specific changes in lower-limb muscle power throughout the lifespan. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*. 2020 [ahead of print]

2019 Suetta C, Haddock B, Alcazar J, Noerst T, Hansen OM, Ludvig H, et al. The Copenhagen Sarcopenia Study: lean mass, strength, power, and physical function in a Danish cohort aged 20-93 years. *J Cachexia Sarcopenia Muscle*. 2019;10(6):1316–29

- 1990 Klitgaard H, Mantoni M, Schiaffino S, Ausoni S, Gorza L, Laurent-Winter C, et al. Function, morphology and protein expression of ageing skeletal muscle: a cross-sectional study of elderly men with different training background. *Acta Physiol Scand.* 1990;140:41–54
- 1984 Danneskiold-Samsøe B, Kofod V, Munter J, Grimby G, Schnohr P, Jensen G. Muscle strength and functional capacity in 78-81 year old men and women. *Eur J Appl Physiol.* 1984;52:310–4
- 1982 Grimby G, Danneskiold-Samsøe B, Hvid K, Saltin B. Morphology and enzymatic capacity in arm and leg muscles in 78-81 year old men and women. *Acta Physiol Scand.* 1982;115:125–34
- 1980 Kofod V, Munter J. Muskelstyrke og fysisk præstationsevne hos 78-81 årige mænd og kvinder. August Krogh Instituttet; 1980

Myocardial Infarction

- 2018 Qayyum F, Lauridsen BK, Frikke-Schmidt R, Kofoed KF, Nordestgaard BG, Tybjaerg-Hansen A. Genetic variants in CYP7A1 and risk of myocardial infarction and symptomatic gallstone disease. *Eur Heart J.* 2018;39(22):2106–16
- 2017 Ejlersen H, Andersen ZJ, Von Euler-Chelpin MC, Johansen PP, Schnohr P, Prescott E. Prognostic impact of physical activity prior to myocardial infarction: Case fatality and subsequent risk of heart failure and death. *Eur J Prev Cardiol.* 2017;24(10):1112–9
- 2016 Afshar M, Kamstrup PR, Williams K, Sniderman AD, Nordestgaard BG, Thanassoulis G. Estimating the Population Impact of Lp(a) Lowering on the Incidence of Myocardial Infarction and Aortic Stenosis - Brief Report. *Arterioscler Thromb Vasc Biol.* 2016;36(12):2421–3
- 2015 Kjaergaard AD, Johansen JS, Bojesen SE, Nordestgaard BG. Elevated plasma YKL-40, lipids and lipoproteins, and ischemic vascular disease in the general population. *Stroke.* 2015;46(2):329–35
- 2014 Stender S, Frikke-Schmidt R, Nordestgaard BG, Tybjaerg-Hansen A. The ABCG5/8 cholesterol transporter and myocardial infarction versus gallstone disease. *J Am Coll Cardiol.* 2014;63(20):2121–8
- Langsted A, Kamstrup PR, Nordestgaard BG. Lipoprotein(a): Fasting and nonfasting levels, inflammation, and cardiovascular risk. *Atherosclerosis* 2014;234(1):95–101
- Sibilitz KL, Benn M, Nordestgaard BG. Creatinine, eGFR and association with myocardial infarction, ischemic heart disease and early death in the general population. *Atherosclerosis* 2014;237(1):67–75
- Jensen MT. Advanced Echocardiography in type 2 diabetes. Evidence of early myocardial impairment in patients with albuminuria – The thousand & 1 study. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

- 2012 Johannsen TH, Frikke-Schmidt R, Schou J, Nordestgaard BG, Tybjaerg-Hansen A. Genetic inhibition of CETP, ischemic vascular disease and mortality, and possible adverse effects. *J Am Coll Cardiol* 2012;60(20):2041–8
- Brøndum-Jacobsen P, Benn M, Jensen GB, Nordestgaard BG. 25-hydroxyvitamin D levels and risk of ischemic heart disease, myocardial infarction, and early death: Population-based study and meta-analyses of 18 and 17 studies. *Arterioscler Thromb Vasc Biol.* 2012;32(11):2794–802
- Weischer M, Bojesen SE, Cawthon RM, Freiberg JJ, Tybjerg-Hansen A, Nordestgaard BG. Short telomere length, myocardial infarction, ischemic heart disease, and early death. *Arterioscler Thromb Vasc Biol.* 2012;32(3):822–9
- Schou J, Frikke-Schmidt R, Kardassis D, Thymiakou E, Nordestgaard BG, Jensen G, et al. Genetic variation in ABCG1 and risk of myocardial infarction and ischemic heart disease. *Arterioscler Thromb Vasc Biol.* 2012;32(2):506–15
- Benn M, Tybjaerg-Hansen A, McCarthy MI, Jensen GB, Grande P, Nordestgaard BG. Nonfasting glucose, ischemic heart disease, and myocardial infarction: A mendelian randomization study. *J Am Coll Cardiol* 2012;59(25):2356–65
- Voight BF, Peloso GM, Orho-Melander M, Frikke-Schmidt R, Barbalic M, Jensen MK, et al. Plasma HDL cholesterol and risk of myocardial infarction: A mendelian randomisation study. *Lancet.* 2012;380(9841):572–80
- 2011 Langsted A, Freiberg JJ, Tybjaerg-Hansen A, Schnohr P, Jensen GB, Nordestgaard BG. Nonfasting cholesterol and triglycerides and association with risk of myocardial infarction and total mortality: The Copenhagen City Heart Study with 31years of follow-up. *J Intern Med.* 2011;270(1):65–75
- 2008 Kamstrup PR, Benn M, Tybjaerg-Hansen A, Nordestgaard BG. Lipoprotein(a) og risiko for myokardieinfarkt. *Ugeskr Laeger* 2008;170:3226–30
- 2005 Andersen I. Social inequality in the risk of myocardial infarction - causes and mechanisms. [Copenhagen]: The faculty of Health Science ogf the University of Copenhagen; 2005. Thesis
- Andersen I, Gamborg M, Osler M, Prescott E, Diderichsen F. Income as mediator of the effect of occupation on the risk of myocardial infarction: does the income measurement matter? *J Epidemiol Community Health* 2005;59(12):1080–5
- 1982 Jensen G. Akut Myokardieinfarkt: Epidemiologiske aspekter. I: Akut Myokardieinfarkt. Sigurd B, editor. F.A.D.L.s Forlag; 1982
- 1979 Kjeldsen K, Jensen G, Schnohr P. Sygelighed af akut myokardieinfarkt i forskellige dele af Storkøbenhavn, Østerbroundersøgelsen. *Ugeskr Laeger.* 1979;141:2645–7
- 2020 Bjerregaard LG, Wasenius N, Nedelec R, Gjaerde LK, Angquist L, Herzig K-H, et al. Possible Modifiers of the Association Between Change in Weight Status From Child Through Adult Ages and Later Risk of Type 2 Diabetes. *Diabetes Care.* 2020 [ahead of print]

- 2019 Morgen CS, Angquist L, Appleyard M, Schnohr P, Jensen GB, Sorensen TIA. Attitudes to and experiences with body weight control and changes in body weight in relation to all-cause mortality in the general population. *PLoS One*. 2019;14(8):e0220838
- 2018 Svendstrup M, Allin KH, Ängquist L, Schnohr P, Jensen GB, Linneberg A, et al. Is abdominal obesity at baseline influencing weight changes in observational studies and during weight loss interventions? *Am J Clin Nutr [Internet]*. 2018;108(5):913–21
- Turcot V, Lu Y, Highland HM, Schurmann C, Justice AE, Fine RS, et al. Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. *Nat Genet*. 2018;50(1):26–41
- 2017 Stender S, Kozlitina J, Hobbs HH, Cohen JC, Hospital H, General C, et al. Adiposity Amplifies the Genetic Risk of Fatty Liver Disease Conferred by Multiple Loci. *Nat Genet*. 2017;49(6):842–7
- 2015 Varbo A, Benn M, Smith GD, Timpson NJ, Tybjaerg-Hansen A, Nordestgaard BG. Remnant cholesterol, low-density lipoprotein cholesterol, and blood pressure as mediators from obesity to ischemic heart disease. *Circ Res*. 2015;116(4):665–73
- Klovaite J, Benn M, Nordestgaard BG. Obesity as a causal risk factor for deep venous thrombosis: A Mendelian randomization study. *J Intern Med*. 2015;277(5):573–84
- C,olak Y, Marott JL, Vestbo J, Lange P. Overweight and obesity may lead to under-diagnosis of airflow limitation: Findings from the Copenhagen City Heart Study. *COPD J Chronic Obstr Pulm Dis*. 2015;12(1):5–13
- 2014 Bergholdt HK, Nordestgaard BG, Ellervik C. Milk intake is not causally associated with diabetes—a mendelian randomization study in 97,811 danish individuals. *Am J Clin Nutr* 2014;102(2):487–96
- 2013 Klovaite J. Thrombosis risk factors in the general population: Increased platelet size, elevated plasma fibrinogen, and obesity. The faculty of Health Science of the University of Copenhagen; 2013. Thesis
- 2012 Thomsen M, Dahl M, Tybjaerg-Hansen A, Nordestgaard BG. β 2-adrenergic receptor Thr164Ile polymorphism, obesity, and diabetes: Comparison with FTO, MC4R, and TMEM18 polymorphisms in more than 64,000 individuals. *J Clin Endocrinol Metab*. 2012;97(6):1074–9
- Bagger L, Strandberg-larsen K, Prescott E, Schnohr P, Rod NH, Bagger L, et al. Psychosocial risk factors , weight changes and risk of obesity: the Copenhagen City Heart Study. *Eur J Epidemiol*. 2012;27(2):119–30

- 2009 Timpson NJ, Harbord R, Smith GD, Zacho J, Tybjaerg-Hansen A, Nordestgaard BG. Does greater adiposity increase blood pressure and hypertension risk?: Mendelian randomization using the FTO/MC4R genotype. *Hypertension*. 2009;54(1):84–90
- 1999 Mikkelsen KL. Vægt, vægtændringer og dødelighed. The faculty of Health Science of the University of Copenhagen; 1999. Thesis
- Kim LM, Heitmann BL, Keiding N, Sorensen TIA. Independent Effects of Stable and Changing Body Weight on Total Mortality. *Epidemiology* 1999;10(6):671–8
- 1991 Sonne-Holm S. Den overvægtige unge mand. Forekomst og prognose. [Copenhagen]; 1991. Doctoral Thesis
- 1990 Sonne-Holm S, Sørensen TIA, Jensen G, Schnohr P. Long-term changes of body weight in adult obese and non-obese men. *Int J Obes*. 1990;14:319–26
- 1989 Sonne-Holm S, Sørensen TIA, Jensen G, Schnohr P. Influence of fatness, intelligence and sociodemographic factors on response rate in a population study. *J Epidemiol Community Health* 1989;43(4):369–74
- Sonne-Holm S, Sørensen TIA, Jensen G, Schnohr P. Independent effects of weight change and attained body weight on prevalence of arterial hypertension in obese and non-obese men. *Br Med J*. 1989 Sep 23;299:767–70
- 1987 Waaler H, Jensen G, Schnohr P, Pietinen P, Nissinen A, Larsson B, et al. Body Mass Index in the Nordic Countries. *Scand J Soc Med*. 1987;15:205–9
- 1986 Sonne-Holm S, Sørensen TIA, Jensen G, Schnohr P. Cardiovascular risk-factors among moderate and extreme overweight young men. Relation to weight changes. *CVD Epidemiol Newsl*. 1986;
- Other
- 2017 Younossi Z, Loomba R, Rinella M, Bugianesi E, Marchesini B. Current and Future Therapeutic Regimens for Non-alcoholic Fatty Liver Disease (NAFLD) and Non-alcoholic Steatohepatitis (NASH). *Hepatology*. 2017;(5):1–36
- 2016 Vedel-Krogh S, Nielsen SF, Schnohr P, Nordestgaard BG. Morbidity and mortality in 7,684 women according to personal hair dye use: The Copenhagen City Heart Study followed for 37 years. *PLoS One*. 2016;11(3):1–16
- 2015 White IR, Rapsomaniki E, Wannamethee SG, Morris RW, Willeit J, Willeit P, et al. Covariate-adjusted measures of discrimination for survival data. *Biometrical J*. 2015;57(4):592–613
- 2012 Rod NH, Lange T, Andersen I, Marott JL, Diderichsen F. Additive interaction in survival analysis: use of the additive hazards model. *Epidemiology* 2012;23(5):733–7
- 2010 Burgess S, Thompson SG, Burgess S, Thompson SG, Andrews G, Samani NJ, et al. Bayesian methods for meta-analysis of causal relationships estimated using genetic instrumental variables. *Stat Med* 2010;29(12):1298–311

- 2009 Toft J, Hesse B, Rabøl A, Carstensen S, Ali S. Myocardial sestamibi single-photon emission tomography: variation in reference values with gender, age and rest versus stress? *Eur J Nucl Med* 2009;24(4):409–14
- The Fibrinogen Studies Collaboration. Measures to assess the prognostic ability of the stratified Cox proportional hazards model. *Stat Med*. 2009;28:389–411
- The Fibrinogen Studies Collaboration. Correcting for multivariate measurement error by regression calibration in meta-analyses of epidemiological studies. *Stat Med*. 2009;28(7):1067–92
- 2007 Gosvig KK, Jacobsen S, Palm H, Sonne-Holm S, Magnusson E. A new radiological index for assessing asphericity of the femoral head in cam impingement. *J Bone Jt Surg - Br Vol* 2007;89-B(10):1309–16
- 2006 Bach-Mortensen P, Hyldstrup L, Appleyard M, Hindsø K, Gebuhr P, Sonne-Holm S. Digital X-Ray Radiogrammetry Identifies Women at Risk of Osteoporotic Fracture: Results from a Prospective Study. *Calcif Tissue Int* 2006 Jul 1;79(1):1–6
- Sonne-Holm S, Jacobsen S. Adipositas og artrose. *Ugeskr Laeger* 2006;2:187–90
- Eldrup N, Gronholdt MLM, Sillesen H, Nordestgaard BG. Elevated Matrix Metalloproteinase-9 Associated With Stroke or Cardiovascular Death in Patients With Carotid Stenosis. *Circulation* 2006;114(17):1847–54
- Eldrup N, Sillesen H, Prescott E, Nordestgaard BG. Ankle brachial index, C-reactive protein, and central augmentation index to identify individuals with severe atherosclerosis. *Eur Heart J* 2006;27(3):316–22
- 2005 Jacobsen S, Sonne-Holm S. Increased body mass index is a predisposition for treatment by total hip replacement. *Int Orthop* 2005;29(4):229–34
- Jacobsen S, Sonne-Holm S, Søballe K, Gebuhr P, Lund B. Joint space width in hip dysplasia. A case-control study of eighty-one adult subjects with hip dysplasia followed for a decade. *J Bone Jt Surg* 2005;87-B:471–7
- Jacobsen S, Sonne-Holm S. Referenceprogram for kirurgisk behandling af degenerative sygdomme i knæleddet. *Epidemiologi*. 2005
- Jacobsen S, Rømer L, Søballe K. Degeneration in dysplastic hips. *Skeletal Radiol* 2005;34(12):778–84
- 2004 Jensen TK, Nordestgaard BG, Feldt-Rasmussen B, Jensen KS, Jensen JS. Transvascular lipoprotein transport in patients with chronic renal disease. *Kidney Int* 2004 Jul;66(1):275–80
- Jacobsen S, Sonne-Holm S, Lund B, Søballe K, Kjær T, Røvsing H, et al. Pelvic orientation and assessment of hip dysplasia in adults. *Acta Orthop* 2004;75(6):1
- 2003 Røggind H, Lykkegaard JJ, Bliddal H, Danneskiold-Samsøe B. Postural sway in normal subjects aged 20-70 years. *Clin Physiol Funct Imaging* 2003;23:171–6

- 2002 Bach-Mortensen N. Texturanalyse af metacarpalknogler med henblik på vurdering af frakturrisiko: Et registerstudie baseret på Østerbroundersøgelsen. The faculty of Health Science of the University of Copenhagen; 2002. Thesis
- 2001 Nyman P. Obstruktiv søvnapnø syndrom hos 30-69 årige deltagere i tredje Østerbroundersøgelse. Prævalens og prediktive faktorer. The faculty of Health Science of the University of Copenhagen; 2001. Thesis
- 2000 Toft JC. Fortolkningsproblemer ved myokardiescintigrafi: Valg af referencepopulation, anvendelse af artificiet neutralt netværk og tolkningsproblemer ved udvalgte patientgrupper. The faculty of Health Science of the University of Copenhagen; 2000. Thesis
- 1999 Hoidrup S, Gronbæk M, Pedersen AT, Lauritzen JB, Gottschau A, Schroll M. Hormone Replacement Therapy and Hip Fracture Risk: Effect Modification by Tobacco Smoking, Alcohol Intake, Physical Activity, and Body Mass Index. *Am J Epidemiol* 1999;150(10):1085–93
- Mosbech H, Veggerby C, Steensen M, Poulsen LK, Johnsen CR, Heinig JH, et al. Støvmideallergener og mideallergi i københavnske boliger. *En tværnsitsundersøgelse. Ugeskr Laeger.* 1999;161:419–23
- 1998 Martinussen T, Sørensen TIA. Age-dependent U-shaped risk functions and Aalen's additive risk model. *Biometrics* 1998;54:989–1001
- 1995 Chen J-W, Gall M-A, Deckert M, Jensen JS, Parving H-H. Increased serum concentration of von Willebrand factor in non-insulin dependent diabetics with and without nephropathy. *Br Med J* 1995;311:1405–6
- Grøn bæk M. Carbohydratdeficient transferrin - pålidelighed af testen? *Ugeskr Laeger.* 1995;157:5261
- Avlund K, Thudium D, Davidsen M, Fuglsang-Sørensen B. Are self-ratings of functional ability reliable? *Scand J Occup Ther.* 1995;2:10–6
- 1991 Bod, SH, Bachmann E, Gudmand-Høyer E, Jensen G. Stature of adult coeliac patients: No evidence for decreased attained height. *Eur J Clin Nutr* 1991;45:145–9
- 1986 Meeting of principal investigators of the European risk and incidence, a collaborative analysis (ERICA) study. Heidelberg; 1986 Sep
- 1983 Generaldirektoratet for Post og Telegrafvæsenet. Arbejdsfysiologisk analyse i brevomdelingstjenesten. Geil JH, Larsen NF, editors. 1983
- 1982 Eriksen HO, Clemmensen I, Hansen MS, Ibsen KK. Plasma fibronectin concentration in normal subjects. *Scand J Clin Lab Invest.* 1982;42:219–95
- Eriksen HO, Clemmensen I, Hansen MS, Ibsen KK. Referenceområde for plasma fibronectin koncentration. *Ugeskr Laeger.* 1982;144(50):3740–1

Periodontitis

- 2015 Hach M, Holm-Pedersen P, Adegboye ARA, Avlund K. The effect of alcohol consumption on periodontitis in older Danes. *Int J Dent Hyg.* 2015;13(4):261–7
- 2009 Kongstad J, Hvidtfeldt UA, Grønbaek M, Stoltze K, Holmstrup P. The Relationship Between Body Mass Index and Periodontitis in the Copenhagen City Heart Study. *J Periodontol* 2009;80(8):1246–53
- Kongstad J. Risk Indicators for Parodontitis in the Copenhagen City Heart Study, with emphasis on alcohol and body mass index. Eget forlag. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2009. Thesis
- 2008 Kongstad J, Hvidtfeldt UA, Grønbaek M, Jontell M, Stoltze K, Holmstrup P. Amount and type of alcohol and periodontitis in the Copenhagen City Heart Study. *J Clin Periodontol.* 2008;35:1032–9

Physical Activity

- 2020 Korshoj M, Hannerz H, Marott JL, Schnohr P, Prescott E, Clays E, et al. Does occupational lifting affect the risk of hypertension? Cross-sectional and prospective associations in the Copenhagen City Heart Study. *Scand J Work Environ Health.* 2020;46(2):188-97
- Joseph G, Marott JL, Biering-Sørensen T, Johansen MN, Saevereid HA, Nielsen G, et al. Level of Physical Activity, Left Ventricular Mass, Hypertension, and Prognosis. *Hypertension.* 2020;75(3):693-701
- Johansson MS. *Physical behaviours and risk factors for cardiovascular disease in different age groups and during leisure and work* . University of Southern Denmark. 2020. Thesis
- Johannesen CDL, Flachs EM, Ebbehøj NE, Marott JL, Jensen GB, Nordestgaard BG, et al. Sedentary work and risk of venous thromboembolism. *Scand J Work Environ Health.* 2020;46(1):69–76
- 2019 Johansson MS, Korshøj M, Schnohr P, Marott JL, Prescott EIB, Søgaard K, et al. Time spent cycling, walking, running, standing and sedentary: a cross-sectional analysis of accelerometer-data from 1670 adults in the Copenhagen City Heart Study : Physical behaviours among 1670 Copenhageners. *BMC Public Health.* 2019;19(1):1370
- Joseph G, Marott JL, Torp-Pedersen C, Biering-Sorensen T, Nielsen G, Christensen A-E, et al. Dose-Response Association Between Level of Physical Activity and Mortality in Normal, Elevated, and High Blood Pressure. *Hypertension.* 2019;74(6):1307–15
- Suetta C, Haddock B, Alcazar J, Noerst T, Hansen OM, Ludvig H, et al. The Copenhagen Sarcopenia Study: lean mass, strength, power, and physical function in a Danish cohort aged 20-93 years. *J Cachexia Sarcopenia Muscle.* 2019;10(6):1316–29
- Joseph G, Mogelvang R, Biering-Sorensen T, Nielsen G, Schnohr P, Sogaard P. The association between physical activity and cardiac performance is dependent on age: the Copenhagen City Heart Study. *Int J Cardiovasc Imaging.* 2019;35(7):1249–58

- 2018 Schnohr P, O'Keefe JH, Holtermann A, Lavie CJ, Lange P, Jensen GB, et al. Various Leisure-Time Physical Activities Associated With Widely Divergent Life Expectancies: The Copenhagen City Heart Study. *Mayo Clin Proc* 2018;93(12):1775–85
- Bartels EM, Robertson S, Danneskiold-Sams B, Appleyard M, Stockmarr A. Effects of Lifestyle on Muscle Strength in a Healthy Danish Population. *J Lifestyle Med*. 2018;8(1):16–22
- Korshøj M, Hannerz H, Marott JL, Schnohr P. The Effect of Occupational Lifting on Hypertension Risk : Protocol for a Project Using Data From the Copenhagen City Heart Study Corresponding Author : Jmir Res Protoc. 2018;7
- 2017 Schnohr P, O'Keefe JH, Lange P, Jensen GB, Marott JL. Impact of persistence and non-persistence in leisure time physical activity on coronary heart disease and all-cause mortality: The Copenhagen City Heart Study. *Eur J Prev Cardiol*. 2017;24(15):1615–23
- Ejlertsen H, Andersen ZJ, Von Euler-Chelpin MC, Johansen PP, Schnohr P, Prescott E. Prognostic impact of physical activity prior to myocardial infarction: Case fatality and subsequent risk of heart failure and death. *Eur J Prev Cardiol*. 2017;24(10):1112–9
- 2016 Skielboe AK, Marott JL, Dixen U, Friberg JB, Jensen GB. Occupational physical activity, but not leisure-time physical activity increases the risk of atrial fibrillation: The Copenhagen City Heart Study. *Eur J Prev Cardiol* 2016; 23(17):1883-1893
- Holtermann A, Marott JL, Gyntelberg F, Sogaard K, Mortensen OS, Prescott E, et al. Self-reported occupational physical activity and cardiorespiratory fitness: Importance for cardiovascular disease and all-cause mortality. *Scand J Work Env Heal* 2016;42(4):291–8
- 2015 Holtermann A, Marott JL, Gyntelberg F, Sogaard K, Mortensen OS, Prescott E, et al. Self-reported cardiorespiratory fitness: prediction and classification of risk of cardiovascular disease mortality and longevity--a prospective investigation in the Copenhagen City Heart Study. *J Am Heart Assoc*. 2015;4(1):e001495
- Schnohr P, O'Keefe JH, Marott JL, Lange P, Jensen GB. Dose of jogging and long-term mortality: The Copenhagen City heart study. *J Am Coll Cardiol*. 2015;65(5):411–9
- 2014 Saevereid HA, Schnohr P, Prescott E. Speed and duration of walking and other leisure time physical activity and the risk of heart failure: A prospective cohort study from the Copenhagen City Heart Study. *PLoS One*. 2014;9(3):1–8
- 2013 O'Keefe JH, Schnohr P, Lavie CJ. The dose of running that best confers longevity. *Heart*. 2013;99(8):588–90

Holtermann A, Marott JL, Lange P, Gyntelberg F, Sogaard K, Suadicani P, et al. Does the benefit on survival from leisure time physical activity depend on physical activity at work? A prospective cohort study. *PLoS One* 2013;8(1):e54548

Schnohr P, Marott JL, Lange P, Jensen GB. Longevity in male and female joggers: The Copenhagen City Heart Study. *Am J Epidemiol.* 2013;177(7):683–9

Ostergaard JN, Grønbæk M, Ångquist L, Schnohr P, Sørensen TIA, Heitmann BL. Combined influence of leisure-time physical activity and hip circumference on all-cause mortality. *Obesity.* 2013;21(1):78–85

2012 Schnohr P, Marott JL, Jensen JS, Jensen GB. Intensity versus duration of cycling, impact on all-cause and coronary heart disease mortality: the Copenhagen City Heart Study. *Eur J Prev Cardiol* 2012;19:73–80

Petersen CB, Grønbæk M, Helge JW, Thygesen LC, Schnohr P, Tolstrup JS, et al. Changes in physical activity in leisure time and the risk of myocardial infarction, ischemic heart disease, and all-cause mortality. *Eur J Epidemiol.* 2012;27(2):91–9

Holtermann A, Marott JL, Gyntelberg F, Sogaard K, Suadicani P, Mortensen OS, et al. Occupational and leisure time physical activity: risk of all-cause mortality and myocardial infarction in the Copenhagen City Heart Study. A prospective cohort study. *BMJ Open.* 2012;2:e000556

Laursen AH, Kristiansen OP, Marott JL, Schnohr P, Prescott E. Intensity versus duration of physical activity: implications for the metabolic syndrome. A prospective cohort study. *BMJ Open* 2012;2(5)

2011 Asferg C, Møgelvang R, Flyvbjerg A, Frystyk J, Jensen JS, Marott JL, et al. Interaction between leptin and leisure time physical activity and development of hypertension. *Blood Press* 2011;20:362–9

2010 Østergaard JN. Effects of weight loss, waist and hip circumference, alcohol intake, and smoking habits on all-cause mortality - Modification by physical activity? The faculty of Health Science of the University of Copenhagen; 2010. Thesis

Mikkelsen SS, Tolstrup JS, Flachs EM, Mortensen EL, Schnohr P, Flensburg-Madsen T. A cohort study of leisure time physical activity and depression. *Prev Med (Baltim)* 2010;51(6):471–5

2009 Schnohr P. Physical activity in leisure time: impact on mortality. Risks and benefits. [Internet]. Vol. 56, Danish Medical Bulletin. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2009. Doctoral Thesis

2008 Pedersen JO, Heitmann BL, Schnohr P, Gronbaek M. The combined influence of leisure-time physical activity and weekly alcohol intake on fatal ischaemic heart disease and all-cause mortality. *Eur Heart J.* 2008;29(2):204–12

- Garcia-Aymerich J, Lange P, Serra I, Schnohr P. Time-dependent confounding in the study of the effects of regular physical activity in chronic obstructive pulmonary disease: an application of the marginal structural model. *Ann Epidemiol* 2008;18:775–83
- Berentzen T, Petersen L, Schnohr P, Sørensen TIA. Physical activity in leisure-time is not associated with 10-year changes in waist circumference. *Scand J Med Sci Sport* 2008;18:719–27
- 2007 Schnohr P, Scharling H, Jensen JS. Intensity versus duration of walking, impact on mortality: the Copenhagen City Heart Study. *Eur J Cardiovasc Prev Rehabil* 2007;14(1):72–8
- 2006 Schnohr P, Lange P, Scharling H, Jensen JS. Long-term physical activity in leisure time and mortality from coronary heart disease, stroke, respiratory diseases, and cancer. *Eur J Cardiovasc Prev Rehab* 2006;13:173–9
- 2005 Schnohr P, Kristensen TS, Prescott E, Scharling H. Stress and life dissatisfaction are inversely associated with jogging and other types of physical activity in leisure-time. *Scand J Med Sci Sport*. 2005;107–12
- Schnohr P, Gronbaek M, Petersen L, Ole Hein H, la Sorensen T. Physical activity in leisure-time and risk of cancer: 14-year follow-up of 28,000 Danish men and women. *Scand J Public Health* 2005;33(4):244–9
- 2004 Andersen LB. Relative Risk of Mortality in the Physically Inactive Is Underestimated Because of Real Changes in Exposure Level during Follow-up. *Am J Epidemiol* 2004 Jul 15;160(2):189–95
- 2003 Petersen L, Schnohr P, Sorensen TIA. Longitudinal study of the long-term relation between physical activity and obesity in adults. *Int J Obes Relat Metab Disord* 2003;28(1):105–12
- Schnohr P, Scharling H, Jensen JS. Changes in Leisure-time Physical Activity and Risk of Death: An Observational Study of 7,000 Men and Women. *Am J Epidemiol* 2003;158(7):639–44
- Schroll M. Physical activity in an ageing population. *Scand J Med Sci Sports*. 2003;13(1):63–9
- 2001 Schnohr P, Parner J, Lange P. Motionsløbere lever længere. *Østerbroundersøgelsen. Ugeskr Laeger* 2001;163:2633–5
- Schnohr P, Parner J, Lange P. Motionslöpare lever längre. The Copenhagen City Heart Study. *Läkartidningar* 2001;98:3133–5
- 2000 Schnohr P, Parner J, Lange P. Mortality in joggers: population based study of 4658 men. *BMJ* 2000 Sep 9;321(7261):602–3
- Andersen LB, Schnohr P, Schroll M, Hein HO. All-Cause Mortality Associated With Physical Activity During Leisure Time, Work, Sports, and Cycling to Work. *Arch Intern Med* 2000;160(11):1621–8

1998 Bartram P, Toft J, Hanel B, Ali S, Gustafsson F, Mortensen J, et al. False-positive defects in technetium-99m sestamibi myocardial single-photon emission tomography in healthy athletes with left ventricular hypertrophy. *Eur J Nucl Med* 1998;25:1308–12

1984 Schnohr P. Motionsløb. *Ugeskr Laeger*. 1984;147:41–2.

1982 Schnohr P, Jensen G, Nyboe J, Hansen AT. Jogging and HDL-cholesterol, glucose and systolic blood pressure. *CVD Epidemiol Newsl*. 1982 Jul;July:56–7

1977 Jensen G. Motionsvaner blandt københavnske mænd og kvinder i alderen 20-90 år. I: *Fysisk Aktivitet i Norden*. Gad P, Holst-Sørensen S, editors. Copenhagen; 1977

Physiology

2009 Danneskiold-Samsoe B, Bartels EM, Bulow PM, Lund H, Stockmarr A, Holm CC, et al. Isokinetic and isometric muscle strength in a healthy population with special reference to age and gender. *Acta Physiol* 2009;197 Suppl:1–68

Population Studies

2001 Schnohr P, Jensen G, Lange P, Scharling H, Appleyard M. The Copenhagen City Heart Study - Østerbrounderøgelsen. Tables with data from the third examination 1991-1994. *Eur Hear J*. 2001;3((suppl H)):H1–83

1989 Appleyard M, Hansen AT, Schnohr P, Jensen GB, Nyboe J. The Copenhagen City Heart Study. Østerbrounderøgelsen. A book of tables with data from the first examination (1976-78) and a five year follow-up (1981-83). The Copenhagen City Heart Study Group. *Scand J Soc Med Suppl* 1989;41:1–160

1986 Groth S, Jensen G, Vilstrup K, Dirksen H, Rossing N. Erfaringer med telefonisk målgruppescreeing i epidemiologiske undersøgelser. *Ugeskr Laeger*. 1986;148(48):3253–6

1982 Jensen G, Schnohr P, Nyboe J, Hansen AT. The Copenhagen City Heart Study (Østerbrounderøgelsen). *CVD Epidemiol Newsl*. 1982;July:56

1978 Schnohr P, Jensen G, Nyboe J, Hansen AT. The Copenhagen City Heart Study (Østerbrounderøgelsen). *CVD Epidemiol Newsl*. 1978;(June):24

1977 Schnohr P, Hansen AT, Jensen G, Nyboe J. The Copenhagen City Heart Study (Østerbrounderøgelsen). *CVD Epidemiol Newsl*. 1977;(June):46

Schnohr P. Physical exercise and ischaemic heart disease. In: Hansen AT, Schnohr P, Rose G, editors. *Ischaemic heart disease The strategy of postponement Chicago II*. Year Book Medical Publishers and Copenhagen: FADL's Forlag; 1977. p. 99–103

Schnohr P, Jensen G, Tybjærg Hansen A, Nyboe J. Østerbrounderøgelsen - Et prospektivt kardiovaskulært populationsstudie af 20.000 mænd og kvinder. *Ugeskr Laeger*. 1977;139(32):1921–3

- Pro-BNP
- 2007 Mogelvang R, Goetze JP, Schnohr P, Lange P, Sogaard P, Rehfeld JF, et al. Discriminating Between Cardiac and Pulmonary Dysfunction in the General Population With Dyspnea by Plasma Pro-B-Type Natriuretic Peptide. *J Am Coll Cardiol* 2007;50(17):1694–701
- Nybo M, Benn M, Mogelvang R, Jensen JS, Schnohr P, Rehfeld JF, et al. Impact of Hemoglobin on Plasma Pro-B-Type Natriuretic Peptide Concentrations in the General Population. *Clin Chem* 2007;53(11):1921–7
- 2006 Goetze JP, Mogelvang R, Maage L, Scharling H, Schnohr P, Sogaard P, et al. Plasma pro-B-type natriuretic peptide in the general population: screening for left ventricular hypertrophy and systolic dysfunction. *Eur Heart J* 2006;ehl406
- Psychosocial Factors
- 2017 Wium-Andersen MK, Ørsted DD, Rode L, Bojesen SE, Nordestgaard BG. Telomere length and depression: Prospective cohort study and Mendelian randomisation study in 67 306 individuals. *Br J Psychiatry*. 2017;210(1):31–8
- Wium-Andersen MK, Kobylecki CJ, Afzal S, Nordestgaard BG. Association between the antioxidant uric acid and depression and antidepressant medication use in 96 989 individuals. *Acta Psychiatr Scand*. 2017;136(4):424–33
- 2015 Clark AJ, Strandberg-Larsen K, Masters Pedersen JL, Lange P, Prescott E, Rod NH. Psychosocial risk factors for hospitalisation and death from chronic obstructive pulmonary disease: A prospective cohort study. *COPD J Chronic Obstr Pulm Dis*. 2015;12(2):190–8
- Wium-Andersen MK, Ørsted DD, Tolstrup JS, Nordestgaard BG. Increased alcohol consumption as a cause of alcoholism, without similar evidence for depression: A Mendelian randomization study. *Int J Epidemiol*. 2015;44(2):526–39
- 2013 Clark AJ, Ritz B, Prescott E, Rod NH. Psychosocial risk factors, pre-motor symptoms and first-time hospitalization with Parkinson’s disease: A prospective cohort study. *Eur J Neurol*. 2013;20(8):1113–20
- Kornerup H. Impact of psychosocial factors on development and prognosis of cardiovascular disease. The faculty of Health Science of the University of Copenhagen; 2013. Thesis
- Wium-Andersen MK, Ørsted DD, Nordestgaard BG. Elevated plasma fibrinogen, psychological distress, antidepressant use, and hospitalization with depression: Two large population-based studies. *Psychoneuroendocrinology* 2013;38(5):638–47
- Wium-Andersen MK, Ørsted DD, Nielsen SF, Nordestgaard BG. Elevated C-reactive protein levels, psychological distress, and depression in 73131 individuals. *JAMA Psychiatry*. 2013;70(2):176–84
- 2012 Bagger L, Strandberg-larsen K, Prescott E, Schnohr P, Rod NH, Bagger L, et al. Psychosocial risk factors , weight changes and risk of obesity: the Copenhagen City Heart Study. *Eur J Epidemiol*. 2012;27(2):119–30

- 2011 Rod NH, Andersen I, Prescott E. Psychosocial risk factors and heart failure hospitalization: A prospective cohort study. *Am J Epidemiol.* 2011;174(6):672–80
- 2005 Nielsen NR, Zhang ZF, Kristensen TS, Netterstrom B, Schnohr P, Gronbaek M. Self reported stress and risk of breast cancer: prospective cohort study. *BMJ* 2005 Sep 10;331(7516):548
- 2004 Schnohr C, Hojbjerg L, Riegels M, Ledet L, Larsen T, Schultz-Larsen K, et al. Does educational level influence the effects of smoking, alcohol, physical activity, and obesity on mortality? A prospective population study. *Scand J Public Health* 2004;32(4):250–6
- Andersen I, Burr H, Kristensen TS, Gamborg M, Osler M, Prescott E, et al. Do factors in the psychosocial work environment mediate the effect of socioeconomic position on the risk of myocardial infarction? Study from the Copenhagen Centre for Prospective Population Studies. *Occup Environ Med* 2004;61(11):886–92
- 2003 Prescott E, Holst C, Gronbaek M, Schnohr P, Jensen G, Barefoot J. Vital exhaustion as a risk factor for ischaemic heart disease and all-cause mortality in a community sample. A prospective study of 4084 men and 5479 women in the Copenhagen City Heart Study. *Int J Epidemiol* 2003;32(6):990–7
- Osler M, Christensen U, Due P, Lund R, Andersen I, Diderichsen F, et al. Income inequality and ischaemic heart disease in Danish men and women. *Int J Epidemiol* 2003;32(3):375–80
- Osler M, Prescott E. Educational level as a contextual and proximate determinant of all cause mortality in Danish adults. *J Epidemiol Community Health* 2003;57(4):266–9
- Osler M, Christensen U, Lund R, Gamborg M, Godtfredsen N, Prescott E. High local unemployment and increased mortality in Danish adults; results from a prospective multilevel study. *Occup Environ Med* 2003;60(11):e16
- Truelsen T, Nielsen N, Boysen G, Gronbaek M. Self-Reported Stress and Risk of Stroke: The Copenhagen City Heart Study. *Stroke* 2003;34(4):856–62
- Prescott E, Godtfredsen N, Vestbo J, Osler M. Social position and mortality from respiratory diseases in males and females. *Eur Respir J* 2003;21(5):821–6
- 2002 Osler M, Prescott E, Gronbak M, Christensen U, Due P, Engholm G. Income inequality, individual income, and mortality in Danish adults: analysis of pooled data from two cohort studies. *BMJ.* 2002;324(7328):13
- 2001 Osler M, Clausen JO, Ibsen KK, Jensen GB. Social influences and low leisure-time physical activity in young Danish adults. *Eur J Public Health* 2001;11(2):130–4
- 1998 Gyntelberg F, Suadicani P, Jensen G, Schnohr P, Netterstrøm B, Kristensen TS, et al. Job strain and cardiovascular risk factors among members of the Danish parliament. *Occup Med* 1998;48(1):31–6

1996 Netterstrøm B, Kristensen TS, Møller L, Jensen G, Schnohr P. Psykisk arbejdsmiljø og helbred. Resultater fra Østerbrounderørgelsen. Arbejdsmiljøfonden; 1996

Respiratory
Diseases/Function

2020 Marott JL, Ingebrigtsen TS, Colak Y, Vestbo J, Lange P. Lung Function Trajectories Leading to Chronic Obstructive Pulmonary Disease as Predictors of Exacerbations and Mortality. *American Journal of Respiratory and Critical Care Medicine* . 2020 [ahead of print]

2019 Ingebrigtsen TS, Vestbo J, Rode L, Marott JL, Lange P, Nordestgaard BG. beta2-Adrenergic genotypes and risk of severe exacerbations in COPD: a prospective cohort study. *Thorax*. 2019;74(10):934–40

2018 Færk G, Çolak Y, Afzal S, Nordestgaard BG. Low concentrations of 25-hydroxyvitamin D and long-term prognosis of COPD: a prospective cohort study. *Eur J Epidemiol* 2018;33(6):1–11

Kodal JB, Kobylecki CJ, Vedel-Krogh S, Nordestgaard BG, Bojesen SE. AHRR hypomethylation, lung function, lung function decline and respiratory symptoms. *Eur Respir J* 2018;51(3):1701512

Kobylecki CJ, Vedel-Krogh S, Afzal S, Nielsen SF, Nordestgaard BG. Plasma urate, lung function and chronic obstructive pulmonary disease: A Mendelian randomisation study in 114 979 individuals from the general population. *Thorax*. 2018;73(8):748–57

2017 Helby J, Nordestgaard BG, Benfield T, Bojesen SE. Asthma, other atopic conditions and risk of infections in 105 519 general population never and ever smokers. *J Intern Med*. 2017;282(3):254–67

John C, Artigas MS, Hui J, Nielsen SF, Rafaels N, Paré PD, et al. Genetic variants affecting cross-sectional lung function in adults show little or no effect on longitudinal lung function decline. *Thorax* 2017;72(5):400–8

Kobylecki CJ, Vedel-Krogh S, Afzal S, Nielsen SF, Nordestgaard BG. Plasma urate, lung function and chronic obstructive pulmonary disease: a Mendelian randomisation study in 114 979 individuals from the general population. *Thorax* 2017;73(8):748–57

Çolak Y. Never-smokers with obstructive lung disease in the general population. The faculty of Health Science of the University of Copenhagen; 2017. Thesis

Kobylecki CJ. Extracellular superoxide dismutase R213G variant, morbidity, mortality and lung function. The faculty of Health Science of the University of Copenhagen; 2017. Thesis

Gaurav R, Varasteh JT, Weaver MR, Jacobson SR, Hernandez-Lagunas L, Liu Q, et al. The R213G polymorphism in SOD3 protects against allergic airway inflammation. *JCI Insight* [Internet]. 2017;2(17):1–15

Norskov MS, Dahl M, Tybjaerg-Hansen A. Genetic Variation in GSTP1, Lung Function, Risk of Lung Cancer, and Mortality. *J Thorac Oncol* 2017;12(11):1664–72

2016 Truls Sylvan Ingebrigtsen. Drug utilization and medically treated exacerbations in chronic obstructive pulmonary disease. The Faculty of Health and Medical Science, The University of Southern Denmark; 2016. Thesis

Çolak Y, Afzal S, Lange P, Nordestgaard BG. Obese individuals experience wheezing without asthma but not asthma without wheezing: A mendelian randomisation Study of 85 437 adults from the Copenhagen General Population Study. *Thorax*. 2016;71(3):247–54

Lange P, Colak Y, Ingebrigtsen TS, Vestbo J, Marott JL. Long-term prognosis of asthma, chronic obstructive pulmonary disease, and asthma-chronic obstructive pulmonary disease overlap in the Copenhagen City Heart study: a prospective population-based analysis. *Lancet Respir Med* [Internet]. 2016;4(6):454–62

2015 Ingebrigtsen TS, Marott JL, Lange P, Hallas J, Nordestgaard BG, Vestbo J. Medically treated exacerbations in COPD by GOLD 1-4: A valid, robust, and seemingly low-biased definition. *Respir Med* 2015;109(12):1562–8

Thomsen M. Biochemical and genetic markers in chronic obstructive pulmonary disease, diabetes, and ischemic heart disease in the general population. The faculty of Health Science of the University of Copenhagen; 2015. Doctoral Thesis

Ingebrigtsen TS, Marott JL, Nordestgaard BG, Lange P, Hallas J, Dahl M, et al. Low use and adherence to maintenance medication in chronic obstructive pulmonary disease in the general population. *J Gen Intern Med* 2015;30(1):51–9

Ingebrigtsen TS, Marott JL, Nordestgaard BG, Lange P, Hallas J, Vestbo J. Statin use and exacerbations in individuals with chronic obstructive pulmonary disease. *Thorax* 2015;70(1):33–40

Ingebrigtsen TS, Marott JL, Vestbo J, Nordestgaard BG, Hallas J, Lange P. Gastro-esophageal reflux disease and exacerbations in chronic obstructive pulmonary disease. *Respirology* 2015;20(1):101–7

Clark AJ, Strandberg-Larsen K, Masters Pedersen JL, Lange P, Prescott E, Rod NH. Psychosocial risk factors for hospitalisation and death from chronic obstructive pulmonary disease: A prospective cohort study. *COPD J Chronic Obstr Pulm Dis*. 2015;12(2):190–8

Porsbjerg C, Lange P, Ulrik CS. Lung function impairment increases with age of diagnosis in adult onset asthma. *Respir Med* 2015;109(7):821–7

Çolak Y, Afzal S, Nordestgaard BG, Lange P. Characteristics and prognosis of never-smokers and smokers with asthma in the Copenhagen general population study: A prospective cohort study. *Am J Respir Crit Care Med*. 2015;192(2):172–81

Ingebrigtsen TS, Marott JL, Rode L, Vestbo J, Lange P, Nordestgaard BG. Fibrinogen and alpha1-antitrypsin in COPD exacerbations. *Thorax* 2015;70(11):1014–21

Soriano JB, Lamprecht B, Ramírez AS, Martínez-Cambor P, Kaiser B, Alfageme I, et al. Mortality prediction in chronic obstructive pulmonary disease comparing the GOLD 2007 and 2011 staging systems: A pooled analysis of individual patient data. *Lancet Respir Med.* 2015;3(6):443–50

Lange P, Celli BR, Agusti A, Jensen GB, Miguel Divo, Faner R, et al. Lung-function trajectories leading to chronic obstructive pulmonary disease. *N Engl J Med* 2015;373(2):111–22

2014 Lange P, Marott JL, Vestbo J, Nordestgaard BG. Prevalence of night-time dyspnoea in COPD and its implications for prognosis. *Eur Respir J* 2014;43:1590–8

Kaur-Knudsen D, Bojesen SE, Nordestgaard BG. CHRNA3 and CYP3A5*3 genotype, lung function and chronic obstructive pulmonary disease in the general population. *Pharmacogenet Genomics.* 2014;24(4):220–9

Dijkstra AE, Smolonska J, Van Den Berge M, Wijmenga C, Zanen P, Luinge MA, et al. Susceptibility to chronic mucus hypersecretion, a genome wide association study. *PLoS One.* 2014;9(4)

Lange P, Marott JL, Vestbo J, Ingebrigtsen TS, Nordestgaard BG. Socioeconomic status and prognosis of COPD in Denmark. *COPD J Chronic Obstr Pulm Dis.* 2014;11(4):431–7

Afzal S, Lange P, Bojesen SE, Freiberg JJ, Nordestgaard BG. Plasma 25-hydroxyvitamin D, lung function and risk of chronic obstructive pulmonary disease. *Thorax.* 2014;69(1):24–31

Vaes AW, Garcia-Aymerich J, Marott JL, Benet M, Groenen MT, Schnohr P, et al. Changes in physical activity and all-cause mortality in COPD. *Eur Respir J* 2014;44(5):1199–209

2013 Løkke A, Marott JL, Mortensen J, Nordestgaard BG, Dahl M, Lange P. New Danish reference values for spirometry. *Clin Respir J.* 2013;7(2):153–67

Thomsen M. Scavenger receptorer, ADRB2 og lungesygdom. The faculty of Health Science of the University of Copenhagen; 2013

Ingebrigtsen TS, Marott JL, Vestbo J, Hallas J, Nordestgaard BG, Dahl M, et al. Characteristics of undertreatment in COPD in the general population. *Chest.* 2013;144(6):1811–8

Rode L, Bojesen SE, Weischer M, Vestbo J, Nordestgaard BG. Short telomere length, lung function and chronic obstructive pulmonary disease in 46 396 individuals. *Thorax.* 2013;68(5):429–35

Jensen MT, Marott JL, Lange P, Vestbo J, Schnohr P, Nielsen OW, et al. Resting heart rate is a predictor of mortality in COPD. *Eur Respir J* 2013;42(2):341–9

Çolak Y, Løkke A, Marott JL, Lange P, Vestbo J. Impact of diagnostic criteria on the prevalence of COPD. *Clin Respir J*. 2013;7(3):297–303

Thomsen M, Ingebrigtsen TS, Marott JL, Dahl M, Lange P, Vestbo J, et al. Inflammatory Biomarkers and Exacerbations. *J Am Med Assoc*. 2013;309(22):2353–61

Thomsen M, Nordestgaard BG, Kobzik L, Dahl M. Genetic variation in the scavenger receptor MARCO and its association with chronic obstructive pulmonary disease and lung infection in 10,604 individuals. *Respiration*. 2013;85(2):144–53

2012 Rod NH, Kristensen TS, Lange P, Prescott E, Diderichsen F. Perceived stress and risk of adult-onset asthma and other atopic disorders: A longitudinal cohort study. *Allergy Eur J Allergy Clin Immunol*. 2012;67(11):1408–14

Bækvad-Hansen M. Surfactant proteins -B and -C and risk of pulmonary disease in the general population. The faculty of Health Science of the University of Copenhagen; 2012. Thesis

Thomsen M, Nordestgaard BG, Sethi AA, Tybjaerg-Hansen A, Dahl M. 2-adrenergic receptor polymorphisms, asthma and COPD: two large population-based studies. *Eur Respir J* 2012;39(3):558–66

Lange P, Marott JL, Dahl M, Ingebrigtsen TS, Vestbo J, Nordestgaard BG. Substantial need for early diagnosis, rehabilitation and treatment of chronic obstructive pulmonary disease. *Dan Med J* 2012;59(4):A4396

Thomsen M, Dahl M, Lange P, Vestbo J, Nordestgaard BG. Inflammatory biomarkers and comorbidities in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*. 2012;186(10):982–8

Baughman P, Marott JL, Lange P, Martin CJ, Shankar A, Petsonk EL, et al. Combined effect of lung function level and decline increases morbidity and mortality risks. *Eur J Epidemiol* 2012;27(12):933–43

Lange P, Marott JL, Vestbo J, Olsen KR, Ingebrigtsen TS, Dahl M, et al. Prediction of the clinical course of chronic obstructive pulmonary disease, using the new GOLD classification: A study of the general population. *Am J Respir Crit Care Med*. 2012;186(10):975–81

Bækvad-Hansen M, Nordestgaard BG, Dahl M. Heterozygosity for E292V in ABCA3, lung function and COPD in 64,000 individuals. *Respir Res*. 2012;13:1–9

2011 Lee J, Nordestgaard BG, Dahl M. EPHX1 polymorphisms, COPD and asthma in 47,000 individuals and in meta-analysis. *Eur Respir J*. 2011;37(1):18–25

Thomsen M, Nordestgaard BG, Tybjaerg-Hansen A, Dahl M. Scavenger receptor AI/II truncation, lung function and COPD: A large population-based study. *J Intern Med*. 2011;269(3):340–8

Fabricius P, Løkke A, Marott JL, Vestbo J, Lange P. Prevalence of COPD in Copenhagen. *Respir Med* 2011;105(3):410–7

Dahl M, Vestbo J, Zacho J, Lange P, Tybjærg-Hansen A, Nordestgaard BG. C reactive protein and chronic obstructive pulmonary disease: A Mendelian randomisation approach. *Thorax*. 2011;66(3):197–204

Bækvad-Hansen M, Nordestgaard BG, Dahl M. Surfactant protein B polymorphisms, pulmonary function and COPD in 10,231 individuals. *Eur Respir J*. 2011;37(4):791–9

Lee J. Human epoxide hydrolases and ischemic cardiovascular disease, chronic pulmonary disease, and cancer. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2011. Thesis

Baughman P, Marott JL, Lange P, Andrew M, Hnizdo E. Health outcomes associated with lung function decline and respiratory symptoms and disease in a community cohort. *COPD J Chronic Obstr Pulm Dis* 2011;8(2):103–13

2010 Lange P, Møgelvang R, Marott JL, Vestbo J, Jensen JS. Cardiovascular comorbidity in COPD. A study of the general population. *Int J COPD*. 2010;7:5–10

2009 Lee J, Nordestgaard BG, Dahl M. Elevated ACE activity is not associated with asthma, COPD, and COPD co-morbidity. *Respir Med*. 2009 Sep;103(9):1286–92

Løkke A, Fabricius PG, Vestbo J, Marott JL, Lange P. Forekomst af kronisk obstruktiv lungesygdom i København. *Ugeskr Laeger* 2009;46:3956–60

Miller MR, Pedersen OF, Lange P, Vestbo J. Improved survival prediction from lung function data in a large population sample. *Respir Med* 2009 Mar;103(3):442–8

2008 Benfield T, Lange P, Vestbo J. COPD Stage and Risk of Hospitalization for Infectious Disease*. *Chest* 2008 Jul;134(1):46–53

2007 Garcia-Aymerich J, Lange P, Benet M, Schnohr P, Anto JM. Regular Physical Activity Modifies Smoking-related Lung Function Decline and Reduces Risk of Chronic Obstructive Pulmonary Disease: A Population-based Cohort Study. *Am J Respir Crit Care Med* 2007;175(5):458–63

Fabricius P, Scharling H, Løkke A, Vestbo J, Lange P. Exhaled CO, a predictor of lung function? *Respir Med* 2007;101(3):581–6

Dahl M, Vestbo J, Lange P, Bojesen SE, Tybjaerg-Hansen A, Nordestgaard BG. C-reactive Protein As a Predictor of Prognosis in Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med*. 2007;175(3):250–5

2006 Lokke A, Lange P, Scharling H, Fabricius P, Vestbo J. Developing COPD: a 25 year follow up study of the general population. *Thorax* 2006;61(11):935–9

Jensen HH, Godtfredsen NS, Lange P, Vestbo J. Potential misclassification of causes of death from COPD in a Danish population study. *Eur Respir J* 2006;9031936

Lange P, Scharling H, Ulrik CS, Vestbo J. Inhaled corticosteroids and decline of lung function in community residents with asthma. *Thorax* 2006;61(2):100–4

Garcia-Aymerich J, Lange P, Benet M, Schnohr P, Anto JM. Regular physical activity reduces hospital admission and mortality in chronic obstructive pulmonary disease: a population based cohort study. *Thorax* 2006 Sep 1;61(9):772–8

Vestbo J, Prescott E, Almdal T, Dahl M, Nordestgaard BG, Andersen T, et al. Body Mass, Fat-Free Body Mass, and Prognosis in Patients with Chronic Obstructive Pulmonary Disease from a Random Population Sample: Findings from the Copenhagen City Heart Study. *Am J Respir Crit Care Med*. 2006;173(1):79–83

2004 Hersh CP, Dahl M, Ly NP, Berkey CS, Nordestgaard BG, Silverman EK. Chronic obstructive pulmonary disease in α 1-antitrypsin PI MZ heterozygotes: a meta-analysis. *Thorax* 2004;59(10):843–9

2003 Pistelli R, Lange P, Miller DL. Determinants of prognosis of COPD in the elderly: mucus hypersecretion, infections, cardiovascular comorbidity. *Eur Respir J* 2003;21(40_suppl):10S–114

Lange P, Parner J, Prescott E, Vestbo J. Chronic bronchitis in an elderly population. *Age Ageing* 2003;32(6):636–42

2002 Prescott E, Almdal T, Mikkelsen KL, Tofteng CL, Vestbo J, Lange P. Prognostic value of weight change in chronic obstructive pulmonary disease: results from the Copenhagen City Heart Study. *Eur Respir J* 2002 Sep 1;20(3):539–44

Vestbo J, Lange P. Can GOLD Stage 0 Provide Information of Prognostic Value in Chronic Obstructive Pulmonary Disease? *Am J Respir Crit Care Med* 2002;166(3):329–32

Lange P, Parner J, Schnohr P, Jensen G. Copenhagen City Heart Study: longitudinal analysis of ventilatory capacity in diabetic and nondiabetic adults. *Eur Respir J* 2002;20(6):1406–12

2001 Lange P, Parner J, Prescott E, Ulrik CS, Vestbo J. Exogenous female sex steroid hormones and risk of asthma and asthma-like symptoms: a cross sectional study of the general population. *Thorax* 2001;56(8):613–6

Truelsen T, Prescott E, Lange P, Schnohr P, Boysen G. Lung function and risk of fatal and non-fatal stroke. The Copenhagen City Heart Study. *Int J Epidemiol*. 2001;30(1):145–51

Dahl M, Tybjærg-Hansen A, Vestbo J, Lange P, Nordestgaard BG. Elevated Plasma Fibrinogen Associated with Reduced Pulmonary Function and Increased Risk of Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2001 Sep 15;164(6):1008–11

- Hansen EF, Rappeport Y, Vestbo J, Lange P. Astmaprævalens blandt unge voksne i København. *Ugeskr Laeger* 2001;163:6128–30
- 2000 Vestbo J, Sørensen T, Lange P, Brix A, Torre P, Viskum K. Langtidsvirkning af inhaleret budesonid hos patienter med mild og moderat kronisk obstruktiv lungesygdom. *Ugeskr Laeger* 2000;162:493–7
- Lange P, Parner J, Vestbo J, Schnohr P, Jensen G. Forløb af lungefunktion hos voksne med asthma. *Ugeskr Laeger* 2000;162:487–90
- Hansen EF, Rappeport Y, Vestbo J, Lange P. Increase in prevalence and severity of asthma in young adults in Copenhagen. *Thorax* 2000;55(10):833–6
- 1999 Lange P. Prognosis of adult asthma. *Monaldi Arch Chest Dis* 1999;54:350–2
- Vestbo J, Sørensen T, Lange P, Viskum K. Effect of inhaled budesonide on decline of lung function in mild to moderate COPD. *Lancet* 1999;353:1819–23
- Lange P. Long-term prognosis of adult asthma. *Crit Care Intern.* 1999;9:8–9
- Landbo C, Prescott E, Lange P, Vestbo J, Almdal TP. Prognostic Value of Nutritional Status in Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 1999;160(6):1856–61
- Prescott E, Lange P, Vestbo J. Socioeconomic status, lung function and admission to hospital for COPD: results from the Copenhagen City Heart Study. *Eur Respir J* 1999;13(5):1109–14
- 1998 Lange P, Parner J, Vestbo J, Jensen G, Schnohr P. A 15-year follow-up study of lung function in asthma. *N Engl J Med* 1998;339:1194–200
- Vestbo J, Prescott E, Lange P, Schnohr P, Jensen G. Vital prognosis after hospitalization for COPD. A study of a random population sample. *Respir Med* 1998;92:772–6
- 1997 Lange P, Ulrik CS, Vestbo J, Styringsgruppe Ø. Dødelighed hos voksne med astma. Resultater fra Østerbroundersøgelsen. *Ugeskr Laeger.* 1997;159:4516–20
- Prescott E, Bjerg AM, Andersen PK, Lange P, Vestbo J. Gender difference in smoking effects on lung function and risk of hospitalization for COPD: Results from a Danish longitudinal population study. *Eur Respir J* 1997;10:822–7
- Prescott E, Lange P, Vestbo J. Effect of gender on hospital admissions for asthma and prevalence of self-reported asthma: a prospective study based on a sample of the general population. *Thorax* 1997;52(3):287–9
- 1996 Andersen LI. Prevalence of benign esophageal disease in the Danish population, with special reference to pulmonary disease and risk factors. [Copenhagen]: Lægeforeningens Forlag; 1996. Doctoral Thesis

Lange P, Ulrik CS, Vestbo J, Group TCCHS. Mortality in adults with self-reported asthma. *Lancet* 1996;347:1285–9

Prescott E, Lange P, Vestbo J. Kronisk ekspektoration og risiko for død ved kronisk obstruktiv lungesygdom. *Ugeskr Laeger*. 1996;158:6456–60

Vestbo J, Prescott E, Lange P, Group TCCHS. Association of chronic mucus hypersecretion with FEV1 and COPD morbidity. *Am J Respir Crit Care Med* 1996;153:1530–5

1995 Prescott E, Lange P, Vestbo J. Chronic mucus hypersecretion in COPD and death from pulmonary infection. *Eur Respir J*. 1995;8:1333–8

Lange P, Vestbo J, Nyboe J. Risk factors for death and hospitalization from pneumonia. A prospective study of a general population. *Eur Respir J*. 1995;8:1694–8

1994 Mortensen J, Lange P, Nyboe J, Groth S. Lung mucociliary clearance. *Eur J Nucl Med*. 1994;21:953–61

Ulrik CS, Lange P. Decline of lung function in adults with bronchial asthma. *Am J Respir Crit Care Med* 1994;150:629–34

1993 Vestbo J, Lange P. Ekspektoration - et undervurderet symptom? *Ugeskr Laeger*. 1993;155:3100–3

1992 Lange P. Development and prognosis of chronic obstructive pulmonary disease with special reference to the role of tobacco smoking. Vol. 39, *Danish Medical Bulletin*. 1992. Doctoral Thesis

Lange P. Relation of mucus hypersecretion to morbidity and mortality: Epidemiological aspects. *Eur Respir Rev*. 1992;9:270–2

1991 Bach-Mortensen N, Appleyard M, Ibsen KK. Lung functions and antropometric data from children and adolescents. Copenhagen: Prospective Pediatric Research Unit and The Copenhagen City Heart Study, University Hospital Copenhagen; 1991

Lange P, Nyboe J, Jensen G, Schnohr P, Appleyard M. Ventilatory function impairment and risk of cardiovascular death and fatal or non-fatal myocardial infarction. *Eur Respir J*. 1991;4:1080–7

Vestbo J, Lange P. Forceret expiratorisk volumen i 1 sekund - et respirationsfysiologisk mål af betydelig prediktiv værdi. *Ugeskr Laeger*. 1991;153(33):2292–5

1990 Lange P, Nyboe J, Appleyard M, Jensen G, Schnohr P. Spirometric findings and mortality in never-smokers. *J Clin Epidemiol*. 1990;43(9):867–73

Lange P, Groth S, Nyboe J, Appleyard M, Mortensen J, Schnohr P, et al. Decline of the lung function related to the type of tobacco smoked and inhalation. *Thorax* 1990;68:22–6

Lange P, Nyboe J, Appleyard M, Jensen G, Schnohr P. Ventilary function and chronic mucus hypersecretion as predictors of death from lung cancer. *Am Rev Respir Dis.* 1990;141:613–7

Lange P, Nyboe J, Appleyard M, Jensen G, Schnohr P. Relation of ventilatory impairment and of chronic mucus hypersecretion to mortality from obstructive lung disease and from all causes. *Thorax.* 1990;45:579–85

Lange P, Groth S, Nyboe J, Mortensen J, Appleyard M, Schnohr P, et al. Phlegm production in plain cigarette smokers who changed to filter cigarettes or quitted smoking. *J Intern Med.* 1990;228:115–20

1989 Lange P, Groth S, Nyboe J, Appleyard M, Mortensen J, Jensen G, et al. Chronic obstructive lung disease in Copenhagen. Cross-sectional epidemiological aspects. *J Intern Med.* 1989;226:25–32

Andersen LI, Jensen G. Prevalence of benign esophageal disease in the Danish population with special reference to pulmonary disease. *J Intern Med.* 1989;225:393–402

1988 Lange P, Groth S, Mortensen J, Appleyard M, Nyboe J, Jensen G, et al. Pulmonary function is influenced by heavy alcohol consumption. *Am Rev Respir Dis.* 1988;137:1119–23

1986 Andersen LI, Schmidt A, Bundgaard A. Pulmonary function and acid application in the oesophagus. *Chest.* 1986 Sep;90(3):358–63

Resting Heart Rate

2014 Carlson N, Dixen U, Marott JL, Jensen MT, Jensen GB. Predictive value of casual ECG-based resting heart rate compared with resting heart rate obtained from Holter recording. *Scand J Clin Lab Invest.* 2014;74(2):163–9

2013 Jensen MT, Marott JL, Lange P, Vestbo J, Schnohr P, Nielsen OW, et al. Resting heart rate is a predictor of mortality in COPD. *Eur Respir J* 2013;42(2):341–9

2012 Jensen MT, Marott JL, Allin KH, Nordestgaard BG, Jensen GB. Resting heart rate is associated with cardiovascular and all-cause mortality after adjusting for inflammatory markers: The Copenhagen City Heart Study. *Eur J Prev Cardiol* 2012;19:102–8

Rheumatology

2014 Erling Laxafoss. Knee Joint Osteoarthritis, an epidemiological perspective. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

2013 Laxafoss E, Jacobsen S, Gosvig KK, Sonne-Holm S. The alignment of the knee joint in relationship to age and osteoarthritis: the Copenhagen Osteoarthritis Study. *Skeletal Radiol* 2013;42(4):531–40

2012 Nielsen SF, Bojesen SE, Schnohr P, Nordestgaard BG. Elevated rheumatoid factor and long term risk of rheumatoid arthritis: a prospective cohort study. *Bmj* 2012;345(sep06 2):e5244–e5244

- 2010 Gosvig KK, Jacobsen S, Sonne-Holm S, Palm H, Troelsen A. Prevalence of malformations of the hip joint and their relationship to sex, groin pain, and risk of osteoarthritis: A population-based survey. *J Bone Jt Surg - Ser A*. 2010;92(5):1162–9
- Gosvig K. Radiographic case definitions, distribution and relationship to hip osteoarthritis of cam type femoroacetabular impingement. The faculty of Health Science of the University of Copenhagen; 2010. Thesis
- Laxafoss E, Jacobsen S, Gosvig KK, Sonne-Holm S. Case definitions of knee osteoarthritis in 4,151 unselected subjects: relevance for epidemiological studies: the Copenhagen Osteoarthritis Study. *Skeletal Radiol*. 2010 Sep;39(9):859–66
- 2008 Sonne-Holm S. Medfødt hofteluksation og -dysplasi. *Månedskr Prakt Lægegern* 2008;13:1–7
- Gosvig KK, Jacobsen S, Sonne-Holm S, Gebuhr P. The Prevalence of Cam-Type Deformity of the Hip Joint: A Survey of 4151 Subjects of the Copenhagen Osteoarthritis Study. *Acta radiol* 2008;49(4):436–41
- 2007 Troelsen A, Jacobsen S, Bolvig L, Gelineck L, L R, Søballe K. Diagnostic value of ultrasound for the detection of acetabular labral tears. *Acta radiol*. 2007;48:21–6
- Jacobsen S, Sonne-Holm S, Røvsing H, Monrad H, Gebuhr P. Degenerative Lumbar Spondylolisthesis: An Epidemiological Perspective: The Copenhagen Osteoarthritis Study. *Spine (Phila Pa 1976)* 2007;32(1)
- Troelsen A, Jacobsen S, Søballe K. Nyt paradigme for hoftelidelser hos yngre voksne. *Månedskr Prakt Lægegern* 2007;12:1403–7
- Sonne-Holm S, Jacobsen S, Røvsing H, Monrad H, Gebuhr P. Lumbar spondylolysis: a life long dynamic condition? A cross sectional survey of 4.151 adults. *Eur Spine J* 2007;16(6):821–8
- Jacobsen S, Winge S. Femoroacetabular Impingement: Årsag til lyskesmerter og tidlig hofteslidgigt hos yngre patienter. *Ugeskr Laeger*. 2007;5:391–3
- Jacobsen S, Jensen TW, Bach-Mortensen P, Hyldstrup L, Sonne-Holm S. Low bone mineral density is associated with reduced hip joint space width in women: results from the Copenhagen Osteoarthritis Study. *Menopause* 2007;14(6)
- 2006 Jacobsen S, Gosvig K, Sonne-Holm S. Lænderyggens degeneration og radiologi. *Ugeskr Laeger* 2006;168:769–73
- Jacobsen S, Rømer L, Søballe K. The other hip in unilateral hip dysplasia. *Clin Orthop* 2006;446:239–46
- Jacobsen S. Adult hip dysplasia and osteoarthritis [Internet]. Vol. suppl 324(, *Acta Orthopaedica*. The faculty of Health Science of the University of Copenhagen; 2006. Doctoral Thesis

Sonne-Holm S, Jacobsen S. Osteoarthritis of the first carpometacarpal joint: a study of radiology and clinical epidemiology: Results from the Copenhagen Osteoarthritis Study. *Osteoarthritis Cartilage* 2006;14(5):496–500

2005 Jacobsen S, Sonne-Holm S. Hip dysplasia: a significant risk factor for the development of hip osteoarthritis. A cross-sectional survey. *Rheumatology*. 2005;44(2):211–8

Jensen CL, Jacobsen S. Risikofaktorer for knæartrose: Aktual status. *Ugeskr Laeger* 2005;40:3768–71

Jacobsen S, Sonne-Holm S, Søballe K, Gebuhr P, Lund B. Hip dysplasia and osteoarthrosis of the hip. *Acta Orthop*. 2005;76(2):149–58

2004 Jacobsen S, Sonne-Holm S, Søballe K, Gebuhr P, Lund B. The relationship of hip joint space to self reported hip pain: A survey of 4.151 subjects of the Copenhagen City Heart Study: the Osteoarthritis Substudy. *Osteoarthritis Cartilage* 2004 Sep;12(9):692–7

Jacobsen S, Sonne-Holm S, Søballe K, Gebuhr P, Lund B. Radiographic case definitions and prevalence of osteoarthrosis of the hip. *Acta Orthop* 2004;75:713–20

Jacobsen S, Sonne-Holm S, Søballe K, Gebuhr P, Lund B. Factors influencing hip joint space in asymptomatic subjects: A survey of 4151 subjects of the Copenhagen City Heart Study: The Osteoarthritis Substudy. *Osteoarthritis Cartilage* 2004 Sep;12(9):698–703

Jacobsen S, Sonne-Holm S, Søballe K, Gebuhr P, Lund B. The distribution and inter-relationships of radiologic features of osteoarthrosis of the hip: A survey of 4151 subjects of the Copenhagen City Heart Study: The Osteoarthrosis Substudy. *Osteoarthritis Cartilage* 2004 Sep;12(9):704–10

Risk Factors

2019 Gregson J, Kaptoge S, Bolton T, Pennells L, Willeit P, Burgess S, et al. Cardiovascular Risk Factors Associated With Venous Thromboembolism. *JAMA Cardiol*. 2019;4(2):163–73

2018 Wood AM, Kaptoge S, Butterworth AS, Willeit P, Warnakula S, Bolton T, et al. Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. *Lancet*. 2018;391(10129):1513–23

2015 Dieffenbach AK, Swerdlow A, Chenevix-trench G, Hopper J, Ben J. Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. *Int J Cancer*. 2015;136:E665–96

Schnohr P, Marott JL, Kristensen TS, Gyntelberg F, Grønbaek M, Lange P, et al. Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: The Copenhagen City Heart Study. *Eur Heart J*. 2015;36(22):1385–93

- 2013 Stender S, Nordestgaard BG, Tybjærg-Hansen A. Elevated body mass index as a causal risk factor for symptomatic gallstone disease: A Mendelian randomization study. *Hepatology*. 2013;58(6):2133–41
- Kamstrup PR, Tybjærg-Hansen A, Nordestgaard BG. Extreme lipoprotein(a) levels and improved cardiovascular risk prediction. *J Am Coll Cardiol* 2013;61(11):1146–56
- Stender S, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Extreme bilirubin levels as a causal risk factor for symptomatic gallstone disease. *JAMA Intern Med*. 2013;173(13):1222–8
- Singh GM, Danaei G, Farzadfar F, Stevens GA, Woodward M, Wormser D, et al. The age-specific quantitative effects of metabolic risk factors on cardiovascular diseases and diabetes: A pooled analysis. *PLoS One*. 2013;8(7):e65174
- 2012 The Emerging Risk Factors Collaboration. Lipid-related markers and cardiovascular disease prediction. *JAMA* 2012;307(23):2499–506
- Rapsomaniki E, White IR, Wood AM, Thompson SG, Tipping RW, Ford CE, et al. A framework for quantifying net benefits of alternative prognostic models. *Stat Med*. 2012;31(2):114–30
- The Emerging Risk Factors Collaboration, Wormser D, Di Angelantonio E, Kaptoge S, Wood AM, Gao P, et al. Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: Individual participant meta-analysis. *Int J Epidemiol*. 2012;41(5):1419–33
- The Emerging Risk Factors Collaboration. C-Reactive Protein, Fibrinogen, and Cardiovascular Disease Prediction. *N Engl J Med* 2012;367(14):1310–20
- 2011 The Emerging Risk Factors Collaboration, Wormser D, Kaptoge S, Di Angelantonio E, Wood AM, Pennells L, et al. Separate and combined associations of body-mass index and abdominal adiposity with cardiovascular disease: Collaborative analysis of 58 prospective studies. *Lancet* 2011;377(9771):1085–95
- 2010 Nordestgaard BG, Adourian AS, Freiberg JJ, Guo Y, Muntendam P, Falk E. Risk factors for near-term myocardial infarction in apparently healthy men and women. *Clin Chem*. 2010;56(4):559–67
- Holst AG, Jensen G, Prescott E. Risk factors for venous thromboembolism: Results from the Copenhagen City Heart Study. *Circulation*. 2010;121(17):1896–903
- Sarwar N, Gao P, Kondapally Seshasai SR, Gobin R, Kaptoge S, Di Angelantonio E, et al. Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: A collaborative meta-analysis of 102 prospective studies. *Lancet* 2010;375(9733):2215–22

- Thompson S, Kaptoge S, White I, Wood A, Perry P, Danesh J, et al. Statistical methods for the time-to-event analysis of individual participant data from multiple epidemiological studies. *Int J Epidemiol*. 2010;39(5):1345–59
- Zacho J, Tybjaerg-Hansen A, Nordestgaard BG. C-reactive protein, genetically elevated levels and risk of ischemic heart and cerebrovascular disease. *Scand J Clin Lab Invest*. 2009;69(4):442–6
- 2008 Langsted A, Freiberg JJ, Nordestgaard BG. Fasting and Nonfasting Lipid Levels: Influence of Normal Food Intake on Lipids, Lipoproteins, Apolipoproteins, and Cardiovascular Risk Prediction. *Circulation* 2008;118(20):2047–56
- 2006 Mogelvang R, Scharling H, Jensen JS. A simple linear model for the effect of changes in metabolic risk factors on incident of coronary heart disease. *J Int Med* 2006;259:561–8
- 2003 Schnohr P, Jensen JS, Scharling H, Nordestgaard BG. Individuelle og populationsbaserede risikofaktorer for iskæmisk hjertesygdom. Enogtyve års opfølgning af 12.000 mænd og kvinder fra Østerbrounderøgelsen. *Ugeskr Læger* 2003;165:1353–8
- 2002 Schnohr P, Jensen JS, Scharling H, Nordestgaard BG. Coronary heart disease risk factors ranked by importance for the individual and community. A 21 year follow-up of 12000 men and women from The Copenhagen City Heart Study. *Eur Heart J* 2002;23(8):620–6
- 2000 Schnohr P. Østerbrounderøgelsen - snart 25 år [Internet]. 2000. Available from: http://www.ugeskriftet.dk/lf/UFL/uf199_00/1999_2000/uf12043/v_p/33347.htm
- Thomsen T. Prediction and prevention of cardiovascular diseases. "Precard." [Eget forlag]: The faculty of Health Science of the University of Copenhagen; 2000. Thesis
- 1999 Hippe M, Vestbo J, Hein HO, Borch-Johnsen K, Jensen G, Sørensen TIA, et al. Familial predisposition and susceptibility to the effect of other risk factors for myocardial infarction. *J Epidemiol Community Health* 1999;53:269–76
- Prescott E, Andersen PK, Osler M, Lange P, Vestbo J. A Sensitivity Analysis of Secular Trends in Risk Factors and Mortality Based on Cohort Studies. *Epidemiology* 1999;10(2):176-80
- Prospective Studies Collaboration. Collaborative overview ('meta-analysis') of prospective observational studies of the associations of usual blood pressure and usual cholesterol cycle of the Prospective Studies Collaboration. *J Cardiovasc Risk*. 1999;(6):315–20
- Hippe M. Familial predisposition to myocardial infarction and cardiovascular risk factors. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 1999. Thesis

- 1998 Andersen LB, Vestbo J, Juel K, Bjerg AK, Keiding N, Jensen G, et al. The Copenhagen Centre for Prospective Population Studies. A comparison of mortality rates in three prospective studies from Copenhagen with mortality rates in the central part of the city and the entire country. *Eur J Epidemiol.* 1998;14:579–85
- 1997 Hippe M, Vestbo J, Bjerg AM, Borch-Johnsen K, Appleyard M, Hein HO, et al. Cardiovascular risk factor profile in subjects with familial predisposition to myocardial infarction. *J Epidemiol Community Health* 1997;51(3):266–71
- 1991 Jensen G, Nyboe J, Appleyard M, Schnohr P. Risk factors for acute myocardial infarction in Copenhagen. II: Smoking, alcohol intake, oral contraception, obesity, diabetes, physical activity, blood pressure and lipids. *Eur Hear J.* 1991;12:298–308
- 1990 Schnohr P, Appleyard M, Jensen G, Hansen AT. Fald i hjertedødelighed og ændring af risikofaktorniveaue. *Ugeskr Laeger.* 1990;152(18):1296–9
- 1989 Nyboe J, Jensen G, Appleyard M, Schnohr P. Risk factors for acute myocardial infarction in Copenhagen. I: Hereditary, Educational and Socioeconomic Factors. *Eur Heart J.* 1989;10:910–6

Sjögrens Syndrome

- 1997 Bjerrum K. The ratio of albumin to lactoferrin in tear fluid as a diagnostic tool in primary Sjögren's syndrome. *Acta Ophthalmol Scand* 1997;75:507–11
- 1995 Bjerrum K. Snake-like chromatin in conjunctival cells of normal elderly persons and of patients with primary Sjögren's syndrome and other connective tissue diseases. *Acta Ophthalmol Scand* 1995;73:33–6

Smoking

- 2017 Bojesen SE, Timpson N, Relton C, Smith GD, Nordestgaard BG. AHRR (cg05575921) hypomethylation marks smoking behaviour, morbidity and mortality. *Thorax.* 2017;646–53
- Schou AL, Mølbak M, Schnor P, Grønbæk M, Tolstrup JS. Alcohol consumption, smoking and development of visible age-related signs: a prospective cohort study. *J Epidemiol Community Heal.* 2017;71(12):1177–84
- 2016 Lange P, Colak Y, Ingebrigtsen TS, Vestbo J, Marott JL. Long-term prognosis of asthma, chronic obstructive pulmonary disease, and asthma-chronic obstructive pulmonary disease overlap in the Copenhagen City Heart study: a prospective population-based analysis. *Lancet Respir Med [Internet].* 2016;4(6):454–62
- 2015 Wium-Andersen MK, Ørsted DD, Nordestgaard BG. Tobacco smoking is causally associated with antipsychotic medication use and schizophrenia, but not with antidepressant medication use or depression. *Int J Epidemiol.* 2015;44(2):566–77
- 2014 Holmes M V., Frikke-Schmidt R, Melis D, Luben R, Asselbergs FW, Boer JMA, et al. A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. *Atherosclerosis* 2014;237(1):5–12

- 2013 Dam MK, Flensburg-Madsen T, Eliassen M, Becker U, Tolstrup JS. Smoking and risk of liver cirrhosis: A population-based cohort study. *Scand J Gastroenterol.* 2013;48(5):585–91
- Sode BF, Nordestgaard BG, Grønbaek M, Dahl M. Tobacco smoking and aortic aneurysm: Two population-based studies. *Int J Cardiol* 2013;167(5):2271–7
- 2011 Kaur-Knudsen D, Bojesen SE, Tybjærg-Hansen A, Nordestgaard BG. Nicotinic acetylcholine receptor polymorphism, smoking behavior, and tobacco-related cancer and lung and cardiovascular diseases: A cohort study. *J Clin Oncol.* 2011;29(21):2875–82
- Jensen MT, Marott JL, Jensen GB. Elevated resting heart rate is associated with greater risk of cardiovascular and all-cause mortality in current and former smokers. *Int J Cardiol* 2011;151(2):148–54
- 2009 Tolstrup JS, Kristiansen L, Becker U, Grønbaek M. Smoking and Risk of Acute and Chronic Pancreatitis Among Women and Men: A Population-Based Cohort Study. *Arch Intern Med* 2009;169(6):603–9
- 2005 Godtfredsen NS, Prescott E, Osler M. Effect of Smoking Reduction on Lung Cancer Risk. *JAMA J Am Med Assoc* 2005 Sep 28;294(12):1505–10
- Rasmussen SR, Prescott E, Sorensen TIA, Sogaard J. The total lifetime health cost savings of smoking cessation to society. *Eur J Public Health* 2005;15(6):601–6
- 2004 Rasmussen SR, Prescott E, Sorensen TIA, Sogaard J. The total lifetime costs of smoking. *Eur J Public Health* 2004;14(1):95–100
- Husemoen LL, Osler M, Godtfredsen NS, Prescott E. Smoking and subsequent risk of early retirement due to permanent disability. *Eur J Public Health* 2004;14(1):86–92
- Godtfredsen NS, Lucht H, Prescott E, Sørensen TIA, Grønbaek M. A prospective study linked both alcohol and tobacco to Dupuytren's disease. *J Clin Epidemiol* 2004;57(8):858–63
- 2003 Godtfredsen NS. Smoking reduction and cessation - determinants and health consequences. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2003. Thesis
- Godtfredsen NS, Osler M, Vestbo J, Andersen I, Prescott E. Smoking reduction, smoking cessation, and incidence of fatal and non-fatal myocardial infarction in Denmark 1976-1998: a pooled cohort study. *J Epidemiol Community Health* 2003;57(6):412–6
- Jensen MK, Sørensen TIA, Andersen AT, Thorsen T, Tolstrup JS, Godtfredsen NS, et al. A prospective study of the association between smoking and later alcohol drinking in the general population. *Addiction* 2003;98:355–64

- 2002 Godtfredsen NS, Vestbo J, Osler M, Prescott E. Risk of hospital admission for COPD following smoking cessation and reduction: a Danish population study. *Thorax* 2002;57(11):967–72
- Bismuth J, Kofoed SC, Jensen AS, Sethi AA, Sillesen H. Serum lipids act as inverse acute phase reactants and are falsely low in patients with critical limb ischemia. *J Vasc Surg* 2002;36:1005–10
- Prescott E, Scharling H, Osler M, Schnohr P. Importance of light smoking and inhalation habits on risk of myocardial infarction and all cause mortality. A 22 year follow up of 12 149 men and women in The Copenhagen City Heart Study. *J Epidemiol Community Health* 2002 Sep 1;56(9):702–6
- Godtfredsen NS, Holst C, Prescott E, Vestbo J, Osler M. Smoking Reduction, Smoking Cessation, and Mortality: A 16-year Follow-up of 19,732 Men and Women from the Copenhagen Centre for Prospective Population Studies. *Am J Epidemiol* 2002;156(11):994–1001
- 2001 Godtfredsen NS, Prescott E, Osler M, Vestbo J. Predictors of Smoking Reduction and Cessation in a Cohort of Danish Moderate and Heavy Smokers. *Prev Med (Baltim)* 2001 Jul;33:46–52
- Godtfredsen NS, Lange P, Prescott E, Osler M, Vestbo J. Changes in smoking habits and risk of asthma: a longitudinal population based study. *Eur Respir J* 2001 Sep 1;18(3):549–54
- 2000 Prescott E. Tobacco-related diseases: The role of gender. An epidemiologic study based on data from the Copenhagen Centre for Prospective Population Studies. Vol. 47. [Dan Med Bull]: The faculty of Health Science of the University of Copenhagen; 2000. Doctoral Thesis
- Højdrup S, Prescott E, Sorensen TIA, Gottschau A, Lauritzen JB, Schroll M, et al. Tobacco smoking and risk of hip fracture in men and women. *Int J Epidemiol* 2000;29(2):253–9
- 1999 Prescott E, Hein HO, Schnohr P, Osler M, Vestbo J, Borch-Johnsen K. Rygning og middellevetid blandt danske mænd og kvinder. *Ugeskr Laeger* 1999;(161):1261–3
- Osler M, Prescott E, Godtfredsen N, Hein HO, Schnohr P. Gender and determinants of smoking cessation: A longitudinal study. *Prev Med (Baltim)* 1999;(29):57–62
- 1998 Højdrup S. Risk factors for hip fracture. The impact of tobacco smoking, alcohol intake, physical activity, and hormone replacement therapy on risk of hip fracture. [Copenhagen]: The Faculty of Health Science of the University of Copenhagen; 1998. Thesis
- Osler M, Prescott E. Psychosocial, behavioural and health determinants of successful smoking cessation: a longitudinal study of Danish adults. *Tob Control* 1998;7:262–7

Prescott E, Osler M, Andersen PK, Bjerg AM, Hein HO, Borch-Johnsen K, et al. Mortality in women and men in relation to smoking; results from the Copenhagen center for prospective population studies. *Int J Epidemiol.* 1998;27:27–32

Prescott E, Hippe M, Schnohr P, Hein HO, Vestbo J. Smoking and risk of myocardial infarction in women and men: longitudinal population study. *Br Med J* 1998;316:1043–7

Prescott E, Osler M, Vestbo J. Importance of detailed adjustment for smoking when comparing hospitalization and mortality in men and women in a Danish population study. *Eur J Public Health* 1998;8(2):166–9

Prescott E, Osler M, Hein HO, Borch-Johnsen K, Schnohr P, Vestbo J. Life expectancy in Danish women and men related to smoking habits: smoking may affect women more. *J Epidemiol Community Health* 1998;52:131–2

Prescott E, Osler M, Hein HO, Borch-Johnsen K, Lange P, Schnohr P, et al. Prospective cohort study of gender and smoking-related risk of lung cancer. *Epidemiology* 1998;9(1):79–83

1997 Prescott E, Osler M, Andersen PK, Bjerg AM, Hein HO, Borch-Johnsen K, et al. Has risk associated with smoking increased? Results from the Copenhagen Center for Prospective Population Studies. *Int J Epidemiol* 1997;26(6):1214–8

1993 Lange P, Nyboe J, Appleyard M, Jensen G, Schnohr P. Tobak, lungekræft og kronisk obstruktiv lungesygdom. Resultater fra Østerbrounderøgelsen. *Ugeskr Laeger.* 1993;155:2333–7

1992 Lange P, Nyboe J, Appleyard M, Jensen G, Schnohr P. Relationship of the type of tobacco and inhalation pattern to pulmonary and total mortality. *Eur Respir J.* 1992;5:1111–7

1991 Lange P, Groth S, Mortensen J, Nyboe J, Appleyard M, Jensen G, et al. Forskellige slags røgtobak og udvikling af kronisk obstruktiv lungesygdom. Resultater fra Østerbrounderøgelsen. *Ugeskr Laeger.* 1991;153(39):2742–5

Nyboe J, Jensen G, Appleyard M, Schnohr P. Smoking and the risk of first acute myocardial infarction. *Am Heart J.* 1991;122(2):438–47

1989 Lange P, Groth S, Nyboe J, Mortensen J, Appleyard M, Jensen G, et al. Effects of smoking and changes in smoking habits on the decline of FEV1. *Eur Respir J* 1989;2:811–6

Lange P, Groth S, Nyboe J, Mortensen J, Appleyard M, Schnohr P, et al. Determinants of chronic mucus hypersecretion in a general population with special reference to the type of tobacco smoked. *Int J Epidemiol.* 1989;18(4):882–7

1988 Lange P, Schnohr P, Groth S, Mortensen J, Appleyard M, Nyboe J, et al. Medfører helbredsproblemer rygeophør? *Ugeskr Laeger.* 1988;150:2024–6

Stress

- 2019 Nabe-Nielsen K, Rod NH, Hansen AM, Prescott E, Grynderup MB, Islamoska S, et al. Perceived stress and dementia: Results from the Copenhagen city heart study. *Aging Ment Health*. 2019 Jun;1–9 [ahead of print]
- Islamoska S, Ishtiak-Ahmed K, Hansen AM, Grynderup MB, Mortensen EL, Garde AH, et al. Vital Exhaustion and Incidence of Dementia: Results from the Copenhagen City Heart Study. *J Alzheimers Dis*. 2019;67(1):369–79
- 2012 Rod NH, Kristensen TS, Lange P, Prescott E, Diderichsen F. Perceived stress and risk of adult-onset asthma and other atopic disorders: A longitudinal cohort study. *Allergy Eur J Allergy Clin Immunol*. 2012;67(11):1408–14
- 2011 Rod NH, Andersen I, Prescott E. Psychosocial risk factors and heart failure hospitalization: A prospective cohort study. *Am J Epidemiol*. 2011;174(6):672–80
- 2009 Rod NH, Gronbaek M, Schnohr P, Prescott E, Kristensen TS. Perceived stress as a risk factor for changes in health behaviour and cardiac risk profile: a longitudinal study. *J InternMed* 2009;266(5):467–75
- 2008 Nielsen NR, Kristensen TS, Schnohr P, Gronbaek M. Perceived Stress and Cause-specific Mortality among Men and Women: Results from a Prospective Cohort Study. *Am J Epidemiol* 2008 Sep 1;168(5):481–91
- Nielsen NR, Kristensen TS, Strandberg-Larsen K, Zhang ZF, Schnohr P, Grønbaek M. Perceived stress and risk of colorectal cancer in men and women: A prospective cohort study. *J Intern Med* 2008;263:192–202
- 2007 Nielsen NR, Strandberg-Larsen K, Gronbaek M, Kristensen TS, Schnohr P, Zhang ZF. Self-Reported Stress and Risk of Endometrial Cancer: A Prospective Cohort Study. *Psychosom Med* 2007;69(4):383–9
- Nielsen NR, Kristensen TS, Zhang ZF, Strandberg-Larsen K, Schnohr P, Grønbaek M. Sociodemographic Status, Stress, and Risk of Prostate Cancer. A Prospective Cohort Study. *Ann Epidemiol* 2007 Jul;17(7):498–502

Stroke/TIA

- 2019 Varbo A, Nordestgaard BG. Remnant cholesterol and risk of ischemic stroke in 112,512 individuals from the general population. *Ann Neurol*. 2019;85(4):550–9
- Langsted A, Nordestgaard BG, Kamstrup PR. Elevated Lipoprotein(a) and Risk of Ischemic Stroke. *J Am Coll Cardiol*. 2019;74(1):54–66
- Juul Rasmussen I, Tybjaerg-Hansen A, Rasmussen KL, Nordestgaard BG, Frikke-Schmidt R. Blood-brain barrier transcytosis genes, risk of dementia and stroke: a prospective cohort study of 74,754 individuals. *Eur J Epidemiol*. 2019;34(6):579–90
- Riis J, Nordestgaard BG, Jensen GB, Afzal S. Secular trends in risk of stroke according to body mass index and blood pressure, 1976–2017. *Neurology*. 2019;93(14):e1397–407

- 2018 Mattsson N, Nielsen OW, Johnson L, Prescott E, Schnohr P, Jensen GB, et al. Prognostic Impact of Mild Hypokalemia in Terms of Death and Stroke in the General Population-A Prospective Population Study. *Am J Med* 2018;131(3):318.e9-318.e19
- Christensen AI, Nordestgaard BG, Tolstrup JS. Alcohol Intake and Risk of Ischemic and Haemorrhagic Stroke: Results from a Mendelian Randomisation Study. *J Stroke* 2018;20(2):218–27
- Mach F, Ray KK, Wiklund O, Corsini A, Catapano AL, Bruckert E, et al. Adverse effects of statin therapy: perception vs. the evidence – focus on glucose homeostasis, cognitive, renal and hepatic function, haemorrhagic stroke and cataract. *Eur Heart J*. 2018;39(27):2526–39
- Beheshti S, Madsen CM, Varbo A, Benn M, Nordestgaard BG. Relationship of Familial Hypercholesterolemia and High LDL Cholesterol to Ischemic Stroke: The Copenhagen General Population Study. *Circulation [Internet]*. 2018;138(6):578–89
- 2017 Christoffersen M, Frikke-Schmidt R, Nordestgaard BG, Tybjaerg-Hansen A. Genetic variation in WRN and ischemic stroke: General population studies and meta-analyses. *Exp Gerontol* 2017;89:69–77
- Afzal S, Nordestgaard BG. Vitamin D, Hypertension, and Ischemic Stroke in 116 655 Individuals from the General Population: A Genetic Study. *Hypertension*. 2017;70(3):499–507
- Varbo A, Nordestgaard BG, Benn M. Filaggrin loss-of-function mutations as risk factors for ischemic stroke in the general population. *J Thromb Haemost*. 2017;15(4):624–35
- 2016 Holmegard HN, Nordestgaard BG, Jensen GB, Tybjaerg-Hansen A, Benn M. Sex Hormones and Ischemic Stroke: A Prospective Cohort Study and Meta-Analyses. *J Clin Endocrinol Metab* 2016;101(1):69–78
- Nordestgaard AT, Nordestgaard BG. Coffee intake, cardiovascular disease and allcause mortality: Observational and mendelian randomization analyses in 95 000-223 000 individuals. *Int J Epidemiol*. 2016;45(6):1938–52
- 2015 Kjaergaard AD, Johansen JS, Bojesen SE, Nordestgaard BG. Elevated plasma YKL-40, lipids and lipoproteins, and ischemic vascular disease in the general population. *Stroke*. 2015;46(2):329–35
- 2014 Jørgensen AB, Frikke-Schmidt R, Nordestgaard BG, Tybjaerg-Hansen A. Loss-of-Function Mutations in APOC3 and Risk of Ischemic Vascular Disease. *N Engl J Med* 2014;371(1):32–41
- 2013 Hornstrup LS, Frikke-Schmidt R, Nordestgaard BG, Tybjærg-Hansen A. Genetic stabilization of transthyretin, cerebrovascular disease, and life expectancy. *Arterioscler Thromb Vasc Biol*. 2013;33(6):1441–7

- Brøndum-Jacobsen P, Nordestgaard BG, Schnohr P, Benn M. 25-Hydroxyvitamin D and symptomatic ischemic stroke: An original study and meta-analysis. *Ann Neurol*. 2013;73(1):38–47
- 2012 Johannsen TH, Frikke-Schmidt R, Schou J, Nordestgaard BG, Tybjærg-Hansen A. Genetic inhibition of CETP, ischemic vascular disease and mortality, and possible adverse effects. *J Am Coll Cardiol* 2012;60(20):2041–8
- 2011 Stender S, Frikke-Schmidt R, Anestis A, Kardassis D, Sethi AA, Nordestgaard BG, et al. Genetic variation in liver X receptor alpha and risk of ischemic vascular disease in the general population. *Arterioscler Thromb Vasc Biol*. 2011;31(12):2990–6
- Varbo A, Nordestgaard BG, Tybjærg-Hansen A, Schnohr P, Jensen GB, Benn M. Nonfasting triglycerides, cholesterol, and ischemic stroke in the general population. *Ann Neurol*. 2011;69(4):628–34
- 2010 Kornerup H, Marott JL, Schnohr P, Boysen G, Barefoot J, Prescott E. Vital exhaustion increases the risk of ischemic stroke in women but not in men: Results from the Copenhagen City Heart Study. *J Psychosom Res* 2010;68(2):131–7
- Kornerup H, Osler M, Boysen G, Barefoot J, Schnohr P, Prescott E. Major life events increase the risk of stroke but not of myocardial infarction: results from the Copenhagen City Heart Study. *Eur J Cardiovasc Prev Rehabil* 2010;17(1):113–8
- Kjaergaard AD, Bojesen SE, Johansen JS, Nordestgaard BG. Elevated plasma YKL-40 levels and ischemic stroke in the general population. *Ann Neurol*. 2010;68(5):672–80
- 2009 Krarup L-H. Physical activity and ischemic stroke. Eget forlag. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2009. Thesis
- Boysen G, Marott JL, Grønbæk M, Hassanpour H, Truelsen T. Long-Term Survival after Stroke: 30 Years of Follow-Up in a Cohort, the Copenhagen City Heart Study. *Neuroepidemiology* 2009;33(3):254–60
- Lindestrøm E, Boysen G, Nyboe J. Life-style factors and risk for Stroke in women. The Copenhagen City Heart Study. *Stroke*. 2009;24:1468–72
- 2007 Krarup L-H, Truelsen T, Pedersen A, Lerke H, Lindahl M, Hansen L, et al. Level of physical activity in the week preceding an ischemic stroke. *Cerebrovasc Dis* 2007;24:296–300
- Krarup L-H, Boysen G, Janjua H, Prescott E, Truelsen T. Validity of stroke diagnoses in a National Register of Patients. *Neuroepidemiology* 2007;28:150–4
- 2005 Truelsen T, Nielsen N, Grønbæk M, Boysen G. Selvrappporteret stress og risiko for apoplexi. *Østerrbundersøgelsen*. *Ugeskr Laeger* 2005;167:53–6

- 2004 Friberg J, Scharling H, Gadsbøll N, Truelsen T, Jensen GB. Comparison of the impact of atrial fibrillation on the risk of stroke and cardiovascular death in women versus men. *Am J Cardiol* 2004;94:889–94
- Truelsen T. New stroke risk factors and trends in stroke occurrence. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2004. Doctoral Thesis
- 2003 Schau B, Boysen G, Truelsen T, Boden-Albala B, Cheng J, Babamoto E, et al. Development and validation of a model to estimate stroke incidence in a population. *J Stroke Cerebrovasc Dis* 2003;12:22–8
- Kofoed SC, Wittrup HH, Sillesen H, Nordestgaard BG. Fibrinogen predicts ischaemic stroke and advanced atherosclerosis but not echolucent, rupture-prone carotid plaques: The Copenhagen City Heart Study. *Eur Heart J* 2003;24(6):567–76
- 2002 Kofoed SC. Plasma lipoproteins and acute phase carotid atherosclerosis and stroke. Relations to echolucent and echo-rich plaques. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 2002. Thesis
- Truelsen T, Grønbæk M, Schnohr P, Boysen G. Stroke case fatality in Denmark 1977 to 1992: The Copenhagen City Heart Study. *Neuroepidemiology* 2002;21:22–7
- 2000 Truelsen T. Trends in stroke incidence in the Copenhagen City Heart Study & the effect of beer, wine and spirit consumption on risk of stroke. [Eget forlag, Copenhagen]: The faculty of Health Science of th University of Copenhagen; 2000. Thesis
- 1999 Dreyer L. Atherosclerosis and cancer risk: Register-based Studies. [University of Copenhagen, Denmark]: Institute of Cancer Epidemiology, Danish Cancer Society, Institute of Preventive Medicine, Copenhagen University Hospital; 1999. Thesis
- 1998 Truelsen T, Bonita R, Grønbæk M, Schnohr P, Boysen G. Stroke incidence and case fatality in two populations: The Auckland Stroke Study and the Copenhagen City Heart Study. *Neuroepidemiology*. 1998;17:132–8
- Truelsen T, Grønbæk M, Schnohr P, Boysen G. Intake of Beer, Wine, and Spirits and Risk of Stroke : The Copenhagen City Heart Study. *Stroke* 1998;29(12):2467–72
- 1997 Nielsen WB, Lindestrøm E, Vestbo J, Jensen G. Is diastolic hypertension an independent risk factor for stroke in the presence of normal systolic blood pressure in middleaged and elderly? *Am J Hypertens* 1997;10(6):634–9
- Truelsen T, Prescott E, Grønbæk M, Schnohr P, Boysen G. Trends in stroke incidence. The Copenhagen City Heart Study. *Stroke* 1997;28:1903–7

- 1995 Lindestrøm E, Boysen G, Nyboe J. Influence of systolic and diastolic blood pressure on stroke risk: A prospective observational study. *Am J Epidemiol* 1995;142(12):1279–90
- Nielsen WB, Vestbo J, Jensen G. Isolated systolic hypertension as a major risk factor for stroke and myocardial infarction and an unexploited source of cardiovascular prevention: a prospective population-based study. *J Hum Hypertens* 1995;9:175–80
- 1994 Lindestrøm E, Boysen G, Nyboe J. Influence of total cholesterol, high density lipoprotein cholesterol, and triglycerides on risk of cerebrovascular disease: The Copenhagen City Heart Study. *Br Med J*. 1994;309:11–5
- Truelsen T, Lindestrøm E, Boysen G. Comparison of probability of stroke between the Copenhagen City Heart Study and the Framingham Study. *Stroke* 1994;25(4):802–7
- Lindestrøm E. Risk factors for cerebrovascular disease. Twelve year follow-up from the Copenhagen City Heart Study. [Copenhagen]: The faculty of Health Science of the University of Copenhagen; 1994. Thesis
- 1993 Lindestrøm E, Boysen G, Nyboe J. Risk factors for Stroke in Copenhagen, Denmark. II. Life-style factors. *Neuroepidemiology*. 1993;12:43–50
- Lindestrøm E, Boysen G, Nyboe J. Risk factors for Stroke in Copenhagen, Denmark. I. Basic demographic and social factors. *Neuroepidemiology*. 1993;12:37–42
- 1992 Lindestrøm E, Boysen G, Nyboe J, Appleyard M. Stroke incidence in Copenhagen, 1976–88. *Stroke*. 1992;23(1):28–32
- 1991 Boysen G, Nyboe J, Appleyard M, Schnohr P, Jensen G. Incidence of and risk factors for stroke and AMI in a Copenhagen cohort. in: *Cerebral vascular diseases*. Elsevier Sci Publ BV. 1991;31–4
- 1988 Boysen G, Nyboe J, Appleyard M, Sørensen PS, Boas J, Somnier F, et al. Stroke incidence and risk factors for stroke in Copenhagen. *Stroke*. 1988;19(11):1345–53
- 1982 Soelberg P, Boysen G, Jensen G, Schnohr P. Prevalence of stroke in a district of Copenhagen. *Acta Neurol Scand*. 1982;66:68–81
- 1979 Boysen G, Jensen G, Schnohr P. Frequency of focal cerebral transient ischaemic attacks during a 12 month period. *Stroke*. 1979;10(5):533–4
- 1978 Boysen G, Jensen G, Schnohr P. Focal cerebral transient ischaemic attacks - a population study from Copenhagen. *Acta Neurol Scand*. 1978;57((suppl 67)):221
- 1983 Hegedus L, Perrild H, Poulsen LR, Andersen JR, Holm B, Schnohr P, et al. The determination of thyroid volume by ultrasound and its relationship to bodyweight, age and sex in normal subjects. *J Clin Endocrinol Metab*. 1983;56:260–3

Thyroid

- Virus
- 1985 LaBianca T, LaBianca J, Ibsen KK. Rubella-antibodies in schoolchildren. *Dan Med Bull.* 1985;32:267–9
- 1983 Hesse J, Ibsen KK, Krabbe S, Uldall P. Prevalence of antibodies to Epstein-Barr virus (EBV) in childhood and adolescence in Denmark. *Scand J Infect Dis.* 1983;15(4):335–8
- 1982 Skinhøj P, Ibsen KK, Kryger P. Viral hepatitis in Danish children. Disappearance of an infection from its previous reservoir. *Arch Dis Child.* 1982;57:146–8
- 1979 Ebbesen P, Due C, Hesse J, Kurth R, Noble GR, Gallagher R, et al. Elevated titer of antibodies to simian sarcoma virus envelope antigen (GP 70) and normal response to influenza virus in untreated Danish Hodgkin's patients. *IntJCancer.* 1979;24:1–5
- Vitamin D
- 2020 Colak Y, Afzal S, Nordestgaard BG. 25-Hydroxyvitamin D and Risk of Osteoporotic Fractures: Mendelian Randomization Analysis in 2 Large Population-Based Cohorts. *Clinical Chemistry.* 2020 [ahead of print]
- 2019 Huang T, Afzal S, Yu C, Guo Y, Bian Z, Yang L, et al. Vitamin D and cause-specific vascular disease and mortality: a Mendelian randomisation study involving 99,012 Chinese and 106,911 European adults. *BMC Med.* 2019;17(1):160
- 2018 Færk G, Çolak Y, Afzal S, Nordestgaard BG. Low concentrations of 25-hydroxyvitamin D and long-term prognosis of COPD: a prospective cohort study. *Eur J Epidemiol.* 2018;33(6):1–11
- Lund-Nielsen J, Vedel-Krogh S, Kobylecki CJ, Brynskov J, Afzal S, Nordestgaard BG. Vitamin D and Inflammatory Bowel Disease: Mendelian Randomization Analyses in Copenhagen Studies and UK Biobank. *J Clin Endocrinol Metab.* 2018;103(9):3267-77
- Winsløw UC, Nordestgaard BG, Afzal S. High plasma 25-hydroxyvitamin D and high risk of non-melanoma skin cancer: a Mendelian randomisation study of 97849 individuals. *Br J Dermatol.* 2018;178(6):1388–95
- 2017 Afzal S, Nordestgaard BG. Vitamin D, Hypertension, and Ischemic Stroke in 116 655 Individuals from the General Population: A Genetic Study. *Hypertension.* 2017;70(3):499–507
- 2015 Brøndum-Jacobsen P, Benn M, Afzal S, Nordestgaard BG. No evidence that genetically reduced 25-hydroxyvitamin D is associated with increased risk of ischaemic heart disease or myocardial infarction: A Mendelian randomization study. *Int J Epidemiol.* 2015;44(2):651–61
- 2014 Afzal S, Brøndum-Jacobsen P, Bojesen SE, Nordestgaard BG. Genetically low vitamin D concentrations and increased mortality: Mendelian randomisation analysis in three large cohorts. *BMJ* 2014;349:1–12
- Afzal S, Bojesen SE, Nordestgaard BG. Reduced 25-hydroxyvitamin D and risk of Alzheimer's disease and vascular dementia. *Alzheimer's Dement* 2014;10(3):296–302

Ooi EM, Afzal S, Nordestgaard BG. Elevated remnant cholesterol in 25-hydroxyvitamin D deficiency in the general population mendelian randomization study. *Circ Cardiovasc Genet.* 2014;7(5):650–8

Afzal S, Lange P, Bojesen SE, Freiberg JJ, Nordestgaard BG. Plasma 25-hydroxyvitamin D, lung function and risk of chronic obstructive pulmonary disease. *Thorax.* 2014;69(1):24–31

Afzal S, Brøndum-Jacobsen P, Bojesen SE, Nordestgaard BG. Vitamin D concentration, obesity, and risk of diabetes: A mendelian randomisation study. *Lancet Diabetes Endocrinol.* 2014;2(4):298–306

Jacobsen PB. Reduced plasma 25-hydroxyvitamin D concentrations and risk of ischemic heart disease, total mortality, and venous thromboembolism in the general population. The faculty of Health Science of the University of Copenhagen; 2014. Thesis

Weight

2020 Hansen SEJ, Madsen CM, Varbo A, Nordestgaard BG. Body mass index, triglycerides and risk of acute pancreatitis: A population-based study of 118,000 individuals. *J Clin Endocrinol Metab.* 2020;105(1):1–12

2019 Morgen CS, Angquist L, Appleyard M, Schnohr P, Jensen GB, Sorensen TIA. Attitudes to and experiences with body weight control and changes in body weight in relation to all-cause mortality in the general population. *PLoS One.* 2019;14(8):e0220838

Riis J, Nordestgaard BG, Jensen GB, Afzal S. Secular trends in risk of stroke according to body mass index and blood pressure, 1976-2017. *Neurology.* 2019;93(14):e1397–407

2018 Mendelian Randomization of Dairy Consumption Working Group. Dairy consumption and body mass index among adults: Mendelian randomization analysis of 184802 individuals from 25 studies. *Clin Chem.* 2018;64(1):183–91

2016 Benn M, Tybjærg-Hansen A, Smith GD, Nordestgaard BG. High body mass index and cancer risk—a Mendelian randomisation study. *Eur J Epidemiol.* 2016;31(9):879–92

Afzal S, Tybjærg-Hansen A, Jensen GB, Nordestgaard BG. Change in body mass index associated with lowest mortality in Denmark, 1976-2013. *JAMA - J Am Med Assoc.* 2016;315(18):1989–96

Guo Y, Warren Andersen S, Shu XO, Michailidou K, Bolla MK, Wang Q, et al. Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. *PLoS Med.* 2016;13(8):1–18

2015 Davies NM, Gaunt TR, Lewis SJ, Holly J, Donovan JL, Hamdy FC, et al. The effects of height and BMI on prostate cancer incidence and mortality: a Mendelian randomization study in 20,848 cases and 20,214 controls from the PRACTICAL consortium. *Cancer Causes Control* 2015;26(11):1603–16

- 2013 Stender S, Nordestgaard BG, Tybjaerg-Hansen A. Elevated body mass index as a causal risk factor for symptomatic gallstone disease: A Mendelian randomization study. *Hepatology*. 2013;58(6):2133–41
- 2012 Nordestgaard BG, Palmer TM, Benn M, Zacho J, Tybjaerg-Hansen A, Smith GD, et al. The effect of elevated body mass index on ischemic heart disease risk: Causal estimates from a mendelian randomisation approach. *PLoS Med*. 2012;9(5):e1001212
- 2011 Asferg C. Fedmerelateret hypertension: Fokus på leptin. The faculty of Health Science of the University of Copenhagen; 2011. Thesis
- The Emerging Risk Factors Collaboration, Wormser D, Kaptoge S, Di Angelantonio E, Wood AM, Pennells L, et al. Separate and combined associations of body-mass index and abdominal adiposity with cardiovascular disease: Collaborative analysis of 58 prospective studies. *Lancet* 2011;377(9771):1085–95
- 2010 Østergaard JN, Grønbæk M, Schnohr P, Sørensen TIA, Heitmann BL. Combined effects of weight loss and physical activity on all-cause mortality of overweight men and women. *Int J Obes* 2010;34(4):760–9
- 2009 Prospective Studies Collaboration. Body-Mass Index and Cause-Specific Mortality In 900,000 Adults: Collaborative Analyses of 57 Prospective Studies. *Lancet*. 2009;373(9669):1083-96
- Gamborg M. Statistical methods in life course epidemiology: Body weight, systolic blood pressure and the risk of coronary heart disease. 2009. Thesis
- Andersen LG, Ängquist L, Gamborg M, Byberg L, Bengtsson C, Canoy D, et al. Birth Weight in Relation to Leisure Time Physical Activity in Adolescence and Adulthood: Meta-Analysis of Results from 13 Nordic Cohorts. *PLoS One* 2009;4(12):e8192
- Gamborg M, Andersen PK, Baker JL, Budtz-Jorgensen E, Jorgensen T, Jensen G, et al. Life Course Path Analysis of Birth Weight, Childhood Growth, and Adult Systolic Blood Pressure. *Am J Epidemiol*. 2009;169(10):1167–78